

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73328 A2

(51) International Patent Classification⁷: C07K 14/00

(21) International Application Number: PCT/EP00/05108

(22) International Filing Date: 2 June 2000 (02.06.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
9912755.7 1 June 1999 (01.06.1999) GB

(71) Applicant (for all designated States except US): DEV-
GEN NV [BE/BE]; Technologiepark 9, B-9052 Zwij-
naarde (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): VAN CRIEKINGE,
Wim [BE/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE). ROELENS, Ingele [BE/BE]; Dev-
gen NV, Technologiepark 9, B-9052 Zwijnaarde (BE).
BOGAERT, Thierry [BE/BE]; Devgen N.V., Technolo-
giepark 9, B-9052 Zwijnaarde (BE). VERWAERDE,
Phillipe [FR/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE).

(74) Agent: BAVERSTOCK, Michael, George, Douglas;
Boulton Wade Tennant, Verulam Gardens, 70 Gray's Innroad,
London WC1X 8BT (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE,
DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,
TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished
upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: UNC-5 CONSTRUCTS AND SCREENING METHODS

(57) Abstract: The invention provides novel splice variants of the human unc-5c cDNA and a novel human unc-5HS1 cDNA se-
quence. Also provided are assays based on protein-protein interactions between the UNC-5 protein and a variety of different inter-
acting proteins.

- 1 -

UNC-5 constructs and screening methods

The present invention is concerned with *unc-5*, a conserved animal gene family that encodes proteins implicated in directional cell behaviour. In particular, the invention is concerned with novel splice variants of the human *unc-5C* cDNA and a novel human *unc-5HS1* cDNA sequence. In addition, assays are provided based on protein-protein interactions between the UNC-5 protein and a variety of different interacting proteins.

Unc-5 is a conserved animal gene family that encodes proteins implicated in directional cell behaviour. The *unc-5* gene of the nematode worm *Caenorhabditis elegans* (*C. elegans*) is known to be involved in dorsal migration in contrast to *unc-40* which is involved in ventral migrations (Hedgecock et al., Neuron Vol. 2; 61-85, 1990). Both the *unc-5* and *unc-40* genes are associated with the netrin *unc-6*, and all three genes play a dominant role in directional neuronal outgrowth .

The *C. elegans unc-5* gene encodes a 919 amino acid transmembrane receptor with two immunoglobulin and two thrombospondin type I extracellular domains (Leung-Hagesteijn et al., Cell Vol. 71:289-299, 1992). Ectopic overexpression of *unc-5* in the *C. elegans* touch neurons resulted in dorsal steering of these, instead of the normal ventral elongation of these neurons (Hamelin et al., Nature, 364:327-330, 1993).

Several vertebrate homologues of *unc-5* have been cloned including the *Rattus norvegicus unc5H1* and *unc5H2* (Leonardo et al., Nature Vol. 386:833-838, 1997), a *Mus musculus* homologue designated *rcm* (Ackerman et al, Nature Vol. 386:838-842, 1997) and a human homologue *unc5C* (Ackerman et al., Genomics Vol. 52:205-208, 1998).

- 2 -

The intracellular part of the UNC-5 proteins contains a ZO-1 domain. Such domains are known to be involved in tight junction biology. Furthermore UNC-5 proteins contain a death domain. So far this is the only protein found in *C. elegans* that harbors such a death domain. Death domains are involved in the apoptotic process. In this process, caspases play an important role. The human UNC-40 homologue DCC, a protein also known involved in axonal outgrowth, is a caspase-3 substrate (Mehen et al., Nature 395:801-804, 1998).

The present inventors have identified three previously unknown variant unc-5C cDNAs. These variant cDNAs correspond to alternatively spliced unc-5C transcripts.

Accordingly, in a first aspect provides a protein which comprises the amino acid sequence set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 or an amino acid sequence which differs from that shown in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 only in conservative amino acid changes.

Also provided by the invention are nucleic acid sequences which encode the proteins of the invention.

Also provided by the invention are a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 1, a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 3 and a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 5.

The splice variants of human unc-5C were cloned by PCR technology. Two primers were developed to amplify the intracellular part of the unc-5C. Human Brain cDNA was used for this purpose. Three new splice variants of human unc-5C were characterized. A schematic representation of these splice variants is given in Figure 5.

The first splice variant (designated unc-5Cb) has

- 3 -

a deletion of an intron in the UP region. The nucleotide sequence of a partial unc-5Cb cDNA is set forth in SEQ ID NO: 1 and the corresponding amino acid sequence is set forth in SEQ ID NO: 2. The splice of
5 this intron results in a UNC-5Cb protein which is considerably shorter than the previously known UNC-5C, as the coding frame is not maintained. This protein is truncated for the DD domain and for the major part of the UP domain.

10 The second splice variant (designated unc-5Cc) is deleted by an intron in the ZO-1 region, also resulting in a shorter protein than the previously known UNC-5C, as the coding frame is not maintained. The nucleotide sequence of a partial UNC-5Cc cDNA is
15 set forth in SEQ ID NO: 3 and the corresponding amino acid sequence is shown in SEQ ID NO: 4. The resulting protein (UNC-5Cc) is truncated for the DD domain, the UP domain and a part of the ZO-1 domain.

The third splice variant (unc-5C8) is deleted by
20 a small intron in the ZO-1 domain, but the coding frame is maintained. This results in a slightly smaller protein (UNC-5C8), wherein only the amino acid sequence coded by the spliced intron is truncated. The nucleotide sequence of a partial UNC-5C8 cDNA is
25 set forth in SEQ ID NO: 5 and the corresponding amino acid sequence is shown in SEQ ID NO: 6.

The presence of various splice variants of unc-5C in the human brain indicated that the activity of UNC-5C is tightly regulated.

30 The inventors have also identified a human unc-5 cDNA which shares homology with the *Rattus norvegicus* unc-5H1 cDNA.

Accordingly, in a further aspect the invention provides a nucleic acid molecule comprising the
35 sequence of nucleotides set forth in SEQ ID NO: 7.

Whilst performing yeast two hybrid experiments to identify proteins which interact with the human UNC-5C

- 4 -

protein the inventors identified a number of heretofore unknown human cDNAs which encode proteins which interact with human UNC-5C.

Accordingly, the invention further provides
5 a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57, a nucleic acid comprising the sequence of nucleotides set forth in
10 SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 55, a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the
15 sequence of nucleotides set forth in SEQ ID NO: 62 and a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 64.

20 The nucleic acid molecules according to the invention may, advantageously, be included in a suitable expression vector to express the proteins encoded therefrom in a suitable host. Incorporation of cloned DNA into a suitable expression vector for
25 subsequent transformation of said cell and subsequent selection of the transformed cells is well known to those skilled in the art as provided in Sambrook et al. (1989), molecular cloning, a laboratory manual, Cold Spring Harbour Laboratory Press.

30 An expression vector according to the invention includes a vector having a nucleic acid according to the invention operably linked to regulatory sequences, such as promoter regions, that are capable of effecting expression of said DNA fragments. The term
35 "operably linked" refers to a juxtaposition wherein the components described are in a relationship permitting them to function in their intended manner.

- 5 -

Such vectors may be transformed into a suitable host cell to provide for expression of a protein according to the invention. Thus, in a further aspect, the invention provides a process for preparing proteins according to the invention which comprises cultivating a host cell, transformed or transfected with an expression vector as described above under conditions to provide for expression by the vector of a coding sequence encoding the protein, and recovering the expressed protein.

The vectors may be, for example, plasmid, virus or phage vectors provided with an origin of replication, and optionally a promoter for the expression of said nucleotide and optionally a regulator of the promoter. The vectors may contain one or more selectable markers, such as, for example, an antibiotic resistance.

Regulatory elements required for expression include promoter sequences to bind RNA polymerase and to direct an appropriate level of transcription initiation and also translation initiation sequences for ribosome binding. For example, a bacterial expression vector may include a promoter such as the lac promoter and for translation initiation the Shine-Dalgarno sequence and the start codon AUG. Similarly, a eukaryotic expression vector may include a heterologous or homologous promoter for RNA polymerase II, a downstream polyadenylation signal, the start codon AUG, and a termination codon for detachment of the ribosome. Such vectors may be obtained commercially or be assembled from the sequences described by methods well known in the art.

Nucleic acid molecules according to the invention may be inserted into the vectors described in an antisense orientation in order to provide for the production of antisense RNA. Antisense RNA or other antisense nucleic acids, including antisense peptide

- 6 -

nucleic acid (PNA), may be produced by synthetic means.

In accordance with the present invention, a defined nucleic acid includes not only the identical
5 nucleic acid but also any minor base variations including in particular, substitutions in cases which result in a synonymous codon (a different codon specifying the same amino acid residue) due to the degenerate code in conservative amino acid
10 substitutions. The term "nucleic acid sequence" also includes the complementary sequence to any single stranded sequence given regarding base variations.

The nucleic acid sequences according to the invention may be produced using recombinant or
15 synthetic techniques, such as for example using PCR which generally involves making a pair of primers, which may be from approximately 10 to 50 nucleotides to a region of the gene which is desired to be cloned, bringing the primers into contact with cDNA, or
20 genomic DNA from a human cell, performing a polymerase chain reaction under conditions which brings about amplification of the desired region, isolating the amplified region or fragment and recovering the amplified DNA. Generally, such techniques are well
25 known in the art, such as described in Sambrook et al. (Molecular Cloning: a Laboratory Manual, 1989).

The nucleic acids according to the invention may carry a revealing label. Suitable labels include
30 radioisotopes such as ^{32}P or ^{35}S , enzyme labels or other protein labels such as biotin or fluorescent markers. Such labels may be added to the nucleic acids or oligonucleotides of the invention and may be detected using known techniques *per se*.

The protein according to the invention includes
35 all possible amino acid variants encoded by the nucleic acid molecule according to the invention including a protein encoded by said molecule and

- 7 -

having conservative amino acid changes. Proteins or polypeptides according to the invention further include variants of such sequences, including naturally occurring allelic variants which are substantially homologous to said proteins or polypeptides. In this context, substantial homology is regarded as a sequence which has at least 70%, preferably 80 or 90% and preferably 95% amino acid homology with the proteins or polypeptides encoded by the nucleic acid molecules according to the invention. The protein according to the invention may be recombinant, synthetic or naturally occurring, but is preferably recombinant.

A further aspect of the invention provides a host cell or organism, transformed or transfected with an expression vector according to the invention. The host cell or organism may advantageously be used in a method of producing protein, which comprises recovering any expressed protein from the host or organism transformed or transfected with the expression vector.

According to a further aspect of the invention there is also provided a transgenic cell, tissue or organism comprising a transgene capable of expressing a protein according to the invention. The term "transgene capable of expressing" as used herein encompasses any suitable nucleic acid sequence which leads to expression of proteins having the same function and/or activity. The transgene, may include, for example, genomic nucleic acid isolated from human cells or synthetic nucleic acid, including DNA integrated into the genome or in an extrachromosomal state. Preferably, the transgene comprises the nucleic acid sequence encoding the proteins according to the invention as described herein, or a functional fragment of said nucleic acid. A functional fragment of said nucleic acid should be taken to mean a

- 8 -

fragment of the gene comprising said nucleic acid coding for the proteins according to the invention or a functional equivalent, derivative or a non-functional derivative such as a dominant negative mutant, or bioprecursor of said proteins.

5 The protein expressed by said transgenic cell, tissue or organism or a functional equivalent or bioprecursor of said protein also forms part of the present invention. Recombinant proteins may be
10 recovered and purified from host cell cultures by methods known in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose, chromatography, hydrophobic interaction
15 chromatography, affinity chromatography, hydroxyapatite chromatography and lectin chromatography.

The protein of the present invention may be a naturally purified product, or a product of chemical
20 synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the
25 expressed protein may lack the initiating methionine residue as a result of post-translational cleavage. Proteins which have been modified in this way are also included within the scope of the invention.

In a still further aspect the invention provides
30 an antibody capable of specifically binding to a protein according to the invention. Preferably the antibody is capable of specifically binding to a protein comprising the sequence of amino acids set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6.
35 An antibody according to the invention may be raised according to standard techniques well known to those skilled in the art by using the protein of the

- 9 -

invention or a fragment or single epitope thereof as the challenging antigen.

5 A further aspect of the invention comprises a nucleic acid capable of hybridising to the nucleic acids according to the invention, and preferably capable of hybridising to the sequence of nucleotides set forth in SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64, under high stringency
10 conditions. Conditions of stringency are well known to those skilled in the art.

Stringency of hybridisation as used herein refers to conditions under which polynucleic acids are stable. The stability of hybrids is reflected in the
15 melting temperature (T_m) of the hybrids. T_m can be approximated by the formula:

$$81.5^{\circ}\text{C} + 16.6(\log_{10}[\text{Na}^+] + 0.41 (\% \text{G\&C}) - 600/1$$

20 wherein l is the length of the hybrids in nucleotides. T_m decreases approximately by 1-1.5°C with every 1% decrease in sequence homology.

The nucleic acid capable of hybridising to nucleic acid molecules according to the invention will
25 generally be at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the nucleotide sequences according to the invention.

The present invention also advantageously provides oligonucleotides consisting essentially of at
30 least 10 consecutive nucleotides of a nucleic acid according to the invention and preferably from 10 to 50 consecutive nucleotides of a nucleic acid according to the invention, in particular a nucleic acid comprising the sequence of nucleotides shown in SEQ ID
35 NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64. These oligonucleotides may, advantageously be

- 10 -

used as probes or primers to initiate replication, or the like. Oligonucleotides having a defined sequence may be produced according to techniques well known in the art, such as by recombinant or synthetic means.

5 They may also be used in diagnostic kits or the like for detecting the presence of a nucleic acid according to the invention. These tests generally comprise contacting the probe with the sample under hybridising conditions and detecting for the presence of any
10 duplex or triplex formation between the probe and any nucleic acid in the sample.

To address the functional role of UNC-5 within the cell the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a
15 method well known to molecular biologists, both to investigate the ability of UNC-5 to form dimers and to search for proteins that interact with the UNC-5 protein. Using the two hybrid approach the inventors were able to demonstrate that UNC-5 is capable of
20 forming homodimers and identified a number of proteins which interact with the intracellular domains of the *C. elegans* unc-5 or human UNC-5 proteins. These newly identified protein-protein interactions involving UNC-5 may represent important events in cellular
25 signalling, hence compounds which disrupt these interactions may potentially have useful pharmacological properties.

Accordingly, in a further aspect the invention provides a method of identifying compounds which are
30 capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a host cell containing a DNA
35 construct comprising a reporter gene operatively linked to a promoter regulated by a transcription factor having a DNA binding domain and an

- 11 -

activating domain;

expressing in said host cell a first hybrid DNA sequence encoding a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor;

expressing in said host cell a second hybrid DNA sequence encoding a second fusion protein comprising an interacting protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor, such that when the first fusion protein comprises the activation domain of the said transcription factor the second fusion protein comprises the DNA binding domain of the said transcription factor and when the first fusion protein comprises the DNA binding domain of the transcription factor the second fusion protein comprises the activation domain;

contacting the host cell with a sample of the compound under test; and

detecting any binding of the UNC-5 protein or fragment thereof to the interacting protein or fragment thereof by detecting the production of any reporter gene product in the said host cell.

The method of the invention is based upon the standard two hybrid assay well known in the art. Preferably the host cell is a yeast cell. Protocols for performing a yeast two hybrid assay are well known in the art and are given in the Examples included herein.

As would be readily apparent to persons skilled in the art, the assay can be performed in either orientation. That is to say, the assay can be performed using an UNC-5 protein or a fragment thereof

- 12 -

fused to the DNA binding domain of the transcription factor and the interacting protein or fragment thereof fused to the activation domain of the transcription factor or alternatively the assay can be performed
5 using an UNC-5 protein or a fragment thereof fused to the activation domain of the transcription factor and the interacting protein or fragment thereof fused to the DNA binding domain of the transcription factor.

The above-described method based on the classical
10 yeast two hybrid system can be used to screen for compounds that inhibit or enhance the interaction between two proteins. In addition, other systems have been developed to screen for dissociation events, these methods are designated reverse hybrid methods.
15 These systems make use of yeast strains in which the expression of interacting hybrid proteins increases the expression of a counter-selectable marker that is toxic under particular conditions. Under these conditions, dissociation of an interaction provides a
20 selective advantage, thereby facilitating detection: A few growing yeast colonies in which hybrids fail to interact can be identified among millions of non-growing colonies expressing interacting proteins. Several reverse hybrid systems are known in the art.

25 The first reverse two-hybrid system utilizes a yeast strain, which is resistant to cycloheximide due to the presence of a mutant CYH2 gene. This strain also contains the wild-type CYH2 allele under the transcriptional control of the GAL1 promoter.
30 Expression of the wild-type GAL4 protein is sufficient to restore growth sensitivity to cycloheximide. Growth sensitivity towards cycloheximide is also restored by the co-expression of the avian c-Rel protein and its I κ B- α counterpart, p40, as GAL4 fusion proteins.
35 Restoration of growth sensitivity towards cycloheximide requires the association of c-REL and p40 at the GAL1 promoter and correlates with the

- 13 -

ability of the c-REL/p40 interaction to activate expression from the GAL1 promoter (Leanna and Hannink, 1996, NAR 24:3341-3347)

5 Another reverse hybrid system makes use of the most widely used counter-selectable marker in yeast genetics, URA3, which encodes orotidine-5'-phosphate decarboxylase, an enzyme required for the biosynthesis of uracil. Yeast cells that contain wild-type URA3, either on a plasmid or integrated in the genome, grow
10 on media lacking uracil (URA3+ phenotype). However, the URA3-encoded decarboxylase can also catalyze the conversion of a non-toxic analogue, 5-fluoroorotic acid (FOA) into a toxic product, 5-fluoroacil (Boeke et al., 1984, Mol. Gen. Genet. 197:345-346). Hence
15 mutations that prevent an interaction can be selected from large libraries of randomly mutated alleles. Similarly, molecules that dissociate or prevent an interaction could be selected from large libraries of peptides or compounds (Vidal et al., 1996, PNAS
20 93:10315-10320; Vidal et al., 1996, PNAS 93:10321-10326).

A third reversed yeast two hybrid is based on the use of GAL80 gene as relay gene. GAL80 encodes a protein that binds to and masks the activation domain
25 of a transcriptional activator, such as GAL4. The reporter genes, which will provide the transcriptional read-out (i.e. HIS3 or LACZ), are dependent upon the functional GAL4 for expression. Only when the level of GAL80 masking protein is reduced by interfering with
30 the two-hybrid interaction will Gal4 function as a transcriptional activator, providing a positive transcriptional read-out for molecules that inhibit the two-hybrid protein-protein interaction. An important feature of this reverse two-hybrid system is
35 that the basal level and the half-time of the relay protein, GAL80, can be fine-tuned to provide maximum sensitivity (Powers and Erickson, 1996, WO95/26400).

- 14 -

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

5 providing a transgenic cell or organism expressing a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to a first genetically encoded fluorophore and a second fusion protein comprising an

10 interacting protein or a fragment thereof fused in-frame to a second genetically encoded fluorophore, the first and second fluorophores being characterised in that the emission spectrum

15 of one of the fluorophores overlaps with the absorption spectrum of the other fluorophore;

 measuring the amount of fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of

20 the other fluorophore;

 exposing the transgenic cell or organism to a compound under test; and

 detecting any change in the amount of fluorescence emitted from

25 the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore.

This method uses fluorescence energy transfer or

30 FRET, a technique well known in the art for the detection and quantitative measurement of a whole range of specific binding interactions in biological systems, to screen for compounds which modulate the binding of UNC-5 or a fragment thereof to an

35 interacting protein. The general principles of FRET are as follows: one component of a binding pair is labelled with a first fluorophore (hereinafter

- 15 -

referred to as the donor fluorophore) and a second component of the binding pair is labelled with a second fluorophore (hereinafter referred to as the acceptor fluorophore).

5 It is an essential feature of the FRET technique that the fluorescence emission spectrum of the donor fluorophore overlaps with the absorption spectrum of the acceptor fluorophore, such that when the two components of the binding pair bind to each other,
10 bringing the donor and acceptor fluorophores into close proximity, a proportion of the fluorescent signal emitted by the donor fluorophore (following irradiation with incident radiation of a wavelength absorbed by the donor fluorophore) will be absorbed by
15 the proximal acceptor fluorophore (a process known in the art as fluorescence energy transfer) with the result that a proportion of the fluorescent signal emitted by the donor fluorophore is quenched and, in some instances, that the acceptor fluorophore emits
20 fluorescence. Fluorescence energy transfer will only occur when the donor and acceptor fluorophores are brought into close proximity by the specific binding reaction. Thus, in the presence of a compound which disrupts the specific binding, the amount of quenching
25 is reduced resulting in an increase in the intensity of the fluorescent signal emitted by the donor fluorophore or a fall in the intensity of the signal emitted by the acceptor fluorophore).

 The method of the invention is an *in vivo* FRET
30 assay because it is performed in a transgenic host cell or organism. The transgenic cell can be any mammalian cell line, the transgenic organism is preferably *C. elegans*.

 The method of the invention uses genetically
35 encoded donor and acceptor fluorophores which can be expressed as fusion proteins fused in frame to the UNC-5 protein and the interacting protein. This can

- 16 -

be readily accomplished by transforming or transfecting the cell or organism with appropriate expression vectors arranged to express the fusion proteins.

5 In a preferred embodiment the genetically encoded donor and acceptor proteins are variant green fluorescent proteins which exhibit different fluorescent properties and which have suitably overlapping emission/absorption spectra, such as EGFP
10 (enhanced green fluorescent protein) and EBFP (enhanced blue fluorescent protein). As would be readily apparent to persons skilled in the art, the FRET assay can be performed in either orientation. That is to say, the assay can be carried out using
15 UNC-5 fused to the donor fluorophore and the interacting protein fused to the acceptor fluorophore or using UNC-5 fused to the acceptor fluorophore and the interacting protein fused to the donor fluorophore.

20

 The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding
25 to the said UNC-5 protein, which method comprises:

 providing a first reaction component comprising a first protein linked to a solid support containing a scintillant and a second reaction component comprising a second protein
30 which has been radioactively labelled, wherein the first and second proteins are an UNC-5 protein or a fragment thereof and an interacting protein or a fragment thereof;

 bringing the first and second reaction components into contact in an aqueous solution in
35 the presence of a compound under test; and
 detecting binding of the first protein to

- 17 -

the second protein by detecting light emission from the scintillant.

The above method is based on the scintillation proximity assay (SPA™) developed by Amersham and commonly used in automated high throughput screening. In order to perform this assay a first interacting protein (e.g. an UNC-5 protein) must be linked onto a bead containing a scintillant. Linking of the protein to the beads can be carried out in many different ways, including, for example, via biotin-streptavidin affinity binding. Streptavidin-SPA beads are commercially available from Amersham and the interacting protein can easily be biotinylated *in vitro* or expressed as a biotinylated fusion protein using techniques known in the art. The second interacting protein (e.g. a protein known to interact with UNC-5) is labelled with radioactivity. This can be achieved, for example, by synthesising the second interacting protein by *in vitro* translation and incorporating a tritiated precursor amino acid. The SPA™ assay protocol is then as follows:

SPA beads linked to the first interacting protein are incubated for 30 minutes to one hour with a sample containing the radioactively labelled second interacting protein. Upon binding of the two interacting proteins, the radioactivity emitted by the labelled protein is brought into close proximity with the bead containing scintillant and therefore induces light emission from the scintillant. The free labelled protein in sample (non-bound) will not be held in sufficiently close proximity to the beads to induce light emission. Compounds which disrupt the binding of the first and second interacting proteins will cause a decrease in the amount of light emitted during the experiment.

As would be readily apparent to persons skilled

- 18 -

in the art the assay can be carried out using UNC-5 linked to the solid support containing scintillant and a radioactively labelled interacting protein or using an interacting protein linked to the solid support containing scintillant and a radioactively labelled UNC-5.

5 The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

10 coating the wells of a microtiter plate with UNC-5 protein or a fragment thereof;

15 contacting the wells of a microtiter plate with thereof with an aqueous solution comprising an interacting protein or a fragment thereof, said which is directly or indirectly detectable, and a compound under test;

20 washing to remove the compound under test and any unbound tagged interacting protein; and detecting complexes of UNC-5 or a fragment thereof bound to the interacting protein or a fragment thereof by directly or indirectly

25 detecting the presence of the tag.

This method of the invention uses an ELISA type approach to screen for compounds which disrupt binding between UNC-5 and a protein known to interact with UNC-5. In these experiments, the wells of a microtiter plate are coated with the UNC-5 protein or fragments thereof. A sample containing both the compound under test and a protein known to interact with UNC-5 (or a fragment of the protein which is still capable of binding to UNC-5) is then added to the wells and the plates are incubated to allow time for specific

30

35

- 19 -

binding of UNC-5 to the interacting protein. The interacting protein (or fragment thereof) is labelled with a tag which is directly or indirectly detectable, typically a fluorescent molecule such as GFP, or a tag which is detectable by specific antibody binding, such as a His-tag or GST-tag. Many other tag molecules which are equally suitable for this purpose are known in the art and are available commercially. The wells are then washed to remove the compound and any interacting proteins which remain unbound. Any interacting protein which has become bound to UNC-5 is not removed by the washing step and can be detected via the directly or indirectly detectable tag. If the interacting protein is labelled with a GFP tag, then bound proteins are detected by measuring GFP fluorescence; if the interacting protein is labelled with a His-tag or a GST tag, bound proteins are detected with immunological techniques, using an antibody of the appropriate specificity.

Compounds which disrupt the binding of UNC-5 to the interacting protein will result in more of the protein remaining unbound, hence less protein will be detected after the washing step.

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

exposing a cell or organism expressing UNC-5 and overexpressing nucleic acid encoding an interacting protein to the compound under test; and
screening for reversion of the overexpression phenotype of the cell or organism to wild-type.

- 20 -

Over-expression of genes encoding for proteins which interact with UNC-5 in a cell line or in *C. elegans* results in an over-expression phenotype.

5 Assays to select for compounds that inhibit the interaction of UNC-5 and its interacting proteins can therefore be performed in cell lines or *C. elegans* by exposing cells or worms exhibiting an over-expression phenotype to the compound under test and screening for a 'reduction' of the over-expression phenotype (i.e. screening for a reversion to wild-type).

10 Over-expression of proteins which interact with unc-5 in *C. elegans* typically results in neuronal outgrowth phenotypes, distal tip cell outgrowth phenotypes, and other aberrant outgrowth of various tissues and cells. These phenotypes can be easily monitored by expressing reporter genes, such as fluorescent proteins in these cells. Reduction of the phenotype induced by the over-expression can then be monitored by visual inspection.

20 Simple assays have been developed to screen for compounds which cause reversion of the over-expression phenotype in cell lines. As Unc-5 receives signals from the netrins, over-expression of proteins which interact with unc-5 typically causes phenotypic changes in neuronal outgrowth and cell movement. Accordingly, the step of screening for reduction of the over-expression phenotype can be performed using a laminin assay, a netrin response assay and assays using agarose concentration gradients, a boyden chamber or stratified layers (see Gundersen, R. W., Dev. Biol., 1987, 121(2): 423-431; Klostermann, S. and Bonhoeffer, F., 1996, 4: 237-252). In general, these methods are based upon providing attractants or repellants for axonal guidance in a controlled manner. 35 The way the cells react to these attractants and repellants forms the basis of the assay. In the Boyden chamber (upper and lower chambers separated by

- 21 -

a filter barrier) one typically cultivates cells in the upper chamber and measures how the cells grow through the filter. The agarose approach allows the establishment of gradients to which the cells react by forming specific patterns.

The above-listed methods are all based upon novel interactions between an UNC-5 protein and proteins shown to physically interact with the UNC-5 protein. In preferred embodiments, the UNC-5 protein is a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

The methods of the invention can also be carried out using fragments of the UNC-5 protein which retain the ability to bind to the interacting protein. Preferably the fragment comprises the intracellular portion of the protein. Various sub-domains of the intracellular portion of the protein or combinations thereof can also be used.

As used herein the term "interacting protein" encompasses any protein which has been demonstrated to interact with an UNC-5 protein. The interacting protein can be a second UNC-5 protein as the examples included herein demonstrate the ability of UNC-5 to form homodimers. The interacting protein can also be a protein identified as interacting with UNC-5 in a yeast two hybrid experiment. A list of proteins identified as interacting with *C. elegans* UNC-5 or human UNC-5 in a yeast two hybrid experiment is given in the Example 4, below. Any of these proteins, or fragments thereof which retain a functional UNC-5 binding site, can be used in the methods of the invention in combination with the appropriate UNC-5 protein or a fragment thereof.

As would be readily apparent to persons skilled

- 22 -

in the art, the UNC-5 signalling pathway is highly conserved across species. Hence it is to be expected that for every interacting protein identified in the yeast two hybrid experiments described in the Examples given herein a homologous interacting protein will be found in other species. For example, for every interacting protein found in *C. elegans* to interact with the *C. elegans* unc-5 protein it is expected that a homologous interacting protein will be found in humans and will interact with a human UNC-5 protein, and vice versa for interacting proteins first identified in humans. Accordingly, it is within the scope of the invention to perform the methods described above with "homologous combinations" of UNC-5 proteins and interacting proteins and even with cross-species combinations e.g. *C. elegans* unc-5 and a human interacting proteins, human UNC-5 and a human homologue of an interacting protein identified in *C. elegans*; *C. elegans* unc-5 and a human homologue of an interacting protein identified in *C. elegans*; *C. elegans* unc-5 and a human interacting protein etc. Lists of homologues of the *C. elegans* and human interacting proteins identified in the yeast two hybrid study are given in the Examples included herein.

In a still further aspect the invention provides a method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

exposing a yeast cell containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain to a compound under test;

- 23 -

allowing the yeast cells to grow in the presence of the compound; and
screening for a reduction or inhibition of the lethal phenotype associated with the
5 expression of the UNC-5 death domain in yeast.

The UNC-5 protein used in the method of the invention is preferably a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5
10 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

In a still further aspect the invention provides a method of identifying suppressers of the lethal
15 phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

transfecting yeast cells containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof
20 comprising the death domain with a cDNA library cloned in a yeast expression vector;
allowing the transfected yeast cells to grow for one or more cell divisions; and
screening for reduction or inhibition of the
25 lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

Optionally, the method further comprises the steps of:
30 identifying a transfected yeast cell exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and
isolating the cDNA clone(s) present in the
35 transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

- 24 -

Again, the UNC-5 protein is preferably a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or
5 UNC-5HS1. The cDNA library is preferably a *C. elegans* cDNA library or a human cDNA library.

10 The invention will be further understood with reference to the following experimental examples, together with the accompanying Figures in which:

15 Figure 1 shows a sequence alignment of the known human unc-5C cDNA sequence and the three novel alternative splice variants of unc-5C. The region of alignment corresponds to the portion of the cDNA which encodes the intracellular domains of unc-5C.

20 Figure 2 shows a multiple alignment of unc-5H1 genes. ym97d12 is an EST clone containing a fragment of the unc-5HS1 cDNA, 3D is a fragment of the unc-5HS1 cDNA cloned by PCR in Example 2.

25 Figure 3 summarises the cloning of human unc-5C variants.

Figure 4 summarises the cloning of human unc-5HS1.

30 Figure 5 is a schematic representation of the human unc-5C splice variants.

Figure 6 shows an alignment between a fragment of the protein encoded by the cDNA fragment cloned in pYMP6
35 and the rat neurexin II-alpha-b cDNA.

Figure 7 shows an alignment between a fragment of the

- 25 -

protein encoded by the cDNA fragment cloned in pYMP17 and the mouse mena protein.

Figure 8 is a representation of the vector pGC1037.

5

Figure 9 is a representation of the vector pGC1003.

Example 1

10 Cloning of the human unc-5C splice variants.

Splice variants of human unc-5C were cloned, primary with RACE technology.

15 A 5' RACE was performed using the 5' RACE System for Rapid Amplification of cDNA Ends, Version 2.0 (GibcoBRL, Merelbeke, Belgium), according the instructions supplied by the manufacturer or with minor modifications thereof. The primers were based on the unc-5 EST ym97d12.

20 The first strand cDNA synthesis was performed with primer:

GSP1=oGC75: CGTAGCAGGCACTGGCCTCC

PCR of dC-tailed cDNA: was performed with the gene-specific primer:

GSP2=oGC76: GCACTGGCCTCCAGCTGGCAGTAG

25 and the RACE anchor primer supplied with the 5' RACE system.

The PCR Program was:

30 Step 1 94°C, 2 min
 Step 2 94°C, 30 sec
 Step 3 60°C, 30 sec
 Step 4 72°C, 2 min
 Repeat steps 2 to 4 for 35 cycles
 Step 5 72°C, 7 min
 Step 6 4°C

35

A nested PCR was performed with gene-specific primer:

GSP3=oGC77: AGTAGAGGTGGGAGGGCGCCTCCTCGCCAG

- 26 -

and 5' RACE anchor primer

The PCR program was:

- Step 1 92°C, 2 min
- 5 Step 2 92°C, 1 min
- Step 3 68°C, 2 min
- Repeat steps 2 and 3 for 35 cycles
- Step 4 72°C, 7 min
- Step 5 4°C

- 10 The resulting RACE products were visualised by electrophoresis on agarose gels, the bands excised and purified with Jetsorb (Genomed, Germany). The RACE products were ligated into plasmids pAS2 and pGEX-5X-3 with T4 DNA ligase (Amersham pharmacia biotech, NJ, USA), or into a TA cloning vector (Invitrogen, Groningen, the Netherlands). Plasmid DNA was purified prior to sequencing using the Qiagen plasmid purification system (Westburg, Leusden, The Netherlands).

20

Example 2

Cloning of a new human unc-5 gene.

- Human Brain Poly A+ RNA was obtained from Clontech, California, USA and first strand cDNA synthesis performed with the Ready To Go T-Primed First-Strand Kit ((Amersham pharmacia biotech, NJ, USA).

Primers were:

for PCR1:

- 30 oGC56: CCGGAATTCATATGTTAATACTGCCCTTCTGCTGCTAA
oGC66: GCGATCTCTGTAGTTGTGGCCTTG

PCR program was:

- Step 1 94°C, 1 min
- Step 2 53°C, 30 sec
- 35 Step 3 72°C, 2 min
- Repeat steps 1 to 3 40 times
- Step 4 72°C, 7 min

- 27 -

Step 5 4°C

for PCR2

oGC63: GCGAATTCCATATGTTGTTTGTGTATCGGAAGAATCATC

5 oGC64: ACGCGTCGACTTAATACTGCCCTTCTGCTGCTAAGGAC

oGC65: CCGGAATTCCTTGTGTTGTGTATCGGAAGAATCATC

PCR program was:

Step 1 94°C, 5 min

Step 2 92°C, 30 sec

10 Step 3 55°C, 30 sec

Step 4 72°C, 2 min

Repeat steps 2 to 4 for 25 cycles

Step 5 72°C, 7 min

Step 6 4°C

15

The resulting PCR products were isolated, cloned and analysed as described in Example 1.

SEQ ID NO: 7 shows the sequence of a PCR product isolated using the above PCR strategy. This PCR product was designated clone 3D. Figure 2 shows an alignment between the *Rattus norvegicus* unc-5H1 cDNA sequence, the sequence of EST ym97d12, the sequence of clone 3D and the sequences of several other PCR products amplified using the above PCR strategy (1G, 1Jrc and 2Brc).

25

Example 3

Cloning of two of the fragments of UNC-5 for the dimerization experiment.

30

A PCR amplification was performed with following primers:

UNC5F: GGT GGT CAT ATG GCC ATG GAG TGC TGT AAA CGT GGC
35 AAT TCA AAA AAG

UNC5R: GGC TGC AGG TCG ACG CCC CGG GGC TTA TGG GGA CAC

- 28 -

AAT TTG TGG

Using the cDNA library used in the yeast two hybrid experiment (Example 4) as template.

5

PCR program was:

Step 1 94°C, 1 min

Step 2 53°C, 30 sec

Step 3 72°C, 2 min

10 Repeat steps 1 to 3 for 25 cycles

Step 4 72°C, 7 min

Step 5 4°C

15 The resulting PCR products were isolated and cloned in frame as NcoI/SalI fragments in the vectors pAS2 and pGAD424 supplied by Clontech (Palo Alto, California, USA).

20 Example 4

Yeast two Hybrid Experiments

To address the functional role of unc-5 the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a method well known to
25 molecular biologists, to search for the proteins that interact with the UNC-5 protein.

The two hybrid method is based on a pair of fusion proteins. The first fusion protein comprises a first of two interacting proteins fused to the
30 transcriptional activation domain of a bipartite yeast transcription factor; the second fusion protein comprises the second of two interacting proteins fused to the DNA binding domain of the bipartite yeast transcription factor. The principle of the method is
35 that if the two domains of the bipartite transcription factor are physically brought together by binding of the first and second interacting proteins then the

- 29 -

resulting complex will be able to activate transcription from a promoter which contains a target binding site for the transcription factor. The two hybrid assay is commonly used to study protein-protein interactions between two known proteins. It can also be used to screen a library of proteins to identify proteins which interact with a given protein. Both of these uses of the two hybrid system are well known to those skilled in the art.

In the present invention, the yeast two hybrid assay was used to identify proteins which interact with *C. elegans* UNC-5 or human UNC-5 as follows: the intracellular part of UNC-5 or parts thereof were cloned in fusion with the DNA-binding domain of the yeast transcription factor GAL4. A cDNA library was cloned into a vector containing the transcriptional activation domain of GAL4. The fusion proteins were then independently expressed together in yeast containing a reporter gene under the transcriptional control of a promoter containing GAL 4 binding sites (typically GAL1 lacZ or GAL1-HIS3).

Methods

(A) Construction of the *C. elegans* library and standard yeast two hybrid experiments.

Construction of *C. elegans* cDNA libraries, and yeast two hybrid experiments with *C. elegans* cDNA were performed as described by Elledge *et al.*, Proc. Natl. Acad. Sci., 1991, 88:1731-1735, or using the Matchmaker™ maker system supplied by Clontech, California, USA according to the protocol supplied by the manufacturer, or by minor modifications of the above-described methods.

(B) A mating yeast two hybrid experiment.

Mating yeast two hybrid experiments were

- 30 -

performed using plasmid pGC1037 (a plasmid map of pGC1037 is shown in Figure 8 and the complete sequence of the plasmid is given in SEQ ID NO: 91) as bait, and a pre-transformed Human Brain MATCHMAKER cDNA library (Clontech, California, USA) according to the protocol supplied by the manufacture, or with minor modifications thereof.

In brief summary, the steps of the method are as follows:-

Inoculate 1 colony containing the bait plasmid into an overnight culture;

Mate the bait culture and the library culture (24 h);

Plate library mating mixtures;

Incubate for at least 8 days;

Streak big colonies onto SD-3 + 5mM AT-plates (+/- Nylon Membrane);

Stain yeast on Nylon membrane;

Prepare yeast DNA from the positives;

Perform restriction digest, if digest is successful perform backtransformation, using positive and negative controls;

Transform positives into MC1061 cells;

Prepare bacterial DNA using Qiagen Plasmid Mini Purification kit, according to the standard Qiagen protocol; and

Perform DNA sequencing.

All positives obtained in the yeast two hybrid screen were assayed for the specificity of the interaction (against empty vector and irrelevant proteins) using the two hybrid system.

(C) Double-stranded RNA inhibition-RNAi cloning isolation and injection.

Double stranded RNA for RNA inhibition experiments was prepared according to the MEGAscript

- 31 -

protocol (Ambion, UK). RNA isolated using this protocol was purified away from contaminants using the RNeasy system from Qiagen (Westburg, the Netherlands), following the instructions for RNA clean-up supplied
5 by the manufacturer. RNA was injected into the nematodes using standard procedures (Methods in Cell biology, Vol 48, Academic Press, 1995).

Results

10 (A) Auto-activation and dimerization experiments.

In a first series of experiments, the ability of the intracellular domain of *C. elegans* unc-5 or parts thereof to dimerize or to cause auto-activation was tested. Several plasmids were constructed harboring
15 the intracellular domains of unc-5 and parts thereof. Various domains of unc-5, including the membrane proximal part (MMP), the zonula occludens homology domain (ZO-1), the unknown part (UP) and the Death domain (DD) and were cloned in the vectors pAS2 and
20 pGAD424 (Matchmaker, Clontech, CA, USA). The resulting vectors are summarized in Table 1.

Several constructs containing the death domain were found to be either toxic or auto-activating. Furthermore, by performing homo-dimerization
25 experiments, it was found that the intracellular domain of UNC-5C is capable of forming a homo-dimer. Further experiments led to the conclusion that the ZO-1/UP region is probably responsible for the homo-dimerization. Membrane located signal receptors often
30 form homo- or hetero-dimers prior to intracellular signal transduction. Accordingly, it is postulated that dimer formation in UNC-5 could be a critical event in signalling. Based on a knowledge of this dimerization it is possible to develop assays to
35 screen for compounds which disrupt dimer formation and to identify *unc-5* mutants which are unable to dimerize.

- 32 -

The present inventors have found that in humans UNC-5 proteins may be encoded by at least three genes, the homologous genes unc-5C, unc-5HS1, unc-5HS2. As UNC-5 is an important receptor involved in a vast amount of biological processes, it is considered that more functional homologous genes or unc-5 genes may present in the *Homo sapiens* genome. In addition, the expression of the unc-5 gene does not result in the production of a single transcript. The expression of unc-5C locus can result in the production at least 4 isoforms as a result of alternative splicing events. It is possible that the other unc-5 genes will also express splice variants, which may encode different protein isoforms. Any of these unc-5 isoforms may form dimers, analogous to the homo-dimerisation found for *C. elegans* unc-5. Accordingly, assays can also be developed to screen for chemical substances that alter the dimerization of human unc-5 proteins. Compounds identified using such an assay may have pharmacologically useful properties.

(B) Other receptor dimerizations.

It has been suggested that, in addition to UNC-6, UNC-129 also signals to the UNC-5 receptor (Colavita et al., Science 261:706-709). UNC-6 is also known to signal to UNC-40 (DCC). UNC-129 belongs to the TGF- β superfamily. TGF- β receptors, including DAF-1 and DAF-4, do not affect axonal guidance. Although new TGF- β receptors may be found that are involved in axonal guidance, it is more likely that the UNC-129 molecule is able to interact with TSP type I domains, which are present in UNC-5. Such interaction between TGF- β molecules and TSP Type I domains has been shown previously (Schultz-Cherry et al., 1994, J. Biol. Chem. 269, 26775). Furthermore UNC-129 is also involved in the UNC-40 pathway.

Recent studies have provided support for the idea

- 33 -

that the UNC-5 receptor induces switching of UNC-40 from attraction to repulsion (Mehlen et al., Nature 395:801-804, 1998). This suggests a linkage of Unc-5 to oncology since Unc-40 is related to vertebrate DCC (deleted in colorectal cancer), which is a candidate tumour-suppressor gene, and encodes a receptor for netrin-1 (UNC-6). The reversal from attraction towards repulsion in growth cone steering with the two receptors UNC-5 and UNC-40 can be explained by hetero-dimerization between UNC-5 and UNC-40. Such switching of function has also been observed in other biological processes. The UNC-40/UNC-5 interaction may function analogously to the Bax/Bcl-2 interaction involved in apoptosis. Bax can be considered as the protein that protects against apoptosis but the relative titre of both Bax and Bcl-2 in a cell may be important in the decision of cell death.

Given that UNC-5 is capable of forming homodimers, it is postulated that UNC-5 is also capable of forming heterodimers with UNC-40. The UNC-5/UNC-40 heterodimers may act as a functional receptor for UNC-6 and UNC-129. Assays to isolate compounds that influence the interaction between UNC-5 and UNC-40, both enhancing and inhibiting this interaction have therefore been developed. These assays are analogous to the assays as described to isolate compounds that influence the formation of the UNC-5 dimers and the assays for compounds that influence the interaction of UNC-5 with its other interacting proteins (see below).

(C) C. elegans UNC-5 interacting proteins

The intracellular part of UNC-5 containing the domains MPP, ZO-1 and UP cloned in vector pGC1003 (a plasmid map of pGC1003 is given in Figure 9 and the complete sequence of the plasmid is given in SEQ ID NO: 92) was used as 'bait' in a yeast two hybrid

- 34 -

experiment screening against a *C. elegans* cDNA library. These experiments resulted in the identification of ten genes, including three known genes and seven genes with heretofore unknown function, encoding proteins which specifically interact with the intracellular part of UNC-5. Details of the UNC-5 interacting proteins identified during the two hybrid screen are given below. In most cases, the results of double-stranded RNA inhibition experiments (RNAi) designed to inhibit expression of the interacting protein are also given. Where appropriate, details of human homologues of the interacting protein are also given and any known disease associations are discussed.

1) Spectrin β -chain / Fodrin β -chain (pC1025)

A first series of hits resulted in the identification of plasmid pC1025 which contains a fragment of a cDNA encoding the *C. elegans* spectrin β -chain/Fodrin. The spectrin β -chain protein is encoded by the gene K11C4.3, located on chromosome IV.

The full length cDNA and amino acid sequences of spectrin β -chain/Fodrin are shown in SEQ ID NOS: 11 and 12, respectively. The nucleotide sequence of the fragment of the spectrin β -chain cDNA which is cloned as an insert in plasmid pC1025 is given in SEQ ID NO: 13, the corresponding amino acid sequence is given in SEQ ID NO: 14.

RNAi experiments using a double-stranded RNA corresponding to the cDNA fragment cloned in pC1025 revealed that inhibition of the expression of the native spectrin β -chain in *C. elegans* worms causes the following phenotype: no embryonal lethality, normal canals, normal elongation, growth retardation and growth arrest at L1 and L2, nearly no movement but touch reflex is observed. The phenotype is 100% penetrant, and the larvea are short and wrinkled.

- 35 -

These RNAi phenotypes and the corresponding knock-out phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical substances that modulate the activity of the spectrin β -chain protein.

Human Fodrin (genbank accession number 2493434) contains an extra C-terminal PDZ domain that is not present in spectrin (genbank accession number 134798). The human fodrin seems to be more homologous to the *C. elegans* protein. This is in agreement with the finding that unc-5 is also expressed in the brain of vertebrates.

The interaction between UNC-5 and fodrin could be a critical event in a cell signalling, hence compounds which modulate the interaction between UNC-5 and fodrin, particularly the interaction between human UNC-5 and human fodrin, may potentially have pharmacological activity. Assays can also be developed to screen for genetic mutations that inhibit the interaction needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with fodrin and spectrin β -chain may be useful in the development of pharmaceutical preparations for the treatment of Crohn's disease, Sjogren's syndrome, secretion related diseases, diseases related to neutrophil and platelet activation, and long-term potential in neurons, Alzheimer's disease, proliferative diseases such as carcinomas, neoplasia, and more specifically, schwannomas, meningiomas, ependymomas, squamous cell carcinomas, malignant melanomas and lung carcinomas, spherocytosis, pyropoikilocytosis, Duchenne muscular dystrophy and various neurological disorders.

2) APR-1 (pC1028)

A second plasmid isolated in the yeast two hybrid

- 36 -

screen, pC1028, contained a fragment of a cDNA encoding APR-1.

The nucleotide sequence of the full length APR-1 cDNA is shown in SEQ ID NO: 15 and the amino acid sequence of the APR-1 protein encoded by this cDNA is shown in SEQ ID NO: 16. The nucleotide sequence of the fragment of the APR-1 cloned in pC1028 is shown in SEQ ID NO: 17, with the corresponding amino acid sequence shown in SEQ ID NO: 18.

RNAi experiments using a double-stranded RNA corresponding to the fragment cloned in pC1028 demonstrated that inhibition of APR-1 expression in *C. elegans* results in the following phenotype: more than 95% embryonic lethality, in 25% of cases this was due to the overproduction of pharyngeal tissue and lack of endoderm, and premature division of the E daughters (Rocheleau *et al.*, Cell 90:707-716, 1997). Escapers (worms that survive) have abnormal gut cells. These RNAi phenotypes and the corresponding knock-out phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical entities that modulate the activity of APC (see below), and hence the unc-5 pathway.

Further yeast two hybrid experiments were performed in order to more precisely determine the position of the APR binding regions in UNC5, using the UNC5 domains MPP, ZO-1, UP and combinations thereof. APR-1 seemed to associate with two distinct regions in UNC5. First, APR-1 appears to bind to the MPP domain. Secondly, APR-1 appears to binding to the ZO-1/UP domain. APR-1 seems to bind less to the ZO-1 and UP domains when they are present alone and not in combination. A similar experiment was carried out using the *C. elegans* UNC-5 protein, and domains of human APC and analogous results were obtained. It is concluded that APC is capable of binding to two

- 37 -

distinct regions of UNC-5, the MPP and the ZO-1/UP domains.

The interaction between UNC-5 and APC/APR 1 could be a critical event in cellular signalling and hence compounds which modulate this interaction, particularly compounds which modulate an interaction between human UNC-5 and human APC, may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with APC/APR may be useful in the development of pharmaceutical agents for the treatment of neurological diseases and colorectal cancers such as adenomatous polyposis coli.

3) UNC-14 (pC1034)

A third plasmid identified during the yeast two hybrid screen using *C. elegans* UNC-5 as bait (pC1034) was found to contain a fragment of the UNC-14 cDNA.

The nucleotide sequence of the full length UNC-14 cDNA is shown in SEQ ID NO: 19, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 20. The nucleotide sequence of the fragment of the UNC-14 cDNA cloned as an insert in pC1034 is shown in SEQ ID NO: 21, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 22.

C. elegans worms mutated in *unc-14* are observed to be very sluggish, almost paralysed, small, dumpyish, with a tendency to coil and show some egg retention. This phenotype can be used as the basis of a compound screen in *C. elegans* to identify chemical entities that modulate the activity of UNC-14.

Furthermore, *C. elegans* worms mutated in the *unc-14* gene were shown to have abnormal axonal elongation and axonal structures. The *unc-14* gene

- 38 -

encodes a protein of 665 amino acids, and is co-expressed with the *unc-51* gene in the cell bodies and axons of almost all neurons including DD/VD and hermaphrodite-specific neurons. The results of yeast two-hybrid experiments suggested that a central region of UNC-14 binds to the carboxy-terminal region of UNC-51, and that the UNC-51 carboxy-terminal region oligomerized (Ogura et al., Genes Dev. 11:1801-1811, 1997).

Mutations in the *unc-51* gene, isolated from mutants of *Caenorhabditis elegans* exhibiting abnormal axonal extension and growth, encodes a novel serine/threonine kinase (K. Ogura, et al., 1994, Genes Dev. 8: 2389- 2400).

4) F11A10.1 (pGC1021)

A fourth plasmid isolated during the yeast two hybrid screen, pGC1021, was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated F11A10.1.

The nucleotide sequence of the full length F11A10.1 cDNA is shown in SEQ ID NO: 23, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 24. The nucleotide sequence of the fragment of the F11A10.1 cDNA cloned in pGC1021 is shown in SEQ ID NO: 25, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 26.

To date, no function is as yet known for F11A10.1. RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1021 showed that inhibition of F11A10.1 expression in *C. elegans* results in worms which are weakly constipated. In *C. elegans*, constipation has been associated with neuronal dysfunction (Thomas, Genetics 124:855-872, 1990). Furthermore and remarkably inhibition of F11A10.1 expression causes migration defects in the

- 39 -

distal tip cell, similar to those observed in unc-5 mutants and unc-14/unc-51 double mutants. These RNAi phenotypes and the corresponding knock-out phenotypes can be used as the basis of a compound screen in C. elegans to identify chemical entities that modulate the activity of F11A10.1.

The interaction between UNC-5 and F11A10.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore, genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with F11A10.1 may be of use in the development of pharmaceutical compositions useful in the treatment of neurological disorders, tumours such as Kaposi's Sarcoma, immunological disorders and diseases related to vesicle fusion, proteolysis, peroxisomal and mitochondrial biogenesis, and transcription.

5) C15E6.1/2 (pGC1026)

A fifth plasmid identified during the yeast two hybrid experiment, pGC1026, was found to contain a fragment of a cDNA encoding the C15E6.1 protein.

The nucleotide sequence of the full length C15E6.1/2 cDNA is shown in SEQ ID NO: 27, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 28. The nucleotide sequence of the fragment of the C15E6.1/2 cDNA cloned in pGC1026 is shown in SEQ ID NO: 29, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 30.

RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1026 did not result in any clear visual phenotype.

The identification of C15E6.1/2 as an UNC-5

- 40 -

interacting protein indicates that UNC-5 might be a band 4.1 binding protein and may share homology with other band 4.1 binding proteins such as CD44, glycophrin C, and paranodin.

5 By using the band 4.1 signature to search a database of *C.elegans* genes, F07A11.1 on chromosome II was identified as encoding a band 4.1 protein.

The interaction between UNC-5 and C15E6.1/2 could be a critical event in cellular signalling and hence
10 compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance
15 or inhibit the interaction of UNC-5 with C15E6.1/2 may be useful in the development of pharmaceutical preparations for the treatment of diseases related to axonal signalling, synaptic vesicle exocytosis, cell adhesion, cytoskeleton associated proteins, cell
20 morphology, cell growth, allergic inflammatory processes and rheumatoid arthritis.

6) D1081.7 (pGC1027)

A sixth plasmid identified during the two hybrid
25 screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated D1081.7.

The nucleotide sequence of the full length D1081.7 cDNA is shown in SEQ ID NO: 31, the amino acid
30 sequence of the protein encoded by this cDNA is given in SEQ ID NO: 32. The nucleotide sequence of the fragment of the D1081.7 cDNA cloned as an insert in pGC1027 is shown in SEQ ID NO: 33, with the corresponding amino acid sequence of the polypeptide
35 encoded by this fragment shown in SEQ ID NO: 34.

RNAi experiments performed using double stranded RNA corresponding to the insert in pGC1027 appeared

- 41 -

not to result in any clear visual phenotype.

All genes so far found in *C. elegans* have human homologues. It is therefore expected that D1081.7 will also have vertebrate, including human, homologues.

5 These homologues can be cloned using standard technologies.

The interaction between UNC-5 and D1081.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may
10 potentially have pharmacological activity and thus be of use in the development of pharmaceutical compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction needed for proper signal transduction.

15

7) B0238.9 (pGC1032)

A seventh plasmid identified during the two hybrid screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated
20 B0238.9.

The nucleotide sequence of the full length B0238.9 cDNA is shown in SEQ ID NO: 35, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 36. The nucleotide sequence of the
25 fragment of the B0238.9 cDNA cloned as an insert in pGC1032 is shown in SEQ ID NO: 37, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 38.

B0238.9 is located in the chromosomal region
30 where *seu-2* is also located. The *seu-2* was identified in suppressor screens of ectopically expressed *unc-5* and is considered to be involved in the *unc-5* pathway (Colavita and Culotti, Dev. Biol. 194:72-85, 1998). As a gene has now been isolated that interacts with
35 *unc-5*, it is high probable that B0238.9 is the same as *seu-2*. Mutations in *seu-2* appeared not to have any visual phenotype, as was also observed in RNAi

- 42 -

experiments using a double stranded RNA corresponding to a fragment of B0238.9. The finding that SEU-2 is a suppressor and a binding partner to UNC-5 validates the importance of this interaction. Other known
5 suppressors of ectopic *unc-5* growth cone steering are *unc-6*, *unc-40*, *unc-34*, *unc-44*, *unc-129*, *seu-1*, *seu-2*, and *seu-3*. Mutations in some of these genes show axonal guidance defects, unlike *seu-2*.

Homology searches in the EST database with
10 B0238.9 revealed the presence of at least two human ESTs with significant homology. The ESTs so found, nz77b06 and yu53g01, can be used as basis to clone the full length cDNA encoding the human homologue of B0238.9.

15 The interaction between UNC-5 and B0238.9 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus may be useful in the development of pharmaceutical
20 compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

8) ZC404.8 (pGC1033)

25 An eighth plasmid identified during the two hybrid screen was found to contain a fragment of a cDNA corresponding to the *C. elegans* gene designated ZC404.8.

The nucleotide sequence of the full length
30 ZC404.8 cDNA is shown in SEQ ID NO: 39, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 40. The nucleotide sequence of the fragment of the ZC404.8 cDNA cloned as an insert in pGC1033 is shown in SEQ ID NO: 41, with the
35 corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 42.

RNAi experiments using a double stranded RNA

- 43 -

corresponding to a fragment of this gene resulted in an embryonic lethal phenotype. The worms showed no elongation and only very little muscle activity; the hypodermis is clearly abnormal.

5 Homology searches in the EST database with ZC404.8.9 revealed the presence of at least three human ESTs with significant homology. The ESTs thus identified, qe69h03, zx61d04, and zd35e10, can be used as basis to clone the full length cDNAs.

10 The interaction between UNC-5 and ZC404.8 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the development of pharmaceutical
15 preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

9) yk17a3 (pGC1023)

20 A ninth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated yk17a3.

The nucleotide sequence of the fragment of the
25 yk17a3 cDNA cloned as an insert in pGC1023 is shown in SEQ ID NO: 43, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 44.

RNAi experiments using a double stranded RNA
30 corresponding to a fragment of yk17a3 resulted in the following phenotypes in *C. elegans*: Very slow growth, and the larvae get typical darker spots as they get older. Inhibition of yk17a3 expression in some non wild-type genetic backgrounds leads to defective
35 moulting, where the worm cannot escape from the old cuticle and therefore shrinks and stays in the L4 stage. The defective moulting phenotype is also

- 44 -

observed when yk17a3 expression is inhibited on a wild-type genetic background, although the phenotype is less prominent. Worms which escape the defective moulting phenotype show defects in vulva development, either lacking a vulva altogether or having a vulva which is non-functional.

Homology searches in the Genbank database with yk17a3 revealed the presence of at least one human homologue of this gene, designated KIAA0187.

The interaction between UNC-5 and yk17a3 (KIAA0187) could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with yk17a3 may be of use in the development of pharmaceutical compositions for the treatment of CADASIL, artheriohepatic dysplasia, Alzheimer's disease, neoplasia such as T-cell acute lymphoblastic leukemia and certain cancers, such as pancreatic cancer and colon cancer.

10) F41H10.3 (pGC1020)

A tenth plasmid identified using the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to the *C. elegans* gene designated F41H10.3.

The nucleotide sequence of the full length F41H10.3 cDNA is shown in SEQ ID NO: 45, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 46. The nucleotide sequence of the fragment of the F41H10.3 cDNA cloned as an insert in pGC1020 is shown in SEQ ID NO: 47, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 48.

- 45 -

F41H10.3 harbors a ATP/GTP binding domain.

Worms resulting from RNAi experiments using a double stranded RNA corresponding to a fragment of F41H10.3 did not exhibit a clear visual phenotype.

5 All genes so far found in *C. elegans* have human homologues. It is therefore expected that F41H10.3 will also have vertebrate, including human, homologues. These homologues can be cloned using standard technologies well known to persons skilled in
10 the art.

The interaction between UNC-5 and F41H10.3 could be a critical event in signalling and compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the
15 development of pharmaceutical preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

20 (D) Human UNC-5 interacting proteins.

The intracellular part of the human UNC-5 protein (human UNC-5HS1) containing the domains ZO-1, UP and DD cloned in vector pGC1037 (see above) was used as 'bait' in a yeast two hybrid experiment screening
25 against a pretransformed human brain Matchmaker cDNA library (Clontech, Palo Alto, California USA) using the mating screen approach described above. These experiments resulted in the identification of six genes encoding proteins which interact with UNC-5,
30 including two known genes and four heretofore unknown genes.

All proteins found in this yeast two hybrid screen with the human UNC-5 were different to the proteins found in the screen with the *C. elegans*
35 UNC-5. There are at least two reasons for this variation in the isolated proteins. First, the screens are not saturated, which means that not all possible

- 46 -

interacting proteins have been isolated, neither in the screen with the *C. elegans* UNC-5 nor in the screen with the human UNC-5. Secondly, different intracellular fragments have been used in the screens.

5 In the *C. elegans* UNC-5 screen, the intracellular domains MPP, ZO-1 and UP were used as bait, whereas in the human UNC-5 screen, the intracellular domains ZO-1, UP and DD were used as bait. Proteins with specific interaction patterns will not be isolated if

10 the necessary interacting domain is missing, or if the optimal combination of domains is missing. This has been shown in the *C. elegans* UNC-5 interaction with APR. APR interacts clearly with the MPP domain and the domain combination ZO-1,UP, but interacts less

15 efficiently to with domain combination MPP, ZO-1, although the MPP domain is present. APR binds efficiently to the domain combination MPP, ZO-1, UP.

The human UNC-5 interacting proteins identified during the two hybrid screen are listed below. In

20 each case, any known disease associations are discussed and genes/cDNAs encoding homologous *C. elegans* proteins are listed.

1) i-beta-1,3-N-acetylaminyltansferase (pYMP5).

25 A first plasmid identified during the yeast two hybrid experiment was found to contain a fragment of the cDNA encoding i-beta-1,3-N-acetylaminyltansferase.

The nucleotide sequence of the full length i-beta-1,3-N-acetylaminyltansferase cDNA is shown in

30 SEQ ID NO: 49, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 50. The partial nucleotide sequences of the fragment of the i-beta-1,3-N-acetylaminyltansferase cDNA cloned as an insert in pYMP5 are shown in SEQ ID NOs: 51 and 52,

35 with the corresponding amino acid sequence of the polypeptide encoded by these partial sequences shown in SEQ ID NO: 53.

- 47 -

C. elegans has at least seven putative homologues of i-beta-1,3-N-acetylaminyltransferase, designated F22F7.6, C18G1.3, K09C8.4, F21H7.10, C54C8.2, F56H6.6 and T15D6.4. cDNA and/or amino acid sequences for each of these putative homologues are given herein. Amino acid and nucleotide sequences for these homologues are given in SEQ ID NOS: 66 to 82.

The interaction between UNC-5 and beta-1,3-N-acetylglucosaminyltransferase could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which modulate the interaction of UNC-5 with beta-1,3-N-acetylglucosaminyltransferase may be useful in the development of pharmaceutical preparations for the treatment of synaptic cleft dysfunctions, vesicle transport dysfunctions, inflammation, various tumours and more particular in tumour cell adhesion, migration and invasion, such as pancreas cancer, squamous cell cancer, human breast cancer, thyroid neoplasms, colorectal carcinomas.

2) new gene with slight homology to neurexin II-alpha-b (NHII) (pYMP6)

A second plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to a new gene with slight homology to neurexin II-alpha-b. The new gene was designated NHII.

Partial nucleotide sequences for the fragment of cDNA cloned as an insert in pYMP6 are shown in SEQ ID NO: 54 (coding strand sequenced from one end of the insert of pYMP6 sequenced with forward primer) and SEQ ID NO: 55 (non-coding strand sequenced from one end of pYMP6 with reverse primer). The plasmid pYMP6

- 48 -

was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3932. The cDNA
5 insert (approximately 1800bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the
10 insert given in SEQ ID NOS: 54 and 55.

The interaction between UNC-5 and the new gene with homology to neurexin II-alpha-b could be a critical event in signalling and hence compounds which modulate this interaction may potentially have
15 pharmacological activity.

3) New Gene with Mena homology (MHI) (pYMP17)

A third plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a
20 cDNA encoding a protein sharing slight homology with the human mena protein. The new gene was designated MHI.

Partial nucleotide sequences of the fragment of cDNA cloned as an insert in pYMP17 are shown in SEQ ID
25 NO: 56, (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 57 (non-coding strand sequenced from one end of pYMP with reverse primer). An alignment between the amino acid sequence encoded by the insert of pYMP17
30 and the mouse mena protein is shown in Figure 7. The plasmid pYMP17 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number
35 LMBP 3935. The cDNA insert (approximately 1000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively

- 49 -

the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 55A and 55B.

5 *C. elegans* has at least one protein with homology
to the new Mena homologue (MHI), encoded by the gene
designated Y50D4.Contig200. The *C. elegans* gene,
unc-34 (which maps with Y50D4) is known to suppress
the axonal guidance defects induced by ectopic
expression of the Netrin receptor UNC-5 (Colavita, A.
10 et al., Dev.Biol., 194:72-85, 1998.).

The interaction between UNC-5 and mena, members
of this mena superfamily, unc-34, and Y50D4.contig200,
could be a critical event in signalling and hence
compounds which modulate these interactions may
15 potentially have pharmacological activity and thus may
be useful in the development of pharmaceutical
compositions.

4) Alpha-2 macroglobulin (pYMP30)

20 A fourth plasmid identified during the yeast two
hybrid experiment was found to contain a fragment of
the human alpha-2 macroglobulin cDNA.

The nucleotide sequence of the full length alpha-
2 macroglobulin cDNA is shown in SEQ ID NO: 58, the
25 amino acid sequence of the protein encoded by this
cDNA is given in SEQ ID NO: 59. A partial nucleotide
sequence for the fragment of the alpha-2 macroglobulin
cDNA cloned as an insert in pYMP30 is shown in SEQ ID
NO: 60.

30 *C. elegans* has at least one homologue of alpha-2
macroglobulin, designated ZK337.1, of which two splice
variants designated ZK337.1a and ZK337.1b are known to
exist.

The interaction between UNC-5 and alpha-2
35 macroglobulin could be a critical event in signalling
and hence compounds which modulate this interaction
may potentially have pharmacological activity.

- 50 -

Compounds which enhance or inhibit the interaction of UNC-5 with alpha-2 macroglobulin could be useful in the development of pharmaceutical substances.

5 **5) New gene 1 (pYMP11)**

A fifth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

Partial nucleotide sequences for the fragment of cDNA cloned as an insert in pYMP11 are shown in SEQ ID NO: 61 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 62 (non-coding strand sequenced from one end of pYMP with reverse primer). The plasmid pYMP11 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3933. The cDNA insert (approximately 2300bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 59A and 59B.

The interaction between UNC-5 and the protein encoded by the insert of pYMP11 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development of pharmaceutical substances.

6) New gene 2 (pYMP12)

A sixth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

Partial nucleotide sequences for the fragment of

- 51 -

cDNA cloned as an insert in pYMP12 are shown in SEQ ID NO: 63 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 64 (non-coding strand sequenced from one end of pYMP with reverse primer). The plasmid pYMP12 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3934. The cDNA insert (approximately 2000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 60A and 60B.

The interaction between UNC-5 and the protein encoded by the insert of pYMP12 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development of pharmaceutical substances.

Example 5

Yeast two hybrid compound screens

Interactions of proteins leads to expression of a reporter protein β -galactosidase in a yeast two hybrid assay. An assay has been developed that is usable in 96 or 384 well plates or microtiter plates with another number of wells. This assay is suitable for high throughput compound screening. Optimal performance of the assay is dependent upon at least two important parameters: lysis of yeast cells and the choice of the β -galactosidase substrate.

The basic protocol for an assay in 96 or 384 well plates is as follows:

A yeast strain containing the *Escherichia coli*

- 52 -

lacZ gene under the control of the yeast Gal4 promoter is grown overnight (with shaking at 230-270 rpm) then diluted with YPD medium to an OD600 of 0.2. Diluted cultures are grown for an additional 3-5 hr until
5 mid-log phase. Yeast cells are then transferred to either 96- or 384-well plates (100 μ l/well or 25 μ l/well, respectively). Alternatively, cells can be cultured in the microtiter plates, eliminating the need for a pipetting step.

10 The yeast cells are then either lysed by freeze and thaw method (liquid N₂ to freeze, 37°C water bath to thaw) or by use of a Lysis buffer (e.g.: 1% Lithium dodecyl sulphate, 100 mM EDTA and 10 mM Tris-HCl pH 8.0). Non-lysed cells also give a signal, although the
15 variability is increased if the cells are not lysed. Yeast cells can also be permeabilized with various reagents such as isopropanol (15 %).

The substrate sensitivity must be optimised for efficient detection in a screening process.
20 Fluorescein di galactoside (FDG) is a typical low cost fluorescent reagent for the detection of β -galactosidase; it can be used for screening, although autofluorescent compounds can induce a non-desirable background leading to false positives.
25 Alternative substrates are available that become luminescent upon β -galactosidase cleavage, thereby eliminating background problems. An example of such a substrate Galacton-Star® from Tropix. Typically about 1 μ M substrate is added and the plates are incubated at
30 room temperature for 60 minutes. Fluorescence (for FDG) is then measured at 530 nm. It is typically possible to detect as low as 100 cells per well.

As an alternative to the use of β -galactosidase, secreted alkaline phosphatase can be used as a
35 reporter gene. The use of secreted alkaline phosphatase gives equivalent sensitivity to β -galactosidase with the advantage that there is no need

- 53 -

to lyse the cells. Fluorescent substrates for alkaline phosphatase are available commercially from Sigma-Aldrich (Bornem, Belgium) or Molecular Probes (Eugene, OR, USA).

5 The test compound can be added at various stages of the above procedure. Generally, the compound is added on the plates onto which the yeast are plated. However, the compound can also be added during the second incubation in order to overcome toxicity
10 problems. As a control, it is important to check whether the compound slows down the growth of the yeast. This can be done using turbidity measurements.

Example 6

15 Detection of *in vivo* protein-protein interactions using fluorescence energy transfer (FRET).

 An *in vivo* FRET assay can be conveniently performed using two different mutants of GFP which absorb and emit light at different wavelengths and
20 which have suitably overlapping emission/absorption spectra, such as EGFP (enhanced green fluorescent protein) and EBFP (enhanced blue fluorescent protein). When two such variant GFPs are brought into close proximity, within a few nanometers distance,
25 fluorescence energy transfer (FRET) can be detected. Such transfer is characterized by a reduction of fluorescence intensity of the donor fluorophore (EBFP) and re-emission of fluorescence at the acceptor fluorophore (EGFP) wavelengths. Therefore if each
30 fluorophore is fused to a protein domain known to bind to the other the protein-protein interaction can be monitored *in vivo* using FRET.

 In a typical example, the APC binding domain of UNC-5 cloned in fusion with EBFP, whereas APC is
35 cloned in fusion with EGFP in expression vectors suitable for use in the chosen host cell line or organism. When both fusion proteins are expressed in

- 54 -

a cell line or in *C. elegans* it is possible to monitor and quantify their *in vivo* interaction by irradiating the cells/worms with light at 488nm. When the donor and acceptor fluorophore are brought into close proximity by binding of the two fusion proteins fluorescent energy transfer results in a measurable decreased in fluorescence from the fluorescence donor at a wavelength within the emission spectrum of the donor. In simple terms, what is measured is a quenching phenomenon since light emitted by the donor fluorophore is trapped by the acceptor fluorophore. NB- The experiment could also be performed by measuring fluorescence from the acceptor fluorophore but this is often less sensitive.

Plasmid vectors containing both EGFP and EBFP are commercially available from Clontech (Palo Alto, California, USA). Information on the use of these vectors is also supplied by the manufacturer.

Example 7

Genetic and complementation screens in yeast.

UNC-5 expression in yeast cells results in a lethal phenotype, mainly because of the expression of a death domain. This observation was most clearly seen in the experiments with *C. elegans* UNC-5. Accordingly, assays can be developed to screen for compounds, interacting proteins and suppressors which alter the activity of UNC-5, particularly the activity of the death domain of UNC-5. These assays are analogous to those described by Xu and Reed (Mol. Cell 1998, 1:337-46).

(A) Compound screens.

Yeast cells are transfected with a plasmid encoding the *C. elegans* or human unc-5 (including the death domain), such as the vectors described in the

- 55 -

yeast two hybrid experiments. The transfected yeast cells are then placed in the wells of micotiter plates, and are exposed to the compounds under test. Compounds which reduce or inhibit the lethal phenotype of the yeast cells transfected with unc-5 are scored as hits. Such compounds will typically suppress the unc-5 lethal phenotype by interacting with UNC-5 itself, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways. The selected compounds can be used in the development of pharmaceutical preparations.

(B) Suppressor screens.

Yeast cells are transfected with a plasmid encoding the *C. elegans* or human unc-5 (including the death domain), such as the vectors described in the yeast two hybrid experiments. Furthermore, the yeast cells are transfected with a library expressing *C. elegans* or human cDNA, such as the libraries described in the yeast two hybrid experiments. The transfected yeast cells are placed in the wells of micotiter plates, and allowed to grow further. This allows selection cDNAs, and hence genes and proteins, that reduce or inhibit the lethal phenotype of the yeast cells transfected with the death domain of unc-5. Such proteins will interact with UNC-5, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways to cause suppression of the unc-5 lethal phenotype. The selected cDNAs genes and proteins can be used in the development of pharmaceutical preparations or in the development of assays to select for compounds that enhance their function or expression.

35

Example 8

Cloning of a *C. elegans* gene starting from a *C.*

- 56 -

elegans insert.

If a fragment of a given gene or cDNA is known then further fragments of the corresponding full length gene and/or cDNA can be constructed can often
5 be found using *in silico* techniques such as AceDB (see <http://www.sanger.ac.uk>), or searching of the EST database. The full cDNA can be cloned using standard technology such as 5'/3' RACE or SL1/2 RT-PCR on worm total RNA and colony hybridization. An analogous
10 strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence Human DNA.

Example 9

Cloning of *C. elegans* gene starting from a human
15 insert.

A full length *C. elegans* gene can be cloned starting from a human sequence. Using *in silico* techniques, a homologue or an EST can be found. Standard molecular biology techniques can then be used
20 to clone the full length *C. elegans* gene. If no homologous sequence can be found by simple database searching, it may be necessary to perform species hopping. An analogous strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence
25 Human DNA, starting from a *C. elegans* DNA sequence.

- 57 -

SEQUENCE LISTING

- 5 SEQ ID NO: 1 nucleotide sequence of a part of the
 human unc-5Cb cDNA which encodes the
 intracellular region of the protein.
- 10 SEQ ID NO: 2 amino acid sequence of the
 intracellular part of the human unc-5Cb
 protein encoded by the nucleotide
 sequence shown as SEQ ID NO: 1.
- 15 SEQ ID NO: 3 nucleotide sequence of a part of the
 human unc-5Cc cDNA which encodes the
 intracellular region of the protein.
- 20 SEQ ID NO: 4 amino acid sequence of the
 intracellular part of the human unc-5Cc
 protein encoded by the nucleotide
 sequence shown as SEQ ID NO: 3.
- 25 SEQ ID NO: 5 nucleotide sequence of a part of the
 human unc-5C8 cDNA which encodes the
 intracellular region of the protein.
- 30 SEQ ID NO: 6 amino acid sequence of the
 intracellular part of the human unc-5C8
 protein encoded by the nucleotide
 sequence shown as SEQ ID NO: 5.
- 35 SEQ ID NO: 7 nucleotide sequence of the fragment of
 the human unc-5H1 cDNA cloned by PCR in
 Example 2.
- SEQ ID NO: 8 predicted amino acid sequence for the
 human unc-5H1 protein, translation in
 frame 1.

- 58 -

- SEQ ID NO: 9 predicted amino acid sequence for the human unc-5H1 protein, translation in frame 2.
- 5 SEQ ID NO: 10 predicted amino acid sequence for the human unc-5H1 protein, translation in frame 3.
- 10 SEQ ID NO: 11 nucleotide sequence of the *C. elegans* spectrin β -chain/Fodrin cDNA.
- SEQ ID NO: 12 amino acid sequence of the *C. elegans* spectrin β -chain/Fodrin protein.
- 15 SEQ ID NO: 13 nucleotide sequence of the fragment of the *C. elegans* spectrin β -chain/Fodrin cDNA cloned in pC1025.
- 20 SEQ ID NO: 14 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 13.
- SEQ ID NO: 15 nucleotide sequence of the *C. elegans* APR-1 cDNA.
- 25 SEQ ID NO: 16 amino acid sequence of the *C. elegans* APR-1 protein.
- 30 SEQ ID NO: 17 nucleotide sequence of a fragment of the *C. elegans* APR-1 cDNA cloned in pC1028.
- 35 SEQ ID NO: 18 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 17.
- SEQ ID NO: 19 nucleotide sequence of the *C. elegans*

- 59 -

unc-14 cDNA.

5	SEQ ID NO: 20	amino acid sequence of the <i>C. elegans</i> unc-14 protein.
10	SEQ ID NO: 21	nucleotide sequence of the fragment of the <i>C. elegans</i> unc-14 cDNA cloned in pC1034.
15	SEQ ID NO: 22	amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 21.
20	SEQ ID NO: 23	nucleotide sequence of the <i>C. elegans</i> F11A10.1 cDNA.
25	SEQ ID NO: 24	amino acid sequence of the <i>C. elegans</i> F11A10.1 protein.
30	SEQ ID NO: 25	nucleotide sequence of the fragment of the <i>C. elegans</i> F11A10.1 cDNA cloned in pGC1021.
35	SEQ ID NO: 26	amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 25.
	SEQ ID NO: 27	nucleotide sequence of the <i>C. elegans</i> C15E6.1 cDNA.
	SEQ ID NO: 28	amino acid sequence of the <i>C. elegans</i> C15E6.1 protein.
	SEQ ID NO: 29	nucleotide sequence of the fragment of the <i>C. elegans</i> C15E6.1 cDNA cloned in pGC1026.

- 60 -

- SEQ ID NO: 30 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 29.
- 5 SEQ ID NO: 31 nucleotide sequence of the *C. elegans* D1081.7 cDNA.
- SEQ ID NO: 32 amino acid sequence of the *C. elegans* D1081.7 protein.
- 10 SEQ ID NO: 33 nucleotide sequence of the fragment of the *C. elegans* 1081.7 cDNA cloned in pGC1027.
- 15 SEQ ID NO: 34 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 33.
- SEQ ID NO: 35 nucleotide sequence of the *C. elegans* B0238.9 cDNA (*seu-2*).
- 20 SEQ ID NO: 36 amino acid sequence of the *C. elegans* B0238.9 protein (*seu-2*).
- 25 SEQ ID NO: 37 nucleotide sequence of the fragment of the *C. elegans* B0238.9 cDNA cloned in pGC1023.
- SEQ ID NO: 38 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 37.
- 30 SEQ ID NO: 39 nucleotide sequence of the *C. elegans* ZC404.8 cDNA.
- 35 SEQ ID NO: 40 amino acid sequence of the *C. elegans* ZC404.8 protein.

- 61 -

- SEQ ID NO: 41 nucleotide sequence of the *C. elegans*
ZC404.8 cDNA cloned in pGC1033.
- 5 SEQ ID NO: 42 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 41.
- 10 SEQ ID NO: 43 nucleotide sequence of the fragment of
the *C. elegans* yk17a3 cDNA cloned in
pGC1023.
- 15 SEQ ID NO: 44 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 43.
- SEQ ID NO: 45 nucleotide sequence of the *C. elegans*
F41H10.3 cDNA.
- 20 SEQ ID NO: 46 amino acid sequence of the *C. elegans*
F41H10.3 protein.
- 25 SEQ ID NO: 47 nucleotide sequence of the fragment of
the *C. elegans* F41H10.3 cDNA cloned in
pGC1020.
- SEQ ID NO: 48 amino acid sequence of the polypeptide
encoded by the cDNA fragment shown as
SEQ ID NO: 47.
- 30 SEQ ID NO: 49 nucleotide sequence of the human i-
beta-1,3-N-acetylaminylnltransferase
cDNA.
- 35 SEQ ID NO: 50 amino acid sequence of the human i-
beta-1,3-N-acetylaminylnltransferase
protein.

- 62 -

- 5 SEQ ID NO: 51 partial nucleotide sequence for the
 fragment of the human i-beta-1,3-N-
 acetylaminyltransferase cDNA cloned in
 pYMP5 (forward primer, coding strand).
- 10 SEQ ID NO: 52 partial nucleotide sequence for the
 fragment of the human i-beta-1,3-N-
 acetylaminyltransferase cDNA cloned in
 pYMP5 (reverse primer, non-coding
 strand)
- 15 SEQ ID NO: 53 partial amino acid sequence for the
 polypeptide encoded by the fragment of
 the i-beta-1,3-N-
 acetylaminyltransferase cDNA cloned in
 pYMP5.
- 20 SEQ ID NO: 54 partial nucleotide sequence for the
 human cDNA fragment cloned in pYMP6
 (forward primer, coding strand).
- 25 SEQ ID NO: 55 partial nucleotide sequence for the
 human cDNA fragment cloned in pYMP6
 (reverse primer, non-coding strand).
- 30 SEQ ID NO: 56 partial nucleotide sequence for the
 human cDNA fragment cloned in pYMP17
 (forward primer, coding strand).
- 35 SEQ ID NO: 57 partial nucleotide sequence for the
 human cDNA fragment cloned in pYMP17
 (reverse primer, non-coding strand).
- SEQ ID NO: 58 nucleotide sequence of the human alpha-
 2-macroglobulin cDNA.
- SEQ ID NO: 59 amino acid sequence of the human alpha-

- 63 -

2-macroglobulin protein.

- 5 SEQ ID NO: 60 partial nucleotide sequence for the
 fragment of the human alpha-2-
 macroglobulin cDNA cloned in pYMP30
 (reverse primer, non-coding strand).
- 10 SEQ ID NO: 61 partial nucleotide sequence of the
 fragment of human cDNA cloned in pYMP11
 (forward primer, coding strand).
- 15 SEQ ID NO: 62 partial nucleotide sequence of the
 fragment of human cDNA cloned in pYMP11
 (reverse primer, non-coding strand).
- 20 SEQ ID NO: 63 partial nucleotide sequence of the
 fragment of human cDNA cloned in pYMP12
 (forward primer, coding strand).
- 25 SEQ ID NO: 64 partial nucleotide sequence of the
 fragment of human cDNA cloned in pYMP12
 (reverse primer, non-coding strand).
- 30 SEQ ID NO: 65 amino acid sequence of the mouse APC-2
 cDNA.
- 35 SEQ ID NO: 66 nucleotide sequence of a *C. elegans* I-
 beta-1,3-N-acetylaminytransferase cDNA
 (F22F7.6).
- SEQ ID NO: 67 amino acid sequence of a *C. elegans* I-
 beta-1,3-N-acetylaminytransferase
 protein (F22F7.6).
- SEQ ID NO: 68 nucleotide sequence of the *C. elegans*
 alpha-2-macroglobulin cDNA ZK337.1a.

- 64 -

- SEQ ID NO: 69 nucleotide sequence of the *C. elegans*
alpha-2-macroglobulin cDNA ZK337.1b
- 5 SEQ ID NO: 70 amino acid sequence of the *C. elegans*
alpha-2-macroglobulin protein ZK337.1a.
- SEQ ID NO: 71 amino acid sequence of the *C. elegans*
alpha-2-macroglobulin protein ZK337.1b.
- 10 SEQ ID NO: 72 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue C18C1.3.
- 15 SEQ ID NO: 73 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue C18C1.3.
- 20 SEQ ID NO: 74 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue K09C8.4.
- 25 SEQ ID NO: 75 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue K09C8.4.
- 30 SEQ ID NO: 76 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue F21H7.10.
- 35 SEQ ID NO: 77 cDNA sequence for the *C. elegans* I-
beta-1,3-N-acetylaminyltransferase
homologue C54C8.2.
- SEQ ID NO: 78 amino acid sequence for the *C. elegans*
I-beta-1,3-N-acetylaminyltransferase
homologue C54C8.2.

- 65 -

- SEQ ID NO: 79 cDNA sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue F56H6.6.
- 5 SEQ ID NO: 80 amino acid sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue F56H6.6.
- 10 SEQ ID NO: 81 cDNA sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue T15D6.4.
- 15 SEQ ID NO: 82 amino acid sequence for the *C. elegans* I-beta-1,3-N-acetylaminyltransferase homologue T15D6.4.
- 20 SEQ ID NO: 83 amino acid sequence of the extracellular part of the *C. elegans* unc-5 protein.
- SEQ ID NO: 84 amino acid sequence of the transmembrane region of the *C. elegans* unc-5 protein.
- 25 SEQ ID NO: 85 amino acid sequence of the membrane proximal part of the *C. elegans* unc-5 protein.
- 30 SEQ ID NO: 86 amino acid sequence of the zonula occludens part of the *C. elegans* unc-5 protein.
- 35 SEQ ID NO: 87 amino acid sequence of a part of the *C. elegans* unc-5 protein of unknown function.
- SEQ ID NO: 88 amino acid sequence of the death domain

- 66 -

of the *C. elegans* unc-5 protein.

SEQ ID NO: 89 amino acid sequence of the human HS1
protein.

5

SEQ ID NO: 90 amino acid sequence of the human UNC5C
protein.

10

SEQ ID NO: 91 complete nucleotide sequence of plasmid
pGC1037.

SEQ ID NO: 92 complete nucleotide sequence of plasmid
pGC1003.

15

SEQ ID NO: 93 amino acid sequence of *C. elegans* unc-
40.

20

SEQ ID NO: 94 nucleotide sequence of *C. elegans* unc-
40.

SEQ ID NO: 95 amino acid sequence of human unc-40.

SEQ ID NO: 96 nucleotide sequence of human unc-40.

25

ACCESSION NUMBERS:

Human beta-fodrin cDNA-GenBank S65762

30

Human beta-fodrin protein-swissprot Q01082

Human APC-1 cDNA-GenBank M74088

Human APC-1 protein-swissprot P25054

35

Human unc-14 cDNA (KIAA0375)-GenBank AB002373

- 67 -

Human unc-14 protein (KIAA0375)-BAA20830

Human yk17a3 cDNA (KIAA0187)-GenBank D80009

5 Human yk17a3 protein (KIAA0187)-SPTREMBL:Q14692

TABLE 1: Schematic representation of dimerisations of *C. elegans* unc-5, using constructions in pAS2 and pGAD424

pAS2	pGAD424							
		full length unc-5 (1016)	Dd (1008)	MPP (1009)	MPP + ZO-1 (1010)	MPP + ZO-1 + UP (1011)	UP (1013)	ZO-1 (1012)
	full length unc-5 (1006)	nd	nd	nd	nd	nd	nd	nd
	UP + DD (1000) auto-activation	nd	blue	nd	nd	nd	nd	nd
	MPP (1001)	nd	nd	nd	nd	nd	nd	nd
	MPP + ZO-1 (1002)	not blue	nd	nd	nd	nd	nd	nd
	MPP + ZO-1 + UP (1003)	not blue	not blue	not blue	nd	blue	not blue	not blue
	ZO-1 (1007)	nd	nd	nd	nd	nd	nd	not blue
	UP (1004)	nd	nd	nd	nd	nd	not blue	nd
	ZO-1 + UP (1005)	not blue	nd	nd	nd	nd	nd	blue
	empty pAS2	not blue	nd	nd	nd	nd	nd	nd

- 68 -

Claims:

1. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 2 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 2 only in conservative amino acid changes.

2. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 1.

3. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 1 or a fragment thereof.

4. An expression vector comprising the nucleic acid of claim 2 or claim 3.

5. A host cell or organism transformed or transfected with the expression vector of claim 4.

6. An antibody which is capable of specifically binding to the protein claimed in claim 1 or an epitope thereof.

7. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 4 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 4 only in conservative amino acid changes.

8. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 7.

9. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 3 or a fragment thereof.

- 69 -

10. An expression vector comprising the nucleic acid of claim 8 or claim 9.

5 11. A host cell or organism transformed or transfected with the expression vector of claim 10.

12. An antibody which is capable of specifically binding to the protein claimed in claim 7 or an epitope thereof.

10

13. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 6 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 6 only in conservative amino acid changes.

15

14. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 13.

20

15. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 5 or a fragment thereof.

25

16. An expression vector comprising the nucleic acid of claim 13 or claim 14.

17. A host cell or organism transformed or transfected with the expression vector of claim 16.

30

18. An antibody which is capable of specifically binding to the protein claimed in claim 13 or an epitope thereof.

35

19. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which

- 70 -

method comprises:

providing a host cell containing a DNA
construct comprising a reporter gene operatively
linked to a promoter regulated by a transcription
factor having a DNA binding domain and an
activating domain;

expressing in said host cell a first hybrid
DNA sequence encoding a first fusion protein
comprising an UNC-5 protein or a fragment thereof
fused in-frame to either the DNA binding domain
or the activating domain of the said
transcription factor;

expressing in said host cell a second hybrid
DNA sequence encoding a second fusion protein
comprising an interacting protein or a fragment
thereof fused in-frame to either the DNA binding
domain or the activating domain of the said
transcription factor, such that when the first
fusion protein comprises the activation domain of
the said transcription factor the second fusion
protein comprises the DNA binding domain of the
said transcription factor and when the first
fusion protein comprises the DNA binding domain
of the transcription factor the second fusion
protein comprises the activation domain;

contacting the host cell with a sample of
the compound under test; and

detecting any binding of the UNC-5 protein
or fragment thereof to the interacting protein or
fragment thereof by detecting the production of
any reporter gene product in the said host cell.

20. A method of identifying compounds which are
capable of inhibiting or enhancing the binding of an
UNC-5 protein to an interacting protein previously
identified as binding to the said UNC-5 protein, which
method comprises:

- 71 -

providing a transgenic cell or organism
expressing a first fusion protein comprising an
UNC-5 protein or a fragment thereof fused in-
frame to a first genetically encoded fluorophore
5 and a second fusion protein comprising an
interacting protein or a fragment thereof fused
in-frame to a second genetically encoded
fluorophore, the first and second fluorophores
being characterised in that the emission spectrum
10 of one of the fluorophores overlaps with the
absorption spectrum of the other fluorophore;
measuring the amount of fluorescence emitted
from the fluorophore having an emission spectrum
which overlaps with the absorption spectrum of
15 the other fluorophore;
exposing the transgenic cell or organism to
a compound under test; and
detecting any change in the amount of
fluorescence emitted from
20 the fluorophore having an emission spectrum which
overlaps with the absorption spectrum of the
other fluorophore.

21. A method of identifying compounds which are
25 capable of inhibiting or enhancing the binding of an
UNC-5 protein to an interacting protein previously
identified as binding to the said UNC-5 protein, which
method comprises:

providing a first reaction component
30 comprising a first protein linked to a solid
support containing a scintillant and a second
reaction component comprising a second protein
which has been radioactively labelled, wherein
the first and second proteins are an UNC-5
35 protein or a fragment thereof and an interacting
protein or a fragment thereof;

bringing the first and second reaction

- 72 -

components into contact in an aqueous solution in the presence of a compound under test; and

detecting binding of the first protein to the second protein by detecting light emission from the scintillant.

5

22. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

10

coating the wells of a microtiter plate with UNC-5 protein or a fragment thereof;

15

contacting the UNC-5 protein or fragment thereof with an aqueous solution comprising an interacting protein or a fragment thereof, said interacting protein being labelled with a tag which is directly or indirectly detectable, and a compound under test;

20

washing to remove the compound under test and any unbound tagged interacting protein; and

detecting complexes of UNC-5 or a fragment thereof bound to the interacting protein or a fragment thereof by directly or indirectly detecting the presence of the tag.

25

23. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

30

exposing a cell or organism expressing UNC-5 and overexpressing nucleic acid encoding an interacting protein to the compound under test; and

35

screening for reversion of the overexpression phenotype of the cell or organism

- 73 -

to wild-type.

24. A method as claimed in claim 23 wherein the organism is a nematode worm.

5

25. A method as claimed in claim 24 wherein the nematode worm is *C. elegans*.

26. A method as claimed in claim 23 wherein the cell is a mammalian cell line.

10

27. A method as claimed in any one of claims 23 to 26 wherein the cell or organism further expresses a reporter gene encoding a reporter protein.

15

28. A method as claimed in claim 27 wherein the reporter protein is a fluorescent protein or a luminescent protein.

29. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.

20

30. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a human UNC-5 protein.

25

31. A method as claimed in claim 30 wherein the human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.

30

32. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a *C. elegans* UNC-5 protein or a fragment thereof.

35

33. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans*

- 74 -

UNC-40.

34. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human UNC-40.

5

35. A method as claimed in claim 34 wherein the UNC-40 protein comprises the sequence of amino acids set forth in SEQ ID NO: 95.

10

36. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a *C. elegans* spectrin β -chain/fodrin protein.

15

37. A method as claimed in claim 36 wherein the spectrin β -chain/fodrin protein comprises the sequence of amino acids set forth in SEQ ID NO: 12.

20

38. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans* APR-1.

25

39. A method as claimed in claim 38 wherein the *C. elegans* APR-1 protein comprises the sequence of amino acids set forth in SEQ ID NO: 16.

40. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans* UNC-14.

30

41. A method as claimed in claim 40 wherein the *C. elegans* UNC-14 protein comprises the sequence of amino acids set forth in SEQ ID NO: 20.

35

42. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 24.

43. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 28.

5 44. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of nucleotides set forth in SEQ ID NO: 32.

10 45. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 36.

15 46. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 40.

20 47. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 44.

48. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 46.

25 49. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a human UNC-5 protein.

30 50. A method as claimed in claim 49 wherein the human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.

35 51. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human i-beta-1,3-N-acetylaminytransferase.

52. A method as claimed in claim 51 wherein the

- 76 -

human i-beta-1,3-N-acetylaminytransferase comprises the sequence of amino acids set forth in SEQ ID NO: 50.

5 53. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 72 or claim 73.

10 54. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 74 or claim 75.

15 55. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human alpha-2 macroglobulin.

20 56. A method as claimed in claim 55 wherein the alpha-2 macroglobulin comprises the sequence of amino acids set forth in SEQ ID NO: 59.

25 57. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 76 or claim 77.

30 58. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 78 or claim 79.

35 59. A method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

 exposing a yeast cell containing an

expression vector comprising nucleic acid
encoding an UNC-5 protein or a fragment thereof
comprising the death domain to a compound under
test;

5 allowing the yeast cells to grow in the
presence of the compound; and
 screening for a reduction or inhibition of
the lethal phenotype associated with the
expression of the UNC-5 death domain in yeast.

10 60. A method as claimed in claim 59 wherein the
UNC-5 protein is a *C. elegans* UNC-5 protein.

15 61. A method as claimed in claim 59 wherein the
UNC-5 protein is a human UNC-5 protein.

20 62. A method as claimed in claim 61 wherein the
human UNC-5 protein is a protein as claimed in any one
of claims 1, 7 or 13 or 71.

25 63. A method of identifying suppressers of the
lethal phenotype associated with the expression of the
UNC-5 death domain in yeast, which method comprises:

 transfecting yeast cells containing an
expression vector comprising nucleic acid
encoding an UNC-5 protein or a fragment thereof
comprising the death domain with a cDNA library
cloned in a yeast expression vector;

30 allowing the transfected yeast cells to grow
for one or more cell divisions; and

 screening for reduction or inhibition of the
lethal phenotype associated with the expression
of the UNC-5 death domain in yeast.

35 64. A method as claimed in claim 63, which
method further comprises the steps of:

 identifying a transfected yeast cell

exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and

5 isolating the cDNA clone(s) present in the transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

65. A method as claimed in claim 63 or claim 64
10 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.

66. A method as claimed in claim 63 or claim 64
15 wherein the UNC-5 protein is a human UNC-5 protein.

67. A method as claimed in claim 66 wherein the human UNC-5 protein is a protein as claimed in any one of claims 1, 7, 13 or 71.

20 68. A method as claimed in claim 65 wherein the cDNA library is a *C. elegans* cDNA library.

69. A method as claimed in claim 66 or claim 67
25 wherein the cDNA library is a human cDNA library.

70. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 7.

30 71. A protein comprising a sequence of amino acids encoded by the nucleic acid molecule of claim 8.

72. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP17 with the restriction enzymes EcoRI and XhoI.
35

73. A nucleic acid as claimed in claim 72 which comprises the sequence of nucleotides set forth in SEQ

ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57.

5 74. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP6 with the restriction enzymes EcoRI and XhoI.

10 75. A nucleic acid as claimed in claim 74 which comprises the sequence of nucleotides set forth in SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 55.

15 76. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 62.

20 77. A nucleic acid as claimed in claim 76 which is obtainable by restriction enzyme digestion of the plasmid pYMP11 with the restriction enzymes EcoRI and XhoI.

25 78. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 64.

30 79. A nucleic acid as claimed in claim 78 which is obtainable by restriction enzyme digestion of the plasmid pYMP12 with the restriction enzymes EcoRI and XhoI.

35 80. A nucleic acid probe which is capable of hybridizing to the nucleic acid of claim 70 under conditions of high stringency.

81. An oligonucleotide comprising a sequence of 10 or more consecutive nucleotides of the sequence of nucleotides set forth in SEQ ID NO: 7.

5 82. An antisense nucleic acid which is capable of hybridizing to the sequence of nucleotides set forth in SEQ ID NO: 7 under conditions of high stringency.

10 83. An expression vector comprising the nucleic acid of claim 70.

 84. A host cell or organism transformed or transfected with the expression vector of claim 83.
15

 85. An antibody which is capable of specifically binding to the protein claimed in claim 71.

FIG. 1.

Multalin version 5.3.3
 Copyright I.N.R.A. France 1989, 1991, 1994, 1996
 Published research using this software should cite
 Multiple sequence alignment with hierarchical clustering
 F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890
 Symbol comparison table: blosum62
 Gap weight: 12
 Gap length weight: 2
 Consensus levels: high=90% low=50%
 Consensus symbols:
 ! is anyone of IV
 \$ is anyone of LM
 % is anyone of FY
 # is anyone of NDQEBZ

MSF: 1599 Check: 0
 Name: UNC5C Len: 1599 Check: 410 Weight: 0.76
 Name: UNC5C8 Len: 1599 Check: 1710 Weight: 0.76
 Name: UNC5Cc Len: 1599 Check: 5512 Weight: 1.12
 Name: UNC5Cd(UNC5Cb) Len: 1599 Check: 1388 Weight: 1.37
 Name: Consensus Len: 1599 Check: 7845 Weight: 4.00

	1				50
UNC5C	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5C8	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5Cc	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
UNC5Cd	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA
Consensus	TTGTTTGTGT	ATCGGAAGAA	TCATCGTGAC	TTTGAGTCAG	ATATTATTGA

	51				100
UNC5C	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5C8	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5Cc	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
UNC5Cd	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA
Consensus	CTCTTCGGCA	CTCAATGGGG	GCTTTCAGCC	TGTGAACATC	AAGGCAGCAA

	101				150
UNC5C	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
UNC5C8	GACAAGA---	-----	-----CC	TCACGTCAGC	TGCAGCCATG
UNC5Cc	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
UNC5Cd	GACAAGATCT	GCTGGCTGTA	CCCCCAGACC	TCACGTCAGC	TGCAGCCATG
Consensus	GACAAGAtct	gctggctgta	cccccagaCC	TCACGTCAGC	TGCAGCCATG

	151				200
UNC5C	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5C8	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5Cc	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
UNC5Cd	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT
Consensus	TACAGAGGAC	CTGTCTATGC	CCTGCATGAC	GTCTCAGACA	AAATCCCAAT

	201				250
UNC5C	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5C8	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5Cc	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
UNC5Cd	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT
Consensus	GACCAACTCT	CCAATTCTGG	ATCCACTGCC	CAACCTGAAA	ATCAAAGTGT

	251				300
UNC5C	ACAACACCTC	AGGTGCTGTC	TCCCCCAAG	ATGACCTCTC	TGAGTTTACG
UNC5C8	ACAACACCTC	AGGTGCTGTC	ACCCCCAAG	ATGACCTCTC	TGAGTTTACG
UNC5Cc	ACAACACCTC	AGGTGCTGTC	ACC-----	-----	-----
UNC5Cd	ACAACACCTC	AAGTGCTGTC	ACCCCCAAG	ATGACCTCTC	TGAGTTTACG
Consensus	ACAACACCTC	AgGTGCTGTC	aCCccccaa	atgacctctc	tgagtttacg

	301				350
UNC5C	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
UNC5C8	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
UNC5Cc	-----	-----	-----	-----	-----
UNC5Cd	TCCAAGCTGT	CCCCTCAGAT	GACCCAGTCG	TTGTTGGAGA	ATGAAGCCCT
Consensus	tccaagctgt	cccctcagat	gacccagtcg	ttgttggaga	atgaagccct

SUBSTITUTE SHEET (RULE 26)

FIG. 1 (CONTINUED 1)

	351				400
UNC5C	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GACTGATCCA	TCCTGTACCG
UNC5C8	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GACTGATCCA	TCCTGTACCG
UNC5Cc	-----	-----	-----	-----	-----
UNC5Cd	CAGCCTGAAG	AACCAGAGTC	TAGCAAGGCA	GACTGATCCA	TCCTGTACCG
Consensus	cagcctgaag	aaccagagtc	tagcaaggca	gactgatcca	tcctgtaccg
	401				450
UNC5C	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
UNC5C8	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
UNC5Cc	-----	-----	-----	-----TATTGT	TCCCAATTCA
UNC5Cd	CATTTGGCAG	CTTCAACTCG	CTGGGAGGTC	ACCTTATTGT	TCCCAATTCA
Consensus	catttggcag	cttcaactcg	ctgggaggtc	acctTATTGT	TCCCAATTCA
	451				500
UNC5C	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5C8	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5Cc	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
UNC5Cd	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
Consensus	GGAGTCAGCT	TGCTGATTCC	CGCTGGGGCC	ATTCCCCAAG	GGAGAGTCTA
	501				550
UNC5C	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5C8	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5Cc	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
UNC5Cd	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
Consensus	CGAAATGTAT	GTGACTGTAC	ACAGGAAAGA	AACTATGAGG	CCACCCATGG
	551				600
UNC5C	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5C8	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5Cc	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
UNC5Cd	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
Consensus	ATGACTCTCA	GACACTTTTG	ACCCCTGTGG	TGAGCTGTGG	GCCCCCAGGA
	601				650
UNC5C	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5C8	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5Cc	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
UNC5Cd	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
Consensus	GCTCTGCTCA	CCCGCCCCGT	CGTCCTCACT	ATGCATCACT	GCGCAGACCC
	651				700
UNC5C	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5C8	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5Cc	CAATACCGAG	GACTGGAAAA	TACTGCTCAA	GAACCAGGCA	GCACAGGGAC
UNC5Cd	CAATACCGAG	GACTGGAAAA	TACTGCTC--	-----	-----
Consensus	CAATACCGAG	GACTGGAAAA	TACTGCTCaa	gaaccaggca	gcacagggac
	701				750
UNC5C	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTCAC	CACCCCCTGC
UNC5C8	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTCAC	CACCCCCTGC
UNC5Cc	AGTGGGAGGA	TGTGGTGGTG	GTCGGGGAGG	AAAACCTTCAC	CACCCCCTGC
UNC5Cd	-----	-----	-----	-----	-----
Consensus	agtgggagga	tgtggtggtg	g cggggagg	aaaacttcac	caccccctgc
	751				800
UNC5C	TACATTAAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5C8	TACATTAAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5Cc	TACATTCAGC	TGGATGCAGA	GGCCTGCCAC	ATCCTCACAG	AGAACCTCAG
UNC5Cd	-----	-----	-----	-----	-----
Consensus	tacatt agc	tggatgcaga	ggcctgccac	atcctcacag	agaacctcag
	801				850
UNC5C	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5C8	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5Cc	CACCTACGCC	CTGGTAGGAC	ATTCCACCAC	CAAAGCGGCT	GCAAAGCGCC
UNC5Cd	-----	-----	-----	-----	-----
Consensus	cacctacgcc	ctggtaggac	attccaccac	caaagcggct	gcaaagcgcc
	851				900
UNC5C	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5C8	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5Cc	TCAAGCTGGC	CATCTTTGGG	CCCCTGTGCT	GCTCCTCGCT	GGAGTACAGC
UNC5Cd	-----	-----	-----	-----CTCGCT	GGAGTACAGC
Consensus	tcaagctggc	catctttggg	cccctgtgct	gctcctcgct	GGAGTACAGC

SUBSTITUTE SHEET (RULE 26)

3/18

FIG. 1 (CONTINUED 2).

	901				950
UNC5C	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
UNC5C8	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
UNC5Cc	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GGTGCCCTGA	AGGAAATTTT
UNC5Cd	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
Consensus	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
	951				1000
UNC5C	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
UNC5C8	ACATCTTGAG	AGAXXXXXXX	XXXXXXXXXX	XXXXXXXXXX	XXXXAGGTTT
UNC5Cc	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
UNC5Cd	ACATCTTGAG	AGACAGACGG	GAGGACAGCT	CCTAGAAGAA	CCTAAGGCTC
Consensus	ACATCTTGAG	AGAcagacgg	gaggacagct	cctagaagaa	cctaAGGcTc
	1001				1050
UNC5C	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
UNC5C8	TTCATTT-AA	AGCANGCANC	CNNCAAATGN	GCCTGTCAAT	TCNCGATATG
UNC5Cc	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
UNC5Cd	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
Consensus	TTCATTTtAA	AGgcaGCacC	CacaAccTGc	GCCTGTCAAT	TCaCGATATc
	1051				1100
UNC5C	GCCCATTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5C8	GCCCATTCCC	TCTGAAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cc	GCCCGTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cd	GCCCATTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
Consensus	GCCCATTCCC	TCTGgAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
	1101				1150
UNC5C	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
UNC5C8	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AANCTGCAC	TGCACNTTCA
UNC5Cc	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
UNC5Cd	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	TGCACCTTCA
Consensus	ATTTTACCAT	GTTTGGAGTG	GATCTCAAAG	AAaCTGCAC	TGCACcTTCA
	1151				1200
UNC5C	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5C8	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5Cc	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
UNC5Cd	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
Consensus	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACCTCTGT
	1201				1250
UNC5C	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5C8	GT-CGGCAGG	TGGAAGGAGA	AGG-CAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5Cc	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5Cd	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
Consensus	GTgCGGCAGG	TGGAAGGAGA	AGGgCAGATC	TTCCAGCTCA	ACTGCACCGT
	1251				1300
UNC5C	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5C8	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5Cc	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5Cd	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
Consensus	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
	1301				1350
UNC5C	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5C8	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5Cc	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
UNC5Cd	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
Consensus	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
	1351				1400
UNC5C	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5C8	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5Cc	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5Cd	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
Consensus	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
	1401				1450
UNC5C	CTGGAGGATG	CTGGCCCATATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
UNC5C8	CTGGAGGATG	CTGGCCCATATA	AGCTGAACCT	GGACGGGTAC	TTGAATTACT
UNC5Cc	CTGGAGGATG	CTGGCCCATATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
UNC5Cd	CTGGAGGATG	CTGGCCCATATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
Consensus	CTGGAGGATG	CTGGCCCATATA	AGCTGAACCT	GGACaGGTAC	TTGAATTACT

SUBSTITUTE SHEET (RULE 26)

FIG. 1 (CONTINUED 3).

	1451				1500
UNC5C	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5C8	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5Cc	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
UNC5Cd	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
Consensus	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
	1501				1550
UNC5C	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGAAGA
UNC5C8	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGAAGA
UNC5Cc	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGAAGA
UNC5Cd	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGAAGA
Consensus	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGAAGA
	1551				1599
UNC5C	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5C8	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5Cc	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
UNC5Cd	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT
Consensus	AATGGGAAGA	CATGAAACGG	TGGTGTCTT	AGCAGCAGAA	GGGCAGTAT

FIG. 2.

Multalin version 5.3.3

Copyright I.N.R.A. France 1989, 1991, 1994, 1996

Published research using this software should cite

Multiple sequence alignment with hierarchical clustering

F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890

Symbol comparison table: blosum62

Gap weight: 12

Gap length weight: 2

Consensus levels: high=90% low=50%

Consensus symbols:

! is anyone of IV

\$ is anyone of LM

% is anyone of FY

is anyone of NDQEBZ

MSF: 2908 Check: 0

Name: ratunc5h1	Len: 2908	Check: 8912	Weight: 0.87
Name: ym97d12	Len: 2908	Check: 4745	Weight: 0.87
Name: 1G	Len: 2908	Check: 1058	Weight: 1.05
Name: 1Jrc	Len: 2908	Check: 508	Weight: 1.04
Name: 2Brc	Len: 2908	Check: 6768	Weight: 1.04
Name: 3D	Len: 2908	Check: 8193	Weight: 1.13
Name: Consensus	Len: 2908	Check: 6031	Weight: 6.00

//

```

      1                                     50
ratunc5h1 ATGGCCGTCC GGGCCGGCCT GTGGCCAGTG CTCCTGGGCA TAGTCCTCGC
ym97d12
  1G
  1Jrc
  2Brc
  3D
Consensus

      51                                     100
ratunc5h1 CGCCTGGCTT CGTGGTTCGG GTGCCCAGCA GAGTGCCACG GTGGCCAATC
ym97d12
  1G
  1Jrc
  2Brc
  3D
Consensus

     101                                     150
ratunc5h1 CAGTGCCCCG TGCCAACCCC GACCTGCTGC CCCACTTCCT GGTAGAGCCT
ym97d12
  1G
  1Jrc
  2Brc
  3D
Consensus

     151                                     200
ratunc5h1 GAGGACGTGT ACATTGTCAA GAACAAGCCG GTGTTGTTGG TGTGCAAGGC
ym97d12
  1G
  1Jrc
  2Brc
  3D
Consensus

```

SUBSTITUTE SHEET (RULE 26)

FIG. 2 (CONTINUED 1).

	201		250
ratunc5h1	TGTGCCTGCC ACCCAGATCT TCTTCAAGTG CAATGGGGAA TGGGTCCGCC		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	251		300
ratunc5h1	AGGTCGATCA CGTAATTGAA CGCAGCACCG ACAGCAGCAG CGGATTGCCA		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	301		350
ratunc5h1	ACCATGGAGG TCCGTATCAA CGTATCGAGG CAGCAGGTAG AGAAAGTGTT		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	351		400
ratunc5h1	TGGGCTGGAG GAATACTGGT GCCAGTGTGT GGCATGGAGC TCCTCGGGTA		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	401		450
ratunc5h1	CCACCAAAAG TCAGAAGGCC TACATCCGGA TTGCCTATTT GCGCAAGAAC		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	451		500
ratunc5h1	TTTGAGCAGG AGCCACTGGC CAAGGAAGTG TCACTGGAGC AAGGCATTGT		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	501		550
ratunc5h1	ACTACCTTGT CGCCCCCAG AAGGAATCCC CCCAGCTGAG GTGGAGTGGC		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			

.7/18

FIG. 2 (CONTINUED 2).

	551	600
ratunc5h1	TTCGAAATGA GGACCTCGTG GACCCCTCCC TCGATCCCAA TGTGTACATC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	601	650
ratunc5h1	ACGCGGGAGC ACAGCCTAGT CGTGCGTCAG GCCCGCCTGG CCGACACGGC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	651	700
ratunc5h1	CAACTACACC TGTGTGGCCA AGAACATCGT AGCCCGTCGC CGAAGCACCT	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	701	750
ratunc5h1	CTGCAGCGGT CATTGTTTAT GTGAACGGTG GGTGGTCGAC GTGGACTGAG	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	751	800
ratunc5h1	TGGTCCGTCT GCAGCGCCAG CTGTGGGCGT GGCTGGCAGA AACGGAGCCG	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	801	850
ratunc5h1	GAGCTGCACC AACCCGGCAC CTCTCAACGG GGGCGCCTTC TGTGAGGGGC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		
	851	900
ratunc5h1	AGAATGTCCA GAAAACAGCC TGCGCCACTC TGTGCCCAGT GGATGGGAGC	
ym97d12		
1G		
1Jrc		
2Brc		
3D		
Consensus		

SUBSTITUTE SHEET (RULE 26)

FIG. 2(Continued 3).

	901		950
ratunc5h1	TGGAGTTCGT GGAGTAAGTG GTCAGCCTGT GGGCTTGACT GCACCCACTG		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	951		1000
ratunc5h1	GCGGAGCCGC GAGTGCTCTG ACCCAGCACC CCGCAATGGA GGTGAGGAGT		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus			
	1001		1050
ratunc5h1	GTCGGGGTGC TGACCTGGAC ACCCGCAACT GTACCACTGA CCTCTGCCTG		
ym97d12			
1G			
1Jrc			
2Brc			
3D			
Consensus		CAGTGA CCTCTGTGTA	
	1051		1100
ratunc5h1	CACACCGCTT CTTGCCCCGA GGACGTGGCT CTCTACATCG <u>GCCTTGTCGC</u>		
ym97d12			
1G			
1Jrc			
2Brc			
3D	CACACTGCTT CTGGCCCTGA GGACGTGGCC CTCTATGTGG GCCTNATCGC		
Consensus			
	Predicted transmembrane region		
	1101		1150
ratunc5h1	<u>TGTGGCTGTG TGCCTCTTCT TGCTGTTGCT GGCCCTTGGA CTCATTTACT</u>		
ym97d12			
1G			
1Jrc			
2Brc			
3D	CGTGGCCGNN TGCCTGGTCC TGCTGCTGCT TGTCCATCATC CTCGTTTATT		
Consensus		t t c g cc c c t t a	
	1151		1200
ratunc5h1	<u>GTCGCAAGAA</u> GGAAGGGCTG GACTCCGATG TGGCCGACTC GTCCATCCTC		
ym97d12			
1G			
1Jrc			
2Brc			
3D	GCCGGAAGAA GGAGGGGCTG GACTCANATG TGGCTGACTC GTCCATTCTC		
Consensus	gcc aa gg g ga g t c ga c t t tc		
	1201		1250
ratunc5h1	ACCTCGGGCT TCCAGCCTGT CAGCATCAAG CCCAGCAAAG CAGACAACCC		
ym97d12			
1G			
1Jrc			
2Brc			
3D	ACCTCAGGCT TCCAGCCCGT CAGCATCAAG CCCAGCAAAG CAGACAACCC		
Consensus	cc a t t g cc t agc a ca g c cc		

SUBSTITUTE SHEET (RULE 26)

FIG. 2 (CONTINUED 4).

	1251					1300
ratunc5h1	CCACCTGCTC	ACCATCCAGC	CAGACCTCAG	CACCACCACT	ACCACCTACC	
ym97d12						
1G						
1Jrc	CCTTGGGTTC	-CCNTCAAGT	GGTNNCANGG	GGGTGGCCCT	TGAA--TTCA	
2Brc	ACTTGGGTTC	-CCNTCAAGT	TGT--CAATG	GGNGCCCCCT	--GA--ATCA	
3D	CCATCTGCTC	ACCATCCAGC	CGGACCTCAG	CACCACCACC	ACCACCTACC	
Consensus	cc t g tc	cc tc ag	g c g	cc c	a t c	
	1301					1350
ratunc5h1	AGGGCAGTCT	ATGTTTCGAGG	CAGGATGGAC	CCAGCCCCAA	GTTCCAGCTC	
ym97d12						
1G						
1Jrc						
2Brc						
3D	AGGGCAGTCT	NTGTCCCCGG	CAGGATGGGC	CCAGCCCCAA	GTTCCAGCTC	
Consensus	ag a t	tgt gg	gg tgg	c agc c	ccag	
	1351					1400
ratunc5h1	TCTAATGGTC	ACCTGCTCAG	CCCACTGGGG	AGTGGCCGCC	ATACGTTGCA	
ym97d12				GCC	ACAC--TGCA	
1G		TCAG	CCCCCTGGGT	GGCGGCCGCC	ACACACTGCA	
1Jrc						
2Brc						
3D	ACCAATGGGC	ACCTGCTCAG	CCCCCTGGGT	GGCGGCCGCC	ACACACTGCA	
Consensus	aa g c	cct tcag	ccc cctggg	g ggccgCC	acac tGCA	
	1401					1450
ratunc5h1	CCACAGCTCA	CCCACCTCTG	AGGCTGAGGA	CTTCGTCTCC	CGCCTCTCCA	
ym97d12	CCACAGCTCT	CCCACCTCTG	AGGCCGAGGA	GTTCGTCTCC	CGCCTCTCCA	
1G	CCACAGCTCT	CCCACCTCTG	AGGCCGAGGA	GTTCGTCTCC	CGCCTCTCCA	
1Jrc						
2Brc						
3D	CCACAGCTCT	CCAACCTNTG	AGGCCNAGGA	GTTCGNNTCC	CGCCTTTCCA	
Consensus	cCacagCtct	cCcacctctG	aggcc AGGa	gttCg tcc	cGccT Tcca	
	1451					1500
ratunc5h1	CCCAGAACTA	CTT-TCGTTC	CCTGCCCCGC	GGCACCAGCA	ACATGGCCTA	
ym97d12	CCCAGAACTA	CTT-CCGCTC	CCTGCCCCGA	GGCACCAGCA	ACATGACCTA	
1G	CCCAGAACTA	CTT-CCGCTC	CCTGCCCCGA	GGCACCAGCA	ACATGACCTA	
1Jrc						
2Brc						
3D	CCCAGAACTA	CTTNCGGTTC	CTTGCCCCCA	GGCNCAGCA	ACATGACCTT	
Consensus	cccagaacTa	ctT cgGttC	ctTgccCcg	GGc ccagca	acAtGaCCT	
	1501					1550
ratunc5h1	C--GGGACCT	TCA-ACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA	
ym97d12	T--GGGACCT	TCA-ACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA	
1G	T--GGGACCT	TCNNACTTCC	TCGGGGG-CC	GGCTGATGAT	--CCCTAATA	
1Jrc						
2Brc						
3D	ATGGGGACCT	TTAAATTTCT	TCGGGGGNCC	GGNTTATGAA	NCCCTAATTC	
Consensus	gGGaCCT	t actTCC	TcggggG CC	Gg t atga	cc atTc	
	1551					1600
ratunc5h1	CGGGGA--TC	AGCCTCCT-C	ATACCCCCCG	ATGCCATCCC	CC-GAGGAAA	
ym97d12	CAGGAA--TC	AGCCTCCT-C	ATCCCCCAG	ATGCCATACC	CC-GAGGGAA	
1G	CAGGAA--TC	AGCCTCCT-C	ATNCCCCAG	ATGCCATACC	CC-GAGGGAA	
1Jrc	CAGGAA--TC	AGCCTCCT-C	ATCCCCCAG	ATGCCATACC	CC-GAGGGAA	
2Brc	CAGGAA--TC	AGCCTCCT-C	ATCCCCCAG	ATGCCATACC	CC-GAGGGAA	
3D	CAGGGAATTA	AACCTTCTTA	ATCCCCCAA	ATGCCANACC	CCCGANGGAA	
Consensus	CaGGaA Tc	AgCCTcCT c	ATcCCCCCag	ATGCCAtacc	CC GAgGgAA	

SUBSTITUTE SHEET (RULE 26)

FIG. 2 (CONTINUED 5).

	1601				1650
ratunc5h1	GATCT-ACGA	GATCTACCTC	ACACTGCACA	AGCCAGAAGA	CGTGAGGTTG
ym97d12	GATCT-ATGA	GATCTACCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
1G	GATCT-ATGA	GATCTGCCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
1Jrc	GATCT-ATGA	GATCTACCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
2Brc	GATCT-ATGA	GATCTACCTC	ACGCTGCGCA	AGCCGGAAGA	CGTGAGGTTG
3D	NATCTNTTGN	NAACTACCTT	A-----A	ANCTTGANNA	AGCCCGGAAA
Consensus	gATCT atGa	gAtCTaCCTc	AcgctgcacA	AgCcgGAagA	cGtgaGGttg
	1651				1700
ratunc5h1	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCAGTCGTTA	GCTGTGGGCC
ym97d12	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1G	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1Jrc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
2Brc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
3D	AACC				
Consensus	cccctagctg	gctgtcagac	cctgctgagt	cccatcgтта	gctgtggacc
	1701				1750
ratunc5h1	CCCA-GGAGT	CCTGCTCACC	CGGCCAGTCA	T-CCTTG-CA	ATGGACCACT
ym97d12	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
1G	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
1Jrc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
2Brc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
3D					
Consensus	ccct ggcgt	cctgctcacc	cggccagtca	t cctgg ct	atggaccact
	1751				1800
ratunc5h1	GT--GGAGAG	CCCA-GCCCT	-GACAGC--T	GGAGTC-TGC	GCCT---CAA
ym97d12	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
1G	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
1Jrc	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
2Brc	GT--GGGGAG	CCCA-GCCCT	-GACAGC--T	GGAGCC-TGC	GCCT---CAA
3D					
Consensus	gt ggggag	ccca gccct	gacagc t	ggagcc tgc	gcct caa
	1801				1850
ratunc5h1	AAAGCAG-TC	CTGC-GAGGG	CAGTTGGG--	-AGGATGTGC	-TGCACCT-T
ym97d12	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
1G	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
1Jrc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
2Brc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG--	-AGGATGTGC	-TGCACCT-G
3D					
Consensus	aaagcag tc	tgc gaggg	cagctggg	aggatgtgc	tgcacct g
	1851				1900
ratunc5h1	GGTGAGGAGT	CACCTTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCGGGGC
ym97d12	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCAGTGC
1G	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	NTAAANCCCN	AA-TTNTTGC
1Jrc	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAG		
2Brc	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	G	
3D					
Consensus	ggcgaggag	cgccctccca	cctctacta		
	1901				1950
ratunc5h1	CTGCTATGTC	TTCACGGAGC	AGCTGGGCCG	CTTTGCCCTG	GTAGGAGAGG
ym97d12	CTGCTACGTC	TTCACCGAGC	AGCTGGGCCG	CTTTGCCCTG	GTGGGAGAGG
1G	AAAAATCCNT	TTAAAATTGT	NG--GNCCCN	TTNAAACCTN	-----
1Jrc					
2Brc					
3D					
Consensus					

11/18

FIG. 2 (CONTINUED 6).

1951 2000
 ratunc5h1 CCCTCAGCGT GGCTGCCACC AAGCGCCTCA GGCTCCTTCT GTTTGCTCCC
 ym97d12 CCCTCAGCGT GGCTGCCGCC AAGCGCCTCA AGCTGCTTCT GTTTGCGCCG
 1G CCCTTAAAAA GGGGCCCAAT TTCCNCCTNT NNGGNANCCN --TTNAAAAN
 1Jrc
 2Brc
 3D
 Consensus

2001 2050
 ratunc5h1 GTGGCCTGTA CGTCCCTTGA GTACAACATC CGAGTGTACT GCCTACACGA
 ym97d12 GTGGCCTGCA CCTCCCTCGA GTACAACATC CGGGTCTACT GCCTGCATGA
 1G NTAAGTGGCC CCTNTTTTNA AAACNNNCGA NCNGGGNAAA NCC
 1Jrc
 2Brc
 3D
 Consensus

2051 2100
 ratunc5h1 CACCCACGAC GCTCTCAAGG AGGTGGTGCA GCTGGAGAAG CAGCTAGGTG
 ym97d12 CACCCACGAT GCACTCAAGG AGGTGGTGCA GCTGGAGAAG CAGCTGGGGG
 1G
 1Jrc
 2Brc
 3D
 Consensus

2101 2150
 ratunc5h1 GACAGCTGAT CCAGGAGCCT CGCGTCCTGC ACTTCAAAGA CAGTTACCAC
 ym97d12 GACAGCTGAT CCAGGAGCCA CGGGTCCTGC ACTTCAAGGA CAGTTACCAC
 1G
 1Jrc
 2Brc
 3D
 Consensus

2151 2200
 ratunc5h1 AACCTACGTC TCTCCATCCA CGACGTGCCC AGCTCCCTGT GGAAGAGCAA
 ym97d12 AACCTGCGCC TATCCATCCA CGATGTGCCC AGCTCCCTGT GGAAGAGTAA
 1G
 1Jrc
 2Brc
 3D
 Consensus

2201 2250
 ratunc5h1 GCTACTTGTC AGCTACCAGG AGATCCCTTT TTACCACATC TGGAACGGCA
 ym97d12 GCTCCTTGTC AGCTACCAGG AGATCCCTTT TTATCACATC TGGAATGGCA
 1G
 1Jrc
 2Brc
 3D
 Consensus

2251 2300
 ratunc5h1 CCCAGCAGTA TCTGCACTGC ACCTTCACCC TGGAGCGCAT CAACGCCAGC
 ym97d12 CGCAGCGGTA CTTGCACTGC ACCTTCACCC TGGAGCGTGT CAGCCCCAGC
 1G
 1Jrc
 2Brc
 3D
 Consensus

SUBSTITUTE SHEET (RULE 26)

12/18

FIG. 2. (CONTINUED 7).

2301 2350
ratunc5h1 ACCAGCGACC TGGCCTGCAA GGTGTGGGTG TGGCAGGTGG AGGGAGATGG
ym97d12 ACTAGTGACC TGGCCTGCAA GCTGTGGGTG TGGCAGGTGG AGGGCGACGG
1G
1Jrc
2Brc
3D
Consensus

2351 2400
ratunc5h1 GCAGAGCTTC AACATCAACT TCAACATCAC TAAGGACACA AGGTTTGCTG
ym97d12 GCAGAGCTTC AGCATCAACT TCAACATCAC CAAGGACACA AGGTTTGCTG
1G
1Jrc
2Brc
3D
Consensus

2401 2450
ratunc5h1 AATTGTTGGC TCTGGAGAGT GAAGGGGGGG TCCAGCCCT GGTGGGCCCC
ym97d12 AGCTGCTGGC TCTGGAGAGT GAAGCGGGGG TCCAAGCCCT GGTGGGCCCC
1G
1Jrc
2Brc
3D
Consensus

2451 2500
ratunc5h1 AGTGCCTTCA AGATCCCCTT CCTCATTCGG CAAAAGATCA TCGCCAGTCT
ym97d12 AGTGCCTTCA AGATCCCCTT CCTCATTCGG CAGAAGATAA TTTCCAGCCT
1G
1Jrc
2Brc
3D
Consensus

2501 2550
ratunc5h1 GGACCCACCC TGCAGCCGGG GCGCCGACTG GAGAACTCTA GCCCAGAAAC
ym97d12 GGACCCACCC TGTAGGCGGG GTGCCGACTG GCGGACTCTG GCCCAGAAAC
1G
1Jrc
2Brc
3D
Consensus

2551 2600
ratunc5h1 TTCACCTGGA CAGCCATCTT AGCTTCTTTG CCTCCAAGCC CAGCCCTACA
ym97d12 TTCACCTGGA CAGCCATCTC AGCTTCTTTG CCTCCAAGCC CAGCCCCACA
1G
1Jrc
2Brc
3D
Consensus

2601 2650
ratunc5h1 GCCATGATCC TCAACCTATG GGAGGCACGG CACTTCCCCA ACGGCAACCT
ym97d12 GCCATGATCC TCAACCTGTG GGAGGCACGG CACTTCCCCA ACGGCAACCT
1G
1Jrc
2Brc
3D
Consensus

SUBSTITUTE SHEET (RULE 26)

FIG. 2 (CONTINUED 8).

	2651		2700
ratunc5h1	CGGCCAGCTG GCAGCAGCTG TGGCCGGACT GGGCCAACCA GATGCTGGCC		
ym97d12	CAGCCAGCTG GCTGCAGCAG TGGCTGGACT GGGCCAGCCA GACGCTGGCC		
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2701		2750
ratunc5h1	TCTTCACGGT GTCGGAGGCC GAGTGTTGA		
ym97d12	TCTTCACAGT GTCGGAGGCT GAGTGCTGAG GCCGGCCAGG CCCGACACCT		
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2751		2800
ratunc5h1			
ym97d12	ACACTCTCAC CAGCTTTGGC ACCCACCAAG GACAGGCAGA AGCCGGACAG		
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2801		2850
ratunc5h1			
ym97d12	GGGCCCTTCC CCACACCGGG GAGAGCTGCT CGGACAGGCC CCCTCCCGGC		
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2851		2900
ratunc5h1			
ym97d12	CGAAGCTGTC CCTTAATGCT GGTCCTTCAG ACCCTGCCCC CTCGTGCCGA		
1G			
1Jrc			
2Brc			
3D			
Consensus			
	2901		
ratunc5h1			
ym97d12	ATTCTGGC		
1G			
1Jrc			
2Brc			
3D			
Consensus			





FIG. 5.




FIG. 6.

gi|205715 (M96376) neurexin II-alpha-b [Rattus norvegicus] 31 7.4

gi|205715 (M96376) neurexin II-alpha-b [Rattus norvegicus]
Length = 1728

Score = 31.3 bits (69), Expect = 7.4

Identities = 16/38 (42%), Positives = 20/38 (52%)

Query: 337 KACSVCXAGRRALMGKLLLEEQGXGVGGRGKANADIYYR 224

KAC VC + GK LEE+G G G G+ .IY +

Sbjct: 1690 KACCVCRCRATCIAGKPLEERGGG-RGEGERQMQUIYIK 1726

FIG. 7

gi|1644455 (U72520) mena protein [Mus musculus]

Length = 541

Score = 34.0 bits (76), Expect = 0.77

Identities = 14/23 (60%), Positives = 15/23 (64%)


Frame = +1

Query: 31 PPPPCTCPAGRHRVSALPPPAGP 99

PPPP P+G SALPPP GP


Sbjct: 284 PPPPPPLPSGPAYASALPPPPGP 306

FIG. 8.



18/18

FIG. 9.



SUBSTITUTE SHEET (RULE 26)

1
SEQUENCE LISTING

<110> DEVGEN NV

<120> UNC-5 constructs and screening methods

<130> SCB/52877/002

<140>

<141>

<160> 96

<170> PatentIn Ver. 2.0

<210> 1

<211> 1393

<212> DNA

<213> Homo sapiens

<400> 1

```

ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120
ccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180
gtctcagaca aaatcccaat gaccaactct ccaattctgg atccactgcc caacctgaaa 240
atcaaagtgt acaacacctc aagtgtgtgc accccccaag atgacctctc tgagtttacg 300
tccaagctgt cccctcagat gaccagtcg ttgttgaga atgaagccct cagcctgaag 360
aaccagagtc tagcaaggca gactgatcca tcctgtaccg catttggcag cttcaactcg 420
ctgggaggtc accttattgt tcccaattca ggagtcagct tgctgattcc cgctggggcc 480
attccccaag ggagagtcta cgaaatgtat gtgactgtac acaggaaaga aactatgagg 540
ccacccatgg atgactctca gacacttttg acccctgtgg tgagctgtgg gccccagga 600
gctctgtctc cccgccccgt cgtcctcact atgcatcact gcgcagaccc caataccgag 660
gactggaaaa tactgtcctc cgtggagta cagcatccga gtctactgtc tggatgacac 720
ccaggatgcc ctgaaggaaa ttttacatct tgagagacag acgggaggac agctcctaga 780
agaacctaag gctcttcatt ttaaaggcag caccacaac ctgcgctgt caattcacga 840
tatcgcccat tccctctgga agagcaaatt gctggctaaa tatcaggaaa ttccatttta 900
ccatgttttg agtggatctc aaagaaacct gcactgcacc ttcactctgg aaagatttag 960
cctgaacaca gtggagctgg ttgcaaaact ctgtgtgcgg cagggtggaag gagaagggca 1020
gatcttccag ctcaactgca ccgtgtcaga ggaacctact ggcatcgatt tgccgctgct 1080
ggatcctgcg aacaccatca ccacggtcac ggggcccgat gctttcagca tccctctccc 1140
tatccggcag aagctctgta gcagcctgga tgccccccag acgagaggcc atgactggag 1200
gatgctggcc cataagctga acctggacag gtacttgaat tactttgcca ccaaattccag 1260
cccaactggc gtaatcctgg atctttggga agcacagaac ttcccagatg gaaacctgag 1320
catgctggca gctgtcttgg aagaaatggg aagacatgaa acggtggtgt ccttagcagc 1380
agaaggcgag tat 1393

```

<210> 2

<211> 238

<212> PRT

<213> Homo sapiens

<400> 2

```

Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
  1                      5                      10                      15
Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
                20                      25                      30

```


Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala
 35 40 45

Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys
 50 55 60

Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys
 65 70 75 80

Ile Lys Val Tyr Asn Thr Ser Ser Ala Val Thr Pro Gln Asp Asp Leu
 85 90 95

Ser Glu Phe Thr Ser Lys Leu Ser Pro Gln Met Thr Gln Ser Leu Leu
 100 105 110

Glu Asn Glu Ala Leu Ser Leu Lys Asn Gln Ser Leu Ala Arg Gln Thr
 115 120 125

Asp Pro Ser Cys Thr Ala Phe Gly Ser Phe Asn Ser Leu Gly Gly His
 130 135 140

Leu Ile Val Pro Asn Ser Gly Val Ser Leu Leu Ile Pro Ala Gly Ala
 145 150 155 160

Ile Pro Gln Gly Arg Val Tyr Glu Met Tyr Val Thr Val His Arg Lys
 165 170 175

Glu Thr Met Arg Pro Pro Met Asp Asp Ser Gln Thr Leu Leu Thr Pro
 180 185 190

Val Val Ser Cys Gly Pro Pro Gly Ala Leu Leu Thr Arg Pro Val Val
 195 200 205

Leu Thr Met His His Cys Ala Asp Pro Asn Thr Glu Asp Trp Lys Ile
 210 215 220

Leu Leu Leu Ala Gly Val Gln His Pro Ser Leu Leu Ser Gly
 225 230 235

<210> 3

<211> 1438

<212> DNA

<213> Homo sapiens

<400> 3

ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
 ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120
 cccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180
 gtctcagaca aaatcccaat gaccaactct ccaattctgg atccactgcc caacctgaaa 240
 atcaaagtgt acaacacctc aggtgctgtc acctattgtt cccaattcag gactcagctt 300
 gctgattccc gctggggcca ttccccaagg gagagtctac gaaatgtatg tgactgtaca 360
 caggaaagaa actatgaggc caccatgga tgactctcag acacttttga ccctgtggt 420
 gagctgtggg cccccaggag ctctgctcac ccgccccgtc gtcctcacta tgcattcactg 480
 cgcagacccc aataccgagg actggaaaat actgctcaag aaccaggcag cacagggaca 540
 gtgggaggat gtggtggtgg tcggggagga aaacttcacc accccctgct acattcagct 600
 ggatgcagag gcctgccaca tcctcacaga gaacctcagc acctacgccc tggtaggaca 660

3

```

ttccaccacc aaagcggctg caaagcgcct caagctggcc atctttgggc ccctgtgctg 720
ctccctcgctg gagtacagca tccgagtcta ctgtctggat gacacccagg gtgccctgaa 780
ggaaatttta catcttgaga gacagacggg aggacagctc ctagaagaac ctaaggctct 840
tcattttaaa ggcagcacc cacaacctgc cctgtcaatt cacgatatcg cccgttcctt 900
ctggaagagc aaattgctgg ctaaatatca ggaaattcca ttttaccatg tttggagtgg 960
atctcaaaga aacctgcact gcaccttcac tctggaaaga tttagcctga acacagtgga 1020
qctggtttgc aaactctgtg tgcggcaggt ggaaggagaa gggcagatct tccagctcaa 1080
ctgcaccgtg tcagaggaac ctactggcat cgatttgccg ctgctggatc ctgcgaacac 1140
catcaccacg gtcacggggc ccagtgtctt cagcatccct ctccctatcc ggcagaagct 1200
ctgtagcagc ctggatgcc cccagacgag aggccatgac tggaggatgc tggccataa 1260
gctgaacctg gacaggtact tgaattactt tgccaccaa tccagcccaa ctggcgtaat 1320
cctggatctt tgggaagcac agaacttccc agatggaaac ctgagcatgc tggcagctgt 1380
cttggaaaga atgggaagac atgaaacggt ggtgtcctta gcagcagaag ggcagtat 1438

```

<210> 4
 <211> 130
 <212> PRT
 <213> Homo sapiens

<400> 4
 Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
 1 5 10 15
 Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
 20 25 30
 Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala
 35 40 45
 Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys
 50 55 60
 Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys
 65 70 75 80
 Ile Lys Val Tyr Asn Thr Ser Gly Ala Val Thr Tyr Cys Ser Gln Phe
 85 90 95
 Arg Ser Gln Leu Ala Asp Ser Arg Trp Gly His Ser Pro Arg Glu Ser
 100 105 110
 Leu Arg Asn Val Cys Asp Cys Thr Gln Glu Arg Asn Tyr Glu Ala Thr
 115 120 125
 His Gly
 130

<210> 5
 <211> 1575
 <212> DNA
 <213> Homo sapiens

<400> 5
 ttgtttgtgt atcggaaaga tcatcgtagc tttgagtcag atattattga ctcttcggca 60
 ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagacct cagtcagct 120
 gcagccatgt acagaggacc tgtctatgcc ctgcatgacg tctcagacaa aatcccaatg 180
 accaactctc caattctgga tccactgccc aacctgaaaa tcaaagtgt caacacctca 240

4

```

ggtgctgtca ccccccaaga tgacctctct gagttttacgt ccaagctgtc ccctcagatg 300
accagtcgt tgttgagaa tgaagccctc agcctgaaga accagagtct agcaaggcag 360
actgatccat cctgtaccgc atttggcagc ttcaactcgc tgggaggtca ccttattgtt 420
cccaattcag gagtcagctt gctgattccc gctggggcca ttccccaagg gagagtctac 480
gaaatgtatg tgactgtaca caggaaagaa actatgaggc cacccatgga tgactctcag 540
acacttttga cccctgtggt gagctgtggg cccccaggag ctctgtctac ccgccccgcc 600
gtctcacta tgcatcactg cgcagacccc aataccgagg actggaaaat actgctcaag 660
aaccaggcag cacagggaca gtgggaggat gtggtggtgg ccggggagga aaacttcacc 720
acccctgct acattaagct ggatgcagag gctgccaca tcctcacaga gaacctcagc 780
acctacgccc tggtaggaca ttccaccacc aaagcggctg caaagcgctt caagctggcc 840
atctttgggc ccctgtgctg ctctctcgtg gactacagca tccgagtcta ctgtctggat 900
gacaccagc atgccctgaa ggaaatttta catcttgaga gannnnnnnn nnnnnnnnnn 960
nnnnnnnnnn nnnaggtttt tcatttaaag cangcancn ncaaagtngc ctgtcaattc 1020
ncgatatggc ccattccctc tgaaagagca aattgctggc taaatatcag gaaattccat 1080
tttaccatgt ttggagtggg tctcaaagaa ncctgcaact cacnttcaact ctggaaagat 1140
ttagcctgaa cacagtggag ctggtttgca aactctgtgt cggcagggtg aaggagaagg 1200
cagatcttcc agtcaactg caccgtgtca gaggaaccta ctggcatcga tttgccgctg 1260
ctggatcctg cgaacacat caccacggtc acggggccca gtgctttcag catccctctc 1320
cctatccggc agaagctctg tagcagcctg gatgcccccc agacgagagg ccattgactg 1380
aggatgctgg ccataagct gaacctggac gggtacttga attactttgc caccaaattc 1440
agcccaactg gcgtaatcct ggatctttgg gaagcacaga acttcccaga tggaaacctg 1500
agcatgctgg cagctgtctt ggaagaaatg ggaagacatg aaacggtggt gtccttagca 1560
gcagaagggc agtat 1575

```

<210> 6

<211> 526

<212> PRT

<213> Homo sapiens

<400> 6

```

Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
  1                      5                      10                      15

```

```

Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
      20                      25                      30

```

```

Ala Arg Gln Asp Leu Thr Ser Ala Ala Ala Met Tyr Arg Gly Pro Val
      35                      40                      45

```

```

Tyr Ala Leu His Asp Val Ser Asp Lys Ile Pro Met Thr Asn Ser Pro
      50                      55                      60

```

```

Ile Leu Asp Pro Leu Pro Asn Leu Lys Ile Lys Val Tyr Asn Thr Ser
      65                      70                      75                      80

```

```

Gly Ala Val Ser Pro Gln Asp Asp Leu Ser Glu Phe Thr Ser Lys Leu
      85                      90                      95

```

```

Ser Pro Gln Met Thr Gln Ser Leu Leu Glu Asn Glu Ala Leu Ser Leu
      100                      105                      110

```

```

Lys Asn Gln Ser Leu Ala Arg Gln Thr Asp Pro Ser Cys Thr Ala Phe
      115                      120                      125

```

```

Gly Ser Phe Asn Ser Leu Gly Gly His Leu Ile Val Pro Asn Ser Gly
      130                      135                      140

```

```

Val Ser Leu Leu Ile Pro Ala Gly Ala Ile Pro Gln Gly Arg Val Tyr

```

5

145		150		155		160
Glu Met Tyr Val Thr	Val His Arg Lys	Glu Thr Met Arg Pro	Pro Met			
	165	170	175			
Asp Asp Ser Gln Thr	Leu Leu Thr Pro	Val Val Ser Cys Gly	Pro Pro			
	180	185	190			
Gly Ala Leu Leu Thr	Arg Pro Val Val	Leu Thr Met His	His Cys Ala			
	195	200	205			
Asp Pro Asn Thr Glu	Asp Trp Lys Ile	Leu Leu Lys Asn	Gln Ala Ala			
	210	215	220			
Gln Gly Gln Trp Glu	Asp Val Val Val	Val Gly Glu Glu	Asn Phe Thr			
	225	230	235			240
Thr Pro Cys Tyr Ile	Lys Leu Asp Ala	Glu Ala Cys His	Ile Leu Thr			
	245	250	255			
Glu Asn Leu Ser Thr	Tyr Ala Leu Val	Gly His Ser Thr	Thr Lys Ala			
	260	265	270			
Ala Ala Lys Arg Leu	Lys Leu Ala Ile	Phe Gly Pro Leu	Cys Cys Ser			
	275	280	285			
Ser Leu Glu Tyr Ser	Ile Arg Val Tyr	Cys Leu Asp Asp	Thr Gln Asp			
	290	295	300			
Ala Leu Lys Glu Ile	Leu His Leu Glu	Arg Gln Thr Gly	Gly Gln Leu			
	305	310	315			320
Leu Glu Glu Pro Lys	Ala Leu His Phe	Lys Gly Ser Thr	His Asn Leu			
	325	330	335			
Arg Leu Ser Ile His	Asp Ile Ala His	Ser Leu Trp Lys	Ser Lys Leu			
	340	345	350			
Leu Ala Lys Tyr Gln	Glu Ile Pro Phe	Tyr His Val Trp	Ser Gly Ser			
	355	360	365			
Gln Arg Asn Leu His	Cys Thr Phe Thr	Leu Glu Arg Phe	Ser Leu Asn			
	370	375	380			
Thr Val Glu Leu Val	Cys Lys Leu Cys	Val Arg Gln Val	Glu Gly Glu			
	385	390	395			400
Gly Gln Ile Phe Gln	Leu Asn Cys Thr	Val Ser Glu Glu	Pro Thr Gly			
	405	410	415			
Ile Asp Leu Pro Leu	Leu Asp Pro Ala	Asn Thr Ile Thr	Thr Val Thr			
	420	425	430			
Gly Pro Ser Ala Phe	Ser Ile Pro Leu	Pro Ile Arg Gln	Lys Leu Cys			
	435	440	445			
Ser Ser Leu Asp Ala	Pro Gln Thr Arg	Gly His Asp Trp	Arg Met Leu			
	450	455	460			

Ala His Lys Leu Asn Leu Asp Arg Tyr Leu Asn Tyr Phe Ala Thr Lys
465 470 475 480

Ser Ser Pro Thr Gly Val Ile Leu Asp Leu Trp Glu Ala Gln Asn Phe
485 490 495

Pro Asp Gly Asn Leu Ser Met Leu Ala Ala Val Leu Glu Glu Met Gly
500 505 510

Arg His Glu Thr Val Val Ser Leu Ala Ala Glu Gly Gln Tyr
515 520 525

<210> 7

<211> 813

<212> DNA

<213> Homo sapiens

<400> 7

```
cagtgcctc tgtgtacaca ctgcttctgg ccctgaggac gtggccctct atgtgggcct 60
natacgccgtg gccgnntgcc tggtcctgct gctgcttgtc ctcacccctcg tttattgccg 120
gaagaaggag gggctggact canatgtggc tgactcgtcc attctcacct caggcttcca 180
gcccgtcagc atcaagccca gcaaagcaga caacccccat ctgctcacca tccagccgga 240
cctcagcacc accaccacca cctaccaggg cagtctctgt ccccggcagg atgggcccag 300
ccccaaagttc cagctcacca atgggcacct gctcagcccc ctgggtggcg gccgccacac 360
actgcaccac agctctccca cctctgaggg cgaggagttc gtctcccggc tctccacca 420
gaactacttc cgctccctgc cccgaggcac cagcaacatg acctatggga ccttcaactt 480
cctcgggggc cggctgatga tccctaatac aggaatcaag cctcctcatc ccccagatg 540
ccataccccc aggggaagatc tatgagatct acctcacgct tgcacaagcc ggaagacgtg 600
aggttgcccc tagctggctg tcagaccctg ctgagtccca tcgttagctt gtggaccccc 660
tggcgtcctg ctcaccgcgc cagtcacctt ggctatggac cactgtgggg agcccagccc 720
tgacagctgg agcctgcgcc tcaaaaagca gtcgtgcgag ggcagctggg aggatgtgct 780
gcacctgggc gaggaggcgc cctcccactc act 813
```

<210> 8

<211> 265

<212> PRT

<213> Homo sapiens

<400> 8

Gln Pro Leu Cys Thr His Cys Phe Trp Pro Gly Arg Gly Pro Leu Cys
1 5 10 15

Gly Pro Xaa Arg Arg Gly Xaa Xaa Pro Gly Pro Ala Ala Ala Cys Pro
20 25 30

His Pro Arg Leu Leu Pro Glu Glu Gly Gly Ala Gly Leu Xaa Cys Gly
35 40 45

Leu Val His Ser His Leu Arg Leu Pro Ala Arg Gln His Gln Ala Gln
50 55 60

Gln Ser Arg Gln Pro Pro Ser Ala His His Pro Ala Gly Pro Gln His
65 70 75 80

His His His His Leu Pro Gly Gln Ser Leu Ser Pro Ala Gly Trp Ala
85 90 95

7

Gln Pro Gln Val Pro Ala His Gln Trp Ala Pro Ala Gln Pro Pro Gly
 100 105 110
 Trp Arg Pro Pro His Thr Ala Pro Gln Leu Ser His Leu Gly Arg Gly
 115 120 125
 Val Arg Leu Pro Pro Leu His Pro Glu Leu Leu Pro Leu Pro Ala Pro
 130 135 140
 Arg His Gln Gln His Asp Leu Trp Asp Leu Gln Leu Pro Arg Gly Pro
 145 150 155 160
 Ala Asp Asp Pro Tyr Arg Asn Gln Ala Ser Ser Ser Pro Gln Met Pro
 165 170 175
 Tyr Pro Glu Gly Arg Ser Met Arg Ser Thr Ser Arg Leu His Lys Pro
 180 185 190
 Glu Asp Val Arg Leu Pro Leu Ala Gly Cys Gln Thr Leu Leu Ser Pro
 195 200 205
 Ile Val Ser Leu Trp Thr Pro Trp Arg Pro Ala His Pro Ala Ser His
 210 215 220
 Pro Gly Tyr Gly Pro Leu Trp Gly Ala Gln Pro Gln Leu Glu Pro Ala
 225 230 235 240
 Pro Gln Lys Ala Val Val Arg Gly Gln Leu Gly Gly Cys Ala Ala Pro
 245 250 255
 Gly Arg Gly Gly Ala Leu Pro Leu Thr
 260 265

<210> 9

<211> 266

<212> PRT

<213> Homo sapiens

<400> 9

Ser Asp Leu Cys Val His Thr Ala Ser Gly Pro Glu Asp Val Ala Leu
 1 5 10 15
 Tyr Val Gly Xaa Ile Ala Val Ala Xaa Cys Leu Val Leu Leu Leu Leu
 20 25 30
 Val Leu Ile Leu Val Tyr Cys Arg Lys Lys Glu Gly Leu Asp Ser Xaa
 35 40 45
 Val Ala Asp Ser Ser Ile Leu Thr Ser Gly Phe Gln Pro Val Ser Ile
 50 55 60
 Lys Pro Ser Lys Ala Asp Asn Pro His Leu Leu Thr Ile Gln Pro Asp
 65 70 75 80
 Leu Ser Thr Thr Thr Thr Thr Tyr Gln Gly Ser Leu Cys Pro Arg Gln
 85 90 95

Asp Gly Pro Ser Pro Lys Phe Gln Leu Thr Asn Gly His Leu Leu Ser
 100 105 110
 Pro Leu Gly Gly Gly Arg His Thr Leu His His Ser Ser Pro Thr Ser
 115 120 125
 Glu Ala Glu Glu Phe Val Ser Arg Leu Ser Thr Gln Asn Tyr Phe Arg
 130 135 140
 Ser Leu Pro Arg Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe
 145 150 155 160
 Leu Gly Gly Arg Leu Met Ile Pro Asn Thr Gly Ile Lys Pro Pro His
 165 170 175
 Pro Pro Arg Cys His Thr Pro Arg Glu Asp Leu Asp Leu Pro His Ala
 180 185 190
 Cys Thr Ser Arg Lys Thr Gly Cys Pro Leu Ala Val Arg Pro Cys Val
 195 200 205
 Pro Ser Leu Ala Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val
 210 215 220
 Ile Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser
 225 230 235 240
 Leu Arg Leu Lys Lys Gln Ser Cys Glu Gly Ser Trp Glu Asp Val Leu
 245 250 255
 His Leu Gly Glu Glu Ala Pro Ser His Ser
 260 265

<210> 10

<211> 266

<212> PRT

<213> Homo sapiens

<400> 10

Val Thr Ser Val Tyr Thr Leu Leu Leu Ala Leu Arg Thr Trp Pro Ser
 1 5 10 15
 Met Trp Ala Xaa Ser Pro Trp Pro Xaa Ala Trp Ser Cys Cys Cys Leu
 20 25 30
 Ser Ser Ser Ser Phe Ile Ala Gly Arg Arg Arg Gly Trp Thr Xaa Met
 35 40 45
 Trp Leu Thr Arg Pro Phe Ser Pro Gln Ala Ser Ser Pro Ser Ala Ser
 50 55 60
 Ser Pro Ala Lys Gln Thr Thr Pro Ile Cys Ser Pro Ser Ser Arg Thr
 65 70 75 80
 Ser Ala Pro Pro Pro Pro Pro Thr Arg Ala Val Ser Val Pro Gly Arg
 85 90 95

Met Gly Pro Ala Pro Ser Ser Ser Ser Pro Met Gly Thr Cys Ser Ala
100 105 110

Pro Trp Val Ala Ala Ala Thr His Cys Thr Thr Ala Leu Pro Pro Leu
115 120 125

Arg Pro Arg Ser Ser Ser Pro Ala Ser Pro Pro Arg Thr Thr Ser Ala
130 135 140

Pro Cys Pro Glu Ala Pro Ala Thr Pro Met Gly Pro Ser Thr Ser Ser
145 150 155 160

Gly Ala Gly Ser Leu Ile Gln Glu Ser Ser Leu Leu Ile Pro Pro Asp
165 170 175

Ala Ile Pro Arg Gly Lys Ile Tyr Glu Ile Tyr Leu Thr Leu Ala Gln
180 185 190

Ala Gly Arg Arg Glu Val Ala Pro Ser Trp Leu Ser Asp Pro Ala Glu
195 200 205

Ser His Arg Leu Val Asp Pro Leu Ala Ser Cys Ser Pro Gly Gln Ser
210 215 220

Ser Trp Leu Trp Thr Thr Val Gly Ser Pro Ala Leu Thr Ala Gly Ala
225 230 235 240

Cys Ala Ser Lys Ser Ser Arg Ala Arg Ala Ala Gly Arg Met Cys Cys
245 250 255

Thr Trp Ala Arg Arg Arg Pro Pro Thr His
260 265

<210> 11

<211> 6981

<212> DNA

<213> Caenorhabditis elegans

<400> 11

```

atgtcgtcgg tggatgacga gcatcatcct tcaattgaag ttgatattcc tgacgtttat 60
gaaagtgcac ctgactgtga aaaaactgaa gactgcacct atctaggatc tattctcaag 120
gcgaaaaaat cattgcgaaa aaccaagaaa gtcgctagtc ctggtatcta tccgggctcg 180
gcggggtgctc ttatcatctc ttcaaattggc ctagccgatg agaatagatc gccaaactagt 240
gctgaagttt ctgattcagt atgtggacaa aaatctataa attcagttga cttgagggttc 300
agaggattga gagatgaacg tgaactcgtg caaaagaaaa catttcaaaa atgggtcaac 360
tcacacttgg ttcgagtcag ctgcaaagta caagacctct acatggatat gcgagacgga 420
aaaatgctcc tccgactcct cgcagttcct tccgggtgaac gtctgccgaa accgacgccg 480
ggaaaaatgc gtatccactg tcttgagaac gttgagaaa gtttgcaatt cttgcgcaat 540
caacacgtgc atctcgaaaa cttgggttca cacgatatcg ttgacggaaa ttcacgcctc 600
acgttggtgc tcatctggac gatcatcctt cgattccaga tccaagatat cacatttgaa 660
gacgctgaca atcacgagac acgttcagcg aaggaggcct tggtactgtg gtgccagatg 720
aaaactgctg gatattccaa tgtcaacgtc aagaacttct caaccagttg gagagatggg 780
cttgcaattca atgcacttat tcataaacat agacctgatc tcgtagacta cgataattta 840
caaaaatcga atgctcttta caatttgcaa tctgcttttg ataccgcaga aaatcaattg 900
ggattggcca agttcctcga tgccgaagat gtgaacgttg accaacctga tgagaaatcc 960
attatcactt atgtagttac atattatcat tacttcaaca aactgaaaca agataacatc 1020

```


10

caaggaaaaac	gtatcggaaa	agtgattaat	gagttgatgg	agaacgacaa	aatgatcaat	1080
cgatacgaac	ctctttcatc	tgatttgctc	gaatggatca	atgccaaagat	ccaacttctc	1140
aacgaacgctc	attttgagaa	taatttgga	ggtgttcaaa	gacagctcac	cgagttcaac	1200
gactaccgta	ctcaggagaa	accaccaaaag	ttcgatgaaa	agggagagct	cgaagtactt	1260
ctgttctactc	ttcaatcagc	tatgcgtgcc	aacaatcaga	gacctttcgt	gccgagagaa	1320
ggaaaaactga	ttgctgatat	caaccgagca	tggcaatccc	ttgagaaggc	agaacacgaa	1380
cgagaacttg	tcctgaaaga	ggaactcatt	cgtcaagaga	aactcgaaca	actcgcagcc	1440
cgattcaaca	gaaaggccga	gatgagagag	acttggctca	cagaaaacca	acggcttgct	1500
agtcaggaca	atttcggaaa	cgacttgctc	tcggtggaag	ctgccaccaa	aaagcacgaa	1560
gccatcgaga	cgacatctt	tgcttagcag	gagcgtgttc	aagccgtcgt	cgctgttgct	1620
ggagagcttg	aagccgagaa	ctaccatgat	caagccaaaa	tcaatgagag	aaaggagaat	1680
gttcttcaac	tctggaacta	tcttttccaa	cttcttttg	ctcgcagagt	tcgattggag	1740
ttgtcaatgg	ccattcaaaa	gatcttccac	gatatgcttc	ttactctcga	tctcatggat	1800
gatattaaga	gcagactttt	aagcgaggat	cttgagagccc	atcttatgga	cgtagaagat	1860
ttgcttcaaa	agcacgctct	tcttgagtct	gatattaata	ttattggaga	acgagttaac	1920
aattctattg	ctcaagctca	acgcttccga	aatccagatg	gaccagatgg	aagtggatac	1980
aagccagttg	aaccaggaac	cattgatgag	agaagtgatg	ttctacaaaa	acgttacaag	2040
gagcttcttg	atttggctgc	tgaacgtaag	cgtcgtctcg	aagacaacaa	gagactttgc	2100
cagttctggt	gggagtgtgc	tgagcttgaa	catggtatta	aggaacaaga	gcaagttctt	2160
tcgtccactg	atactggccg	tgatattgtc	actgtttcgc	atgtgttggc	caaacataag	2220
aacgctgaga	acaaccttcg	cgacttgag	aagtacctcg	atcgtcttga	tgtttctgga	2280
aaagaattgc	aagatgaaag	catcccagga	agtgaaca	ttcctccaag	gcttgccgag	2340
attcgtgatt	acatcaacaa	gctcaaggaa	ctctctgctt	ctcgcaaaga	aagacttgcc	2400
ggtggagtcg	aatactacca	attcttcacc	gacgccgacg	atgtcgatcg	ctacttgat	2460
gatactctcc	gcgtcatgtc	atccgaagac	gttggaanaag	acgagggaa	tgttcaactt	2520
ctcctcaaga	agcacgacga	tgtccatgac	gagctccaga	actttgacca	acacatcaag	2580
gttcttcacg	ccaaggccga	gtctcttcca	caggaagcca	gagaacatcc	agatatcaga	2640
caacgatttg	acacaactct	caagcagaag	gccgaactcg	aaaaccttct	tcaacttcgc	2700
aagcagagac	ttatcgatgc	tctctccctg	tacaagtgtg	actcggatgc	cgattcagtc	2760
gagtccttga	tcgatgagaa	gggaaaactt	ttggcaacat	tggtccctgg	acgcgatatc	2820
gaagaggttg	agatcatgaa	gcatcgtttc	gatactcttg	agcaagatat	gaagaatcaa	2880
gaagctaagg	ttactaacgt	caatgacttg	gctcgtcaat	tgcttaaatg	ggaacatcca	2940
aactccgacg	acattcttca	ccgtcaaaac	aagctcaacg	ctcgtggggc	tcaacttcgc	3000
gacatggtcg	atcaaaaagag	aaacgagctc	gagagagctc	accgcctcga	aactttccgc	3060
atcgattgcc	aagaaaacagt	tacttggatc	gaggacaaga	ctcgtgtact	cgaggattcg	3120
gacgcgttga	ccaacgatct	ttccggtgtc	atgaaacttc	aaagaagatt	gtccatgatg	3180
gaacgcgatt	tgggagcgat	tcaagccaag	ctcgactcgc	ttcacaaaga	agccgatgac	3240
atcgaaaagag	aacgacacaca	agaagctcaa	gccattctgt	aagatatcaa	gagaatccac	3300
caagtctggg	atatccttaa	caagaaaagt	cgtgagcacg	aagctaaact	cgatgaagct	3360
ggagatcttc	aacgcttcct	ccgtgatttg	gatcacttcc	aagcctggct	tactgccacc	3420
cagagacaag	ttgcctcaga	ggaagagcca	caatccttgg	ctgaagctga	gcaacttctc	3480
aatcaacacg	ctgccatccg	tgaagagatt	gacggatacg	ctgaggatta	caagaagatg	3540
cgtgcaatgg	gagatcgtgt	cactcaagat	caaaccgatc	cacaatacat	gttccttcgt	3600
caacgtcttg	ctggacttca	agaaggatgg	gaagagttgc	agcgaatgtg	ggacaacaga	3660
caacatttgc	tttctcaagg	actcaacctt	caaagtgtcc	ttcgcgatgc	caaacaagca	3720
gaggttatgc	tctctcaaca	agaaaactat	ctcgccaagg	acgatatccc	acaacttttg	3780
gagcaagccg	agaaccaact	caagagacac	caagacttca	tcaccactat	ggatgccaac	3840
gacgaaaaga	ttcgcgccgt	cggaatgttc	ggtgatcagc	tctgccaaaga	tggtcactat	3900
gccgctgaca	agatccataa	gaaggctaga	aacattgatg	aacgtcgtgg	agccaaccgc	3960
gagaaggctc	aagaagtact	caagaagctg	aaggacgcct	tgtctctcca	acaattcttg	4020
tccgactgag	acgagctgag	agaatggatc	gaggagaaga	tgatccgtgc	tcaagatgag	4080
acttacagag	acgccaagac	tatcacctcc	aaattcgtcc	gacatcaagc	attccaatcc	4140
gaacttgctg	ctaacaagga	acgtcttgac	caacttaaac	atgctgccat	caaccttggt	4200
gacgacaagc	cagagtacca	cggaaccatt	gatccacaga	tcgaggaact	cgctactcaa	4260
tgggatgagt	tggaaaagac	tacagaggag	aagggaacaga	agttgtttga	tgctaaccgc	4320
caacaacttt	acgtacaaaag	tattgctgac	atgaaggaat	gggcaaccca	acttgagaac	4380
gagatgactc	gtgaagacca	accaggagat	cttaccactg	tcaatgtggc	catgcaaaaa	4440
caacatttga	tcgaaactga	aatgatcaag	aaggctcaac	acattgatca	actcatggag	4500

11

```

atggagccac agctcgagga acttcaccca gacgagcttg aaaacattaa ggctcatcgt 4560
ttggcagttc aagaacaact tcaaagactc cagggtccat tggacgaccg acgtaaggca 4620
ttggaacgca agaaggccgc cttccaattt ggtcgcgatg ttgatgacga gaaattgtgg 4680
atttctgaga gacttggttct cgctaaagct caaaatcttg gagaaagcct tccagattgt 4740
catcgtctcc agaagaacct acaacttctt tccaatgaaa tcgacaacca cgaaccatgg 4800
atcaaccaga tctgtaataa tggtaagag ttgattgacg aaggacatgc taacggacca 4860
gcattcgaga aaaaqattca agaactgcgc agtgcttggc aagagttgaa ggaagccgtc 4920
aaagacagaa agggagatct tggagaaagc gagaaggctc atcaattctt gtagattgc 4980
ggagaggctg aagcctggat gagcgaacaa gaattgtaca tgatgcaaga cgaaagagga 5040
aaagacgagt tctcaaccaa gaaccaaact aagaaacacg aacgccttca atccgatatt 5100
gacaaatttg ctgatacgat ccgtgctctt gccaccaagg ctcaacaagt cgctgaagag 5160
aagtcaccac tcaccgaaca gatccaagtt cgtcaagctc aaatcgagaa gctctacgca 5220
ggtcttcaag atttgtcgaa ggagcgcaga aagagactcg aagagacctt ggaactttac 5280
gctcttcacg gtgaaatcga cgatcttctt caatggatcg ccgacaagga agttgttgca 5340
ggaagtcaag agaacggaca agactacgaa cacgtccaaa tgcttcaaga gagattccaa 5400
cagtttgctc gtgacaccga aaacatcgga tccgaacgtg ttgccaatgc taatgatgga 5460
tgtgatactc tcattgggtca cggacacact gacgctccga ctatagcatt gtggaaggat 5520
tcgttgaatg aggcctggga gaatcttctg gagttgatgg acactcgtgc ccaaattctc 5580
gaggcttcta gacttcttca caagttctac cagcactgcc gtgattgctt gtcaagaatc 5640
atggaacaga ctcatgctat gcctgatgat ctggagctg actcaagcag tgttgggtgca 5700
ctctccagaa aacatcagaa ctatctcaag gatattgctg caattggaga acaagttgct 5760
caaatcgaaa gagatgccgc agagcttctg gatggttacg ctggagacaa ggctcttgat 5820
atcggatctc gcgaaagcga ggttgtcaag gcatggaggc atctccgcgg actctgtgac 5880
gcccgtagat ctgctctcat ggatacttct gatcttttca agttcatgaa tatggtccgt 5940
gatttgttgt tgtggatgga tgaggtgaag agagaaatga actcacaaga acgtccgaag 6000
gatgtgagcg gagtcgagtt gctcatgaac aatcatcaat cgctcaaggc tgaaatcgat 6060
gctcgcgagg agaacttcaa cgcgtgcac tcattgggac gagatctgct caacagaaaa 6120
cactacgcat caagtgaat cgagaagaag ctgatcaagt tgacaaccga aagagccgaa 6180
atgatgcga gatgggaaga tcgttgggaa tatcttcagc tcattctgga agtgtaacca 6240
ttcgccgcg acgctgctgt cgccgaatct tggctcttcg cccaagaacc atatcttatt 6300
tcgaaggaat acggtagaaa cctcgaagaa accatcaaac tcataagaa acacgaggcg 6360
ttcgagaaat cggcattcgc acaagaagaa cgtttcttgg cgctcgagaa attgacaacg 6420
ttcgaattga aagaaactca acaccgcgag gaggagaccg ccaagcgacg tgggtccagct 6480
catattgga gtccttctag gtcaactcca gccgcgga aa catctttcgg cgcccaggat 6540
gatggagcca aacaaggaga agcattcgaa ggaacgctta tcagaaagca cacttacgag 6600
agtctcgacc ggaaagcggc taaccgctca tgggagaaac tttacgcagt gttgcggcag 6660
aatgaactgt cattctacaa agatccgaag catagagatg aatctgtgca tggagagcca 6720
ccaatggcag tgccaggatg ctctgtcaac gtggcatcag actatcaaaa gaagaagaac 6780
gtactgtcgc tgaggttacc catcggcgcc gctacctat tccaatgcgg tagcgaagaa 6840
gacatgcagc gatggctcac cgagttgcaa gtagccacgg ggcaagccca actggaagag 6900
gctagtagat cacagacgct accagcagaa ggcagtgcca caaagaagaa gggaggattt 6960
ttctctcgag gcaagaagta a 6981

```

<210> 12

<211> 2326

<212> PRT

<213> *Caenorhabditis elegans*

<400> 12

```

Met Ser Ser Val Asp Asp Glu His His Pro Ser Ile Glu Val Asp Ile
  1             5             10             15

```

```

Pro Asp Val Tyr Glu Ser Ala Ser Asp Cys Glu Lys Thr Glu Asp Cys
      20             25             30

```

```

Thr Tyr Leu Gly Ser Ile Leu Lys Ala Lys Lys Ser Leu Arg Lys Thr
      35             40             45

```

Lys Lys Val Ala Ser Pro Gly Ile Tyr Pro Gly Ser Ala Gly Ala Leu
 50 55 60
 Ser Ser Leu Ser Asn Gly Leu Ala Asp Glu Asn Arg Ser Pro Thr Ser
 65 70 75 80
 Ala Glu Val Ser Asp Ser Val Cys Gly Gln Lys Ser Ile Asn Ser Val
 85 90 95
 Asp Leu Arg Phe Arg Gly Leu Arg Asp Glu Arg Glu Leu Val Gln Lys
 100 105 110
 Lys Thr Phe Thr Lys Trp Val Asn Ser His Leu Val Arg Val Ser Cys
 115 120 125
 Lys Val Gln Asp Leu Tyr Met Asp Met Arg Asp Gly Lys Met Leu Leu
 130 135 140
 Arg Leu Leu Ala Val Leu Ser Gly Glu Arg Leu Pro Lys Pro Thr Pro
 145 150 155 160
 Gly Lys Met Arg Ile His Cys Leu Glu Asn Val Glu Lys Gly Leu Gln
 165 170 175
 Phe Leu Arg Asn Gln His Val His Leu Glu Asn Leu Gly Ser His Asp
 180 185 190
 Ile Val Asp Gly Asn Ser Arg Leu Thr Leu Gly Leu Ile Trp Thr Ile
 195 200 205
 Ile Leu Arg Phe Gln Ile Gln Asp Ile Thr Phe Glu Asp Ala Asp Asn
 210 215 220
 His Glu Thr Arg Ser Ala Lys Glu Ala Leu Leu Leu Trp Cys Gln Met
 225 230 235 240
 Lys Thr Ala Gly Tyr Pro Asn Val Asn Val Lys Asn Phe Ser Thr Ser
 245 250 255
 Trp Arg Asp Gly Leu Ala Phe Asn Ala Leu Ile His Lys His Arg Pro
 260 265 270
 Asp Leu Val Asp Tyr Asp Asn Leu Gln Lys Ser Asn Ala Leu Tyr Asn
 275 280 285
 Leu Gln Ser Ala Phe Asp Thr Ala Glu Asn Gln Leu Gly Leu Ala Lys
 290 295 300
 Phe Leu Asp Ala Glu Asp Val Asn Val Asp Gln Pro Asp Glu Lys Ser
 305 310 315 320
 Ile Ile Thr Tyr Val Val Thr Tyr Tyr His Tyr Phe Asn Lys Leu Lys
 325 330 335
 Gln Asp Asn Ile Gln Gly Lys Arg Ile Gly Lys Val Ile Asn Glu Leu
 340 345 350
 Met Glu Asn Asp Lys Met Ile Asn Arg Tyr Glu Thr Leu Ser Ser Asp

13

355					360					365					
Leu	Leu	Glu	Trp	Ile	Asn	Ala	Lys	Ile	Gln	Leu	Leu	Asn	Glu	Arg	His
370						375					380				
Phe	Glu	Asn	Asn	Leu	Glu	Gly	Val	Gln	Arg	Gln	Leu	Thr	Glu	Phe	Asn
385					390					395					400
Asp	Tyr	Arg	Thr	Gln	Glu	Lys	Pro	Pro	Lys	Phe	Asp	Glu	Lys	Gly	Glu
				405					410					415	
Leu	Glu	Val	Leu	Leu	Phe	Thr	Leu	Gln	Ser	Ala	Met	Arg	Ala	Asn	Asn
			420					425					430		
Gln	Arg	Pro	Phe	Val	Pro	Arg	Glu	Gly	Lys	Leu	Ile	Ala	Asp	Ile	Asn
		435					440					445			
Arg	Ala	Trp	Gln	Ser	Leu	Glu	Lys	Ala	Glu	His	Glu	Arg	Glu	Leu	Val
	450					455					460				
Leu	Lys	Glu	Glu	Leu	Ile	Arg	Gln	Glu	Lys	Leu	Glu	Gln	Leu	Ala	Ala
465					470					475					480
Arg	Phe	Asn	Arg	Lys	Ala	Glu	Met	Arg	Glu	Thr	Trp	Leu	Thr	Glu	Asn
				485					490					495	
Gln	Arg	Leu	Val	Ser	Gln	Asp	Asn	Phe	Gly	Asn	Asp	Leu	Ser	Ser	Val
			500					505					510		
Glu	Ala	Ala	Thr	Lys	Lys	His	Glu	Ala	Ile	Glu	Thr	Asp	Ile	Phe	Ala
		515					520					525			
Tyr	Glu	Glu	Arg	Val	Gln	Ala	Val	Val	Ala	Val	Ala	Gly	Glu	Leu	Glu
	530					535					540				
Ala	Glu	Asn	Tyr	His	Asp	Gln	Ala	Lys	Ile	Asn	Glu	Arg	Lys	Glu	Asn
545					550					555					560
Val	Leu	Gln	Leu	Trp	Asn	Tyr	Leu	Phe	Gln	Leu	Leu	Leu	Ala	Arg	Arg
				565					570					575	
Val	Arg	Leu	Glu	Leu	Ser	Met	Ala	Ile	Gln	Lys	Ile	Phe	His	Asp	Met
			580					585					590		
Leu	Leu	Thr	Leu	Asp	Leu	Met	Asp	Asp	Ile	Lys	Ser	Arg	Leu	Leu	Ser
		595				600						605			
Glu	Asp	Leu	Gly	Ala	His	Leu	Met	Asp	Val	Glu	Asp	Leu	Leu	Gln	Lys
	610					615					620				
His	Ala	Leu	Leu	Glu	Ser	Asp	Ile	Asn	Ile	Ile	Gly	Glu	Arg	Val	Asn
625					630					635					640
Asn	Ser	Ile	Ala	Gln	Ala	Gln	Arg	Phe	Arg	Asn	Pro	Asp	Gly	Pro	Asp
				645					650					655	
Gly	Ser	Gly	Tyr	Lys	Pro	Val	Glu	Pro	Gly	Thr	Ile	Asp	Glu	Arg	Ser
			660					665					670		

Asp Val Leu Gln Lys Arg Tyr Lys Glu Leu Leu Asp Leu Ala Ala Glu
 675 680 685
 Arg Lys Arg Arg Leu Glu Asp Asn Lys Arg Leu Cys Gln Phe Trp Trp
 690 695 700
 Asp Val Ala Glu Leu Glu His Gly Ile Lys Glu Gln Glu Gln Val Leu
 705 710 715 720
 Ser Ser Thr Asp Thr Gly Arg Asp Ile Val Thr Val Ser His Leu Leu
 725 730 735
 Ala Lys His Lys Asn Ala Glu Asn Asn Leu Arg Asp Leu Glu Lys Tyr
 740 745 750
 Leu Asp Arg Leu Asp Val Ser Gly Lys Glu Leu Gln Asp Glu Ser Ile
 755 760 765
 Pro Gly Ser Asp Asn Ile Pro Pro Arg Leu Ala Glu Ile Arg Asp Tyr
 770 775 780
 Ile Asn Lys Leu Lys Glu Leu Ser Ala Ser Arg Lys Glu Arg Leu Ala
 785 790 795 800
 Gly Gly Val Glu Tyr Tyr Gln Phe Phe Thr Asp Ala Asp Asp Val Asp
 805 810 815
 Arg Tyr Leu Tyr Asp Thr Leu Arg Val Met Ser Ser Glu Asp Val Gly
 820 825 830
 Lys Asp Glu Gly Thr Val Gln Leu Leu Leu Lys Lys His Asp Asp Val
 835 840 845
 His Asp Glu Leu Gln Asn Phe Asp Gln His Ile Lys Val Leu His Ala
 850 855 860
 Lys Ala Glu Ser Leu Pro Gln Glu Ala Arg Glu His Pro Asp Ile Arg
 865 870 875 880
 Gln Arg Leu Asp Thr Thr Leu Lys Gln Lys Ala Glu Leu Glu Asn Leu
 885 890 895
 Ser Gln Leu Arg Lys Gln Arg Leu Ile Asp Ala Leu Ser Leu Tyr Lys
 900 905 910
 Leu Tyr Ser Asp Ala Asp Ser Val Glu Ser Trp Ile Asp Glu Lys Gly
 915 920 925
 Lys Leu Leu Ala Thr Leu Val Pro Gly Arg Asp Ile Glu Glu Val Glu
 930 935 940
 Ile Met Lys His Arg Phe Asp Thr Leu Glu Gln Asp Met Lys Asn Gln
 945 950 955 960
 Glu Ala Lys Val Thr Asn Val Asn Asp Leu Ala Arg Gln Leu Leu Asn
 965 970 975

15

Val Glu His Pro Asn Ser Asp Asp Ile Leu His Arg Gln Asn Lys Leu
 980 985 990

Asn Ala Arg Trp Ala Gln Leu Arg Asp Met Val Asp Gln Lys Arg Asn
 995 1000 1005

Glu Leu Glu Arg Ala His Arg Leu Glu Thr Phe Arg Ile Asp Cys Gln
 1010 1015 1020

Glu Thr Val Thr Trp Ile Glu Asp Lys Thr Arg Val Leu Glu Asp Ser
 1025 1030 1035 1040

Asp Ala Leu Thr Asn Asp Leu Ser Gly Val Met Lys Leu Gln Arg Arg
 1045 1050 1055

Leu Ser Met Met Glu Arg Asp Leu Gly Ala Ile Gln Ala Lys Leu Asp
 1060 1065 1070

Ser Leu His Lys Glu Ala Asp Asp Ile Glu Arg Glu Arg Pro Gln Glu
 1075 1080 1085

Ala Gln Ala Ile Arg Glu Asp Ile Lys Arg Ile His Gln Val Trp Asp
 1090 1095 1100

Ile Leu Asn Lys Lys Val Arg Glu His Glu Ala Lys Leu Asp Glu Ala
 1105 1110 1115 1120

Gly Asp Leu Gln Arg Phe Leu Arg Asp Leu Asp His Phe Gln Ala Trp
 1125 1130 1135

Leu Thr Ala Thr Gln Arg Gln Val Ala Ser Glu Glu Glu Pro Gln Ser
 1140 1145 1150

Leu Ala Glu Ala Glu Gln Leu Leu Asn Gln His Ala Ala Ile Arg Glu
 1155 1160 1165

Glu Ile Asp Gly Tyr Ala Glu Asp Tyr Lys Lys Met Arg Ala Met Gly
 1170 1175 1180

Asp Arg Val Thr Gln Asp Gln Thr Asp Pro Gln Tyr Met Phe Leu Arg
 1185 1190 1195 1200

Gln Arg Leu Ala Gly Leu Gln Glu Gly Trp Glu Glu Leu Gln Arg Met
 1205 1210 1215

Trp Asp Asn Arg Gln His Leu Leu Ser Gln Gly Leu Asn Leu Gln Met
 1220 1225 1230

Phe Leu Arg Asp Ala Lys Gln Ala Glu Val Met Leu Ser Gln Gln Glu
 1235 1240 1245

Asn Tyr Leu Ala Lys Asp Asp Ile Pro Gln Ser Leu Glu Gln Ala Glu
 1250 1255 1260

Asn Gln Leu Lys Arg His Gln Asp Phe Ile Thr Thr Met Asp Ala Asn
 1265 1270 1275 1280

Asp Glu Lys Ile Arg Ala Val Gly Met Phe Gly Asp Gln Leu Cys Gln

										16										
1285										1290						1295				
Asp	Gly	His	Tyr	Ala	Ala	Asp	Lys	Ile	His	Lys	Lys	Ala	Arg	Asn	Ile					
1300								1305					1310							
Asp	Glu	Arg	Arg	Gly	Ala	Asn	Arg	Glu	Lys	Ala	Gln	Glu	Val	Leu	Lys					
1315								1320					1325							
Lys	Leu	Lys	Asp	Ala	Leu	Ser	Leu	Gln	Gln	Phe	Leu	Ser	Asp	Cys	Asp					
1330								1335					1340							
Glu	Leu	Arg	Glu	Trp	Ile	Glu	Glu	Lys	Met	Ile	Arg	Ala	Gln	Asp	Glu					
1345								1350					1355	1360						
Thr	Tyr	Arg	Asp	Ala	Lys	Thr	Ile	Thr	Ser	Lys	Phe	Val	Arg	His	Gln					
				1365				1370				1375								
Ala	Phe	Gln	Ser	Glu	Leu	Ala	Ala	Asn	Lys	Glu	Arg	Leu	Asp	Gln	Leu					
1380								1385					1390							
Lys	His	Ala	Ala	Ile	Asn	Leu	Gly	Asp	Asp	Lys	Pro	Glu	Tyr	His	Gly					
1395								1400					1405							
Thr	Ile	Asp	Pro	Gln	Ile	Glu	Glu	Leu	Ala	Thr	Gln	Trp	Asp	Glu	Leu					
1410								1415					1420							
Glu	Lys	Thr	Thr	Glu	Glu	Lys	Gly	Gln	Lys	Leu	Phe	Asp	Ala	Asn	Arg					
1425								1430					1435	1440						
Gln	Gln	Leu	Tyr	Val	Gln	Ser	Ile	Ala	Asp	Met	Lys	Glu	Trp	Ala	Thr					
				1445				1450				1455								
Gln	Leu	Glu	Asn	Glu	Met	Thr	Arg	Glu	Asp	Gln	Pro	Gly	Asp	Leu	Thr					
1460								1465					1470							
Thr	Val	Asn	Val	Ala	Met	Gln	Lys	Gln	His	Leu	Ile	Glu	Thr	Glu	Met					
1475								1480					1485							
Ile	Lys	Lys	Ala	Gln	His	Ile	Asp	Gln	Leu	Met	Glu	Met	Glu	Pro	Gln					
1490								1495					1500							
Leu	Glu	Glu	Leu	His	Pro	Asp	Glu	Leu	Glu	Asn	Ile	Lys	Ala	His	Arg					
1505								1510					1515	1520						
Leu	Ala	Val	Gln	Glu	Gln	Leu	Gln	Arg	Leu	Gln	Ala	Pro	Leu	Asp	Asp					
				1525				1530				1535								
Arg	Arg	Lys	Ala	Leu	Glu	Arg	Lys	Lys	Ala	Ala	Phe	Gln	Phe	Gly	Arg					
1540								1545					1550							
Asp	Val	Asp	Asp	Glu	Lys	Leu	Trp	Ile	Ser	Glu	Arg	Leu	Val	Leu	Ala					
1555								1560					1565							
Lys	Ala	Gln	Asn	Leu	Gly	Glu	Ser	Leu	Pro	Asp	Cys	His	Arg	Leu	Gln					
1570								1575					1580							
Lys	Asn	Leu	Gln	Leu	Leu	Ser	Asn	Glu	Ile	Asp	Asn	His	Glu	Pro	Trp					
1585								1590					1595	1600						

17

Ile Asn Gln Ile Cys Asn Asn Gly Gln Glu Leu Ile Asp Glu Gly His
 1605 1610 1615
 Ala Asn Gly Pro Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala
 1620 1625 1630
 Trp Gln Glu Leu Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly
 1635 1640 1645
 Glu Ser Glu Lys Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu
 1650 1655 1660
 Ala Trp Met Ser Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly
 1665 1670 1675 1680
 Lys Asp Glu Phe Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu
 1685 1690 1695
 Gln Ser Asp Ile Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr
 1700 1705 1710
 Lys Ala His Lys Phe Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile
 1715 1720 1725
 Gln Val Arg Gln Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp
 1730 1735 1740
 Leu Ser Lys Glu Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr
 1745 1750 1755 1760
 Ala Leu His Arg Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys
 1765 1770 1775
 Glu Val Val Ala Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val
 1780 1785 1790
 Gln Met Leu Gln Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn
 1795 1800 1805
 Ile Gly Ser Glu Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu
 1810 1815 1820
 Ile Gly His Gly His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp
 1825 1830 1835 1840
 Ser Leu Asn Glu Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg
 1845 1850 1855
 Ala Gln Ile Leu Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp
 1860 1865 1870
 Cys Arg Asp Cys Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro
 1875 1880 1885
 Asp Asp Leu Gly Arg Asp Ser Ser Val Gly Ala Leu Ser Arg Lys
 1890 1895 1900

18
 His Gln Asn Tyr Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala
 1905 1910 1915 1920
 Gln Ile Glu Arg Asp Ala Ala Glu Leu Arg Asp Gly Tyr Ala Gly Asp
 1925 1930 1935
 Lys Ala Leu Asp Ile Gly Ser Arg Glu Ser Glu Val Val Lys Ala Trp
 1940 1945 1950
 Arg His Leu Arg Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp
 1955 1960 1965
 Thr Ser Asp Leu Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Leu
 1970 1975 1980
 Trp Met Asp Glu Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys
 1985 1990 1995 2000
 Asp Val Ser Gly Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys
 2005 2010 2015
 Ala Glu Ile Asp Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu
 2020 2025 2030
 Gly Arg Asp Leu Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu
 2035 2040 2045
 Lys Lys Leu Ile Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg
 2050 2055 2060
 Trp Glu Asp Arg Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln
 2065 2070 2075 2080
 Phe Ala Arg Asp Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu
 2085 2090 2095
 Pro Tyr Leu Ile Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr Ile
 2100 2105 2110
 Lys Leu Ile Lys Lys His Glu Ala Phe Glu Lys Ser Ala Phe Ala Gln
 2115 2120 2125
 Glu Glu Arg Phe Leu Ala Leu Glu Lys Leu Thr Thr Phe Glu Leu Lys
 2130 2135 2140
 Glu Thr Gln His Arg Glu Glu Glu Thr Ala Lys Arg Arg Gly Pro Ala
 2145 2150 2155 2160
 His Ile Gly Ser Pro Ser Arg Ser Thr Pro Ala Ala Glu Thr Ser Phe
 2165 2170 2175
 Gly Ala Gln Asp Asp Gly Ala Lys Gln Gly Glu Ala Phe Glu Gly Thr
 2180 2185 2190
 Leu Ile Arg Lys His Thr Tyr Glu Ser Leu Asp Arg Lys Ala Ala Asn
 2195 2200 2205
 Arg Ser Trp Glu Lys Leu Tyr Ala Val Leu Arg Gln Asn Glu Leu Ser

```
<210> 13
<211> 2192
<212> DNA
<213> Caenorhabditis elegans
```

20

```

atcggatctc gcgaaagcga ggttgtcaag gcatggaggc atctccgcgg actctgtgac 1740
gcccgtacat ctcgtctcat ggatacttct gatcttttca agttcatgaa tatggtcctg 1800
gatttggtgt tgtggatgga tgaggtgaag agagaaatga actcacaaga acgtccgaag 1860
gatgtgagcg gagtcgagtt gctcatgaac aatcatcaat cgctcaaggc tgaaatcgat 1920
gctcgcgagg agaacttcaa cgcgtgcac tcattgggac gagatctgct caacagaaaa 1980
cactacgcat caagtgaaat cgagaagaag ctgatcaagt tgacaaccga aagagccgaa 2040
atgatgcgca gatgggaaga tcgttgggaa tatcttcagc tcattctgga agtgtaccaa 2100
ttcgcccgcg acgctgctgt cgccgaatct tggctcttcg cccaagaacc atatcttatt 2160
tcgaaggaat acggtagaaa cctcgaagaa ac 2192

```

<210> 14

<211> 731

<212> PRT

<213> *Caenorhabditis elegans*

<400> 14

```

Glu Leu Ala Ala Asn Lys Glu Arg Leu Asp Gln Leu Lys His Ala Ala
  1              5              10              15

Ile Asn Leu Gly Asp Asp Lys Pro Glu Tyr His Gly Thr Ile Asp Pro
      20              25              30

Gln Ile Glu Glu Leu Ala Thr Gln Trp Asp Glu Leu Glu Lys Thr Thr
      35              40              45

Glu Glu Lys Gly Gln Lys Leu Phe Asp Ala Asn Arg Gln Gln Leu Tyr
      50              55              60

Val Gln Ser Ile Ala Asp Met Lys Glu Trp Ala Thr Gln Leu Glu Asn
      65              70              75              80

Glu Met Thr Arg Glu Asp Gln Pro Gly Asp Leu Thr Thr Val Asn Val
      85              90              95

Ala Met Gln Lys Gln His Leu Ile Glu Thr Glu Met Ile Lys Lys Ala
      100             105             110

Gln His Ile Asp Gln Leu Met Glu Met Glu Pro Gln Leu Glu Glu Leu
      115             120             125

His Pro Asp Glu Leu Glu Asn Ile Lys Ala His Arg Leu Ala Val Gln
      130             135             140

Glu Gln Leu Gln Arg Leu Gln Ala Pro Leu Asp Asp Arg Arg Lys Ala
      145             150             155             160

Leu Glu Arg Lys Lys Ala Ala Phe Gln Phe Gly Arg Asp Val Asp Asp
      165             170             175

Glu Lys Leu Trp Ile Ser Glu Arg Leu Val Leu Ala Lys Ala Gln Asn
      180             185             190

Leu Gly Glu Ser Leu Pro Asp Cys His Arg Leu Gln Lys Asn Leu Gln
      195             200             205

Leu Leu Ser Asn Glu Ile Asp Asn His Glu Pro Trp Ile Asn Gln Ile
      210             215             220

```

21

Cys Asn Asn Gly Gln Glu Leu Ile Asp Glu Gly His Ala Asn Gly Pro
 225 230 235 240

Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala Trp Gln Glu Leu
 245 250 255

Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly Glu Ser Glu Lys
 260 265 270

Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu Ala Trp Met Ser
 275 280 285

Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly Lys Asp Glu Phe
 290 295 300

Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu Gln Ser Asp Ile
 305 310 315 320

Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr Lys Ala His Lys
 325 330 335

Phe Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile Gln Val Arg Gln
 340 345 350

Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp Leu Ser Lys Glu
 355 360 365

Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr Ala Leu His Arg
 370 375 380

Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys Glu Val Val Ala
 385 390 395 400

Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val Gln Met Leu Gln
 405 410 415

Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn Ile Gly Ser Glu
 420 425 430

Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu Ile Gly His Gly
 435 440 445

His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp Ser Leu Asn Glu
 450 455 460

Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg Ala Gln Ile Leu
 465 470 475 480

Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp Cys Arg Asp Cys
 485 490 495

Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro Asp Asp Leu Gly
 500 505 510

Arg Asp Ser Ser Ser Val Gly Ala Leu Ser Arg Lys His Gln Asn Tyr
 515 520 525

Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala Gln Ile Glu Arg

22

530	535	540
Asp Ala Ala Glu Leu Arg	Asp Gly Tyr Ala Gly	Asp Lys Ala Leu Asp
545	550	555 560
Ile Gly Ser Arg Glu Ser Glu Val Val	Lys Ala Trp Arg His Leu Arg	
	565 570	575
Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp Thr Ser Asp Leu		
	580 585	590
Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Leu Trp Met Asp Glu		
	595 600	605
Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys Asp Val Ser Gly		
	610 615	620
Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys Ala Glu Ile Asp		
	625 630	635 640
Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu Gly Arg Asp Leu		
	645	650 655
Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu Lys Lys Leu Ile		
	660 665	670
Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg Trp Glu Asp Arg		
	675 680	685
Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln Phe Ala Arg Asp		
	690 695	700
Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu Pro Tyr Leu Ile		
	705 710	715 720
Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr		
	725	730

<210> 15

<211> 3561

<212> DNA

<213> Caenorhabditis elegans

<400> 15

```

atgagctcta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60
ggtggaagtg gaatctactc acaacctcga gcaggatcat caaaaagaac atcgaatgtg 120
cgacatgatg ttagtgatgt agatgatgaa gaagagcatt atgcaagatt tcgcgaagat 180
acggcgatcg aggttgacga tgctataaca gttcttcttt catctctaca tttcgaacac 240
aaacgtgata ttgttccgac cgatgaagat gataataaac ttcgagaact tcacgaaaag 300
atctttgcac tgataacgag tgaatctgat gttaacagaa aaagacggct gaaaaaagct 360
cttcctgcgt caaactgtgt tagagaacaa gtatattatc ttcgaaggaa accatcaaca 420
ccaccagctt cttattatca tcgactaaat gcagctcttc acacaatcgt taaggaaatca 480
tttggaagaag aatatcgaaa agttgctaca gtattaggac ttgttgaagc gcttgcagaa 540
gttttaattc ttgaagttca cacatttgga atcaatgaga ccaatcctgg agagcatcga 600
aatattcgaa aacttattgc caatgctctt acgaatttaa catacgttca aattcactct 660
aaacgccggc tatgctcata tgatggattc attcgatgcg ttgttcgaat tgtgatcgaa 720
tctccaaata taactcaagt atacgctgga ctaatcagaa atctctcatg gaacgccgat 780

```

23

```

tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattcga tggtacagca acattatctg ctttgtggaa tcttgctgg 900
cactcagtag agaataaacg aactatttgt gatactccga attgtttaaa agtattagcc 960
agccttctat ctctgatgc aagattcacg tcaactgttg attcagctac tgggaattctg 1020
aagtatgtat cacaatatct cgcgaatact tccacgcatt tagagctaag aagcttgctc 1080
atcactcgaa tgctcacttt gctcaagagt gcctcgttca cttgtgttac aaatactcta 1140
ggagctattg caaacctaat tgtcaaaagt cccacatgc agcaaatgat tcggcaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactcttaat caaccgtgta gtcacgttta tgggtgatatg 1320
tcacattctg ttggaggagg agccacaggg atgcaaagtc tttcggagcc acaacttcag 1380
atgcaaacat ctcatcatgc ttatcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacag 1500
actccacaag ttgatcaaag atctagtagt ctgccaagac attttgccgt tcaacgaaat 1560
ggattttgtga tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaaatg 1620
atctatcaat tgcagcaaca acaacaaatt atgacggagg atcaagcgca aatggaacat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaacaat ttcatcaaat tcaacaacag 1740
caacaaatgc aaaaagctca ggaagctgat ccagttcctc ctacggatga cgatctagat 1800
attcccacat ctaccgtaat gggaaacacga agtaacagtg aaagaagtct cggctcgatg 1860
aatcctggaa gtgttatgac aaactggaa tcttctctgg atactgcagc caacagttct 1920
cgtgctcttt ctctgtatc atacaatgat attccagctt ctccaacaat gtgtgctcag 1980
gtgttcaatt tacctaaatc cactgaatcg gaacatcatc aattgacgtc tcaacagcag 2040
aacactacac attatagcag tggatcagct aacactatga ctcgagtgga tgggtgcaact 2100
actgtgccaa tggataacat tattacacca acttatgcta ttttgaatcc aatattggta 2160
cacgaacaga caccgaacgg gacagttcca cgaaagactt cagaagagtt ggatagtcct 2220
gatgatgttc tcccaggtcc atctcttgag gaggaagaag gtgattatgc tataatagga 2280
ggtgccgcac aaaagacaga tgacgagctt ttgactcgtt ctattcaatc tgaaatgcct 2340
acttcgtcgt ctactccgaa gatgaaagtc tcgcctcgcc ttaatggatt cttctctcca 2400
actcagaaaa caacatcgtc tcttgcagtg tctcatccag atacctcacc gattccaaag 2460
tcattctctc atcgaactca acctaactcg cgtcaagatg cttctgatgc agatcgtctt 2520
ttaatggaat caataatgtc agagatgcca aaaagtcgaa ttatatctcc acgacttgct 2580
ggtacacaaac aatatcttga acccgagcca gagagaagaa gtcattcaaa aaacgaggaa 2640
gccgatcgcc gcgacgcatt caccgcatcg catgagccca gcgatcataa cggcattgat 2700
gtggcaagag gctcagactg gtctccacaa caacaattac atcgaatgga gtcattggaa 2760
agccaagcta gtagtgaaga tagttttgga ttaactgctg aagaaccaa ttcatcaact 2820
tctggtgctg ctgcaaacac tatgagattt gacgatgaga tcgatgcac tcttccaatg 2880
gattgtgtcg atgatgatga ttacgactat acttatgatc atttcgaaga ttatgaagat 2940
gaggaggatc ctgatgcgac tcagtttgat gatggagttg atgcacaact aactatcgat 3000
tgttcaatga tttctagtgg aagcggttca tcgcaaagaa atgaaactac gacaaactca 3060
cgagattcaa aagctttagc tacttccaca ccaaaggat ctgcatcttc actcccagga 3120
gttcgacaag ccaccgagt atcaacgaat ggaagtcgaa gactgcctgt tccaaaaacg 3180
aatggatcac ttgttgataa gaatcccaag ccaatcatcg cttcccggcg gccacgattg 3240
ccaccgaagc cgacactttt aaaagataag cactatccag aagaggattc gattgagaat 3300
cagacgagag atgatacgat atatgtgaat gctccagttg ttgaggcaga acaagaacga 3360
atztatatga atgcattgaa gcaacagaag aacattgagc aatcaccgtc aattggaaac 3420
ggatcaccta tagctaaatc tgcaattgta acgcctaca attatcagaa accgcctttc 3480
actggtcgaa ataatggtga aatgagcaac gagaagagtg tgacaccgaa tcctaaacaa 3540
atgcttgtaa caatagtcta a 3561

```

<210> 16

<211> 1186

<212> PRT

<213> *Caenorhabditis elegans*

<400> 16

```

Met Ser Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr
  1             5             10             15

```

```

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly

```

20 24 30
 25
 Ser Ser Lys Arg Thr Ser Asn Val Arg His Asp Val Ser Asp Val Asp
 35 40 45
 Asp Glu Glu Glu His Tyr Ala Arg Phe Arg Glu Asp Thr Ala Ile Glu
 50 55 60
 Val Asp Asp Ala Ile Thr Val Leu Leu Ser Ser Leu His Phe Glu His
 65 70 75 80
 Lys Arg Asp Ile Val Pro Thr Asp Glu Asp Asp Asn Lys Leu Arg Glu
 85 90 95
 Leu His Glu Lys Ile Phe Ala Leu Ile Thr Ser Glu Ser Asp Val Asn
 100 105 110
 Arg Lys Arg Arg Leu Lys Lys Ala Leu Pro Ala Ser Asn Cys Val Arg
 115 120 125
 Glu Gln Val Tyr Tyr Leu Arg Arg Lys Pro Ser Thr Pro Pro Ala Ser
 130 135 140
 Tyr Tyr His Arg Leu Asn Ala Ala Leu His Thr Ile Val Lys Glu Ser
 145 150 155 160
 Phe Gly Glu Glu Tyr Arg Lys Val Ala Thr Val Leu Gly Leu Val Glu
 165 170 175
 Ala Leu Ala Glu Val Leu Ile Leu Glu Val His Thr Phe Gly Ile Asn
 180 185 190
 Glu Thr Asn Pro Gly Glu His Arg Asn Ile Arg Lys Leu Ile Ala Asn
 195 200 205
 Ala Leu Thr Asn Leu Thr Tyr Gly Gln Ile His Ser Lys Arg Arg Leu
 210 215 220
 Cys Ser Tyr Asp Gly Phe Ile Arg Cys Val Val Arg Ile Val Ile Glu
 225 230 235 240
 Ser Pro Asn Ile Thr Gln Val Tyr Ala Gly Leu Ile Arg Asn Leu Ser
 245 250 255
 Trp Asn Ala Asp Ser Gly Met Ser Glu Ala Leu Gln Pro Thr Val His
 260 265 270
 Ala Leu Ser Ile Ala Ala Val His Ala His Thr His Arg Phe Asp Val
 275 280 285
 Thr Ala Thr Leu Ser Ala Leu Trp Asn Leu Ala Gly His Ser Val Glu
 290 295 300
 Asn Lys Arg Thr Ile Cys Asp Thr Pro Asn Cys Leu Lys Val Leu Ala
 305 310 315 320
 Ser Leu Leu Ser Pro Asp Ala Arg Phe Thr Ser Leu Val Asp Ser Ala
 325 330 335

25

Thr Gly Ile Leu Lys Tyr Val Ser Gln Tyr Leu Ala Asn Thr Ser Thr
 340 345 350
 His Leu Glu Leu Arg Ser Leu Leu Ile Thr Arg Met Leu Thr Leu Leu
 355 360 365
 Lys Ser Ala Ser Phe Thr Cys Val Thr Asn Thr Leu Gly Ala Ile Ala
 370 375 380
 Asn Leu Ile Val Lys Asp Pro His Met Gln Gln Met Ile Arg Gln Asp
 385 390 395 400
 Met Ala Ala Val Gln Gln Leu Asn Val Leu Arg Asn Ser Asn Arg Asp
 405 410 415
 Asp Ile Arg Thr Ala Val Lys Ser Val Leu Asn Thr Leu Asn Gln Pro
 420 425 430
 Cys Ser His Arg Tyr Gly Asp Met Ser His Ser Val Gly Gly Gly Ala
 435 440 445
 Thr Gly Met Gln Met Leu Ser Glu Pro Gln Leu Gln Met Gln Thr Ser
 450 455 460
 His His Ala Tyr His Gly Thr Ala Ser Pro Arg Leu Leu Ser Leu Arg
 465 470 475 480
 Ala Thr Arg Ala Ser Pro Gly Lys Tyr Ile Gln Pro Gln Ala Gln Gln
 485 490 495
 Gln Leu Ile Gln Thr Pro Gln Val Asp Gln Arg Ser Ser Ser Leu Pro
 500 505 510
 Arg His Phe Ala Val Gln Arg Asn Gly Phe Val Met Ala Gln Ser Tyr
 515 520 525
 Asn Gln Gln Met Asp Gln His Gln Gln Gln Gln Met Ile Tyr Gln Leu
 530 535 540
 Gln Gln Gln Gln Gln Ile Met Thr Glu Asp Gln Ala Gln Met Glu His
 545 550 555 560
 His Gln Gln Ile Met Tyr Leu Gln Gln Gln Gln Gln Gln Phe His Gln
 565 570 575
 Ile Gln Gln Gln Gln Gln Met Gln Lys Ala Gln Glu Ala Asp Pro Val
 580 585 590
 Pro Pro Thr Asp Asp Asp Leu Asp Ile Pro Thr Ser Thr Val Met Gly
 595 600 605
 Thr Arg Ser Asn Ser Glu Arg Ser Leu Gly Ser Met Asn Pro Gly Ser
 610 615 620
 Val Met Thr Asn Trp Asn Ser Ser Leu Asp Thr Ala Ala Asn Ser Ser
 625 630 635 640

Arg Ala Leu Ser Pro Val Ser Tyr Asn Asp Ile Pro Ala Ser Pro Thr
 645 650 655

Met Cys Ala Gln Val Phe Asn Leu Pro Lys Ser Thr Glu Ser Glu His
 660 665 670

His Gln Leu Thr Ser Gln Gln Gln Asn Thr Thr His Tyr Ser Ser Gly
 675 680 685

Ser Ala Asn Thr Met Thr Arg Ser Asp Gly Ala Thr Thr Val Pro Met
 690 695 700

Asp Asn Ile Ile Thr Pro Thr Tyr Ala Ile Leu Asn Pro Ile Leu Val
 705 710 715 720

His Glu Gln Thr Pro Asn Gly Thr Val Pro Arg Lys Thr Ser Glu Glu
 725 730 735

Leu Asp Ser Pro Asp Asp Val Leu Pro Gly Pro Ser Leu Glu Glu Glu
 740 745 750

Glu Gly Asp Tyr Ala Ile Ile Gly Gly Ala Ala Gln Lys Thr Asp Asp
 755 760 765

Glu Leu Leu Thr Arg Ser Ile Gln Ser Glu Met Pro Thr Ser Ser Ser
 770 775 780

Thr Pro Lys Met Lys Val Ser Pro Arg Leu Asn Gly Phe Phe Ser Pro
 785 790 795 800

Thr Gln Lys Thr Thr Ser Ser Pro Ala Trp Ser His Pro Asp Thr Ser
 805 810 815

Pro Ile Pro Lys Ser Ser Ser His Arg Thr Gln Pro Asn Arg Arg Gln
 820 825 830

Asp Ala Ser Asp Ala Asp Arg Leu Leu Met Glu Ser Ile Met Ser Glu
 835 840 845

Met Pro Lys Ser Arg Ile Ile Ser Pro Arg Leu Ala Gly Thr Gln Gln
 850 855 860

Tyr Leu Glu Pro Glu Pro Glu Arg Arg Ser His Ser Lys Asn Glu Glu
 865 870 875 880

Ala Asp Arg Arg Asp Ala Phe Thr Ala Ser His Glu Pro Ser Asp His
 885 890 895

Asn Gly Ile Asp Val Ala Arg Gly Ser Asp Trp Ser Pro Gln Gln Gln
 900 905 910

Leu His Arg Met Glu Ser Leu Glu Ser Gln Ala Ser Ser Glu Asp Ser
 915 920 925

Phe Gly Leu Thr Ala Glu Glu Pro Asn Ser Ser Thr Ser Gly Ala Ala
 930 935 940

Ala Asn Thr Met Arg Phe Asp Asp Glu Ile Asp Ala Ser Leu Pro Met

27

945		950		955		960
Asp Cys Val Asp	Asp Asp Asp Tyr Asp	Tyr Thr Tyr Asp His Phe Glu				
	965	970				975
Asp Tyr Glu Asp	Glu Glu Asp Pro Asp Ala Thr Gln Phe Asp Asp Gly					
	980	985				990
Val Asp Ala Gln Leu Thr Ile Asp Cys Ser Met Ile Ser Ser Gly Ser						
	995	1000				1005
Gly Ser Ser Gln Arg Asn Glu Thr Thr Thr Thr Ser Arg Asp Ser Lys						
	1010	1015				1020
Ala Leu Ala Thr Ser Thr Pro Lys Gly Ser Ala Ser Ser Leu Pro Gly						
	1025	1030				1035
Val Arg Gln Ala Thr Arg Val Ser Thr Asn Gly Lys Ser Arg Leu Pro						
	1045	1050				1055
Val Pro Lys Thr Asn Gly Ser Leu Val Asp Lys Asn Pro Lys Pro Ile						
	1060	1065				1070
Ile Ala Ser Arg Arg Pro Arg Leu Pro Pro Lys Pro Thr Leu Leu Lys						
	1075	1080				1085
Asp Lys His Tyr Pro Glu Glu Asp Ser Ile Glu Asn Gln Thr Arg Asp						
	1090	1095				1100
Asp Thr Ile Tyr Val Asn Ala Pro Val Val Glu Ala Glu Gln Glu Arg						
	1105	1110				1115
Ile Tyr Met Asn Ala Leu Lys Gln Gln Lys Asn Ile Glu Gln Ser Pro						
	1125	1130				1135
Ser Ile Gly Asn Gly Ser Pro Ile Ala Lys Ser Ala Ile Val Thr Pro						
	1140	1145				1150
Tyr Asn Tyr Gln Lys Pro Pro Phe Thr Gly Arg Asn Asn Gly Glu Met						
	1155	1160				1165
Ser Asn Glu Lys Ser Val Thr Pro Asn Pro Lys Gln Met Leu Val Thr						
	1170	1175				1180
Ile Val						
1185						

<210> 17

<211> 1742

<212> DNA

<213> Caenorhabditis elegans

<400> 17

atgagctcta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60
 ggtggaagtg gaatctactc acaacctcga gcaggatcat caaaaagaac atcgaatgtg 120
 cgacatgatg ttagtgatgt agatgatgaa gaagagcatt atgcaagatt tcgcgaagat 180
 acggcgatcg aggttgacga tgctataaca gttcttcttt catctctaca tttcgaacac 240

28

```

aaacgtgata ttgttccgac cgatgaagat gataataaac ttcgagaact tcacgaaaag 300
atTTTTgcat tgataacgag tgaatctgat gttaacagaa aaagacggct gaaaaaagct 360
cttcctgcgt caaactgtgt tagagaacaa gtatattatc ttcgaaggaa accatcaaca 420
ccaccagctt cttattatca tcgactaaat gcagctcttc acacaatcgt taaggaatca 480
tttgggagaag aatatcgaaa agttgctaca gtattaggac ttgttgaagc gcttgcagaa 540
gttttaattc ttgaagttca cacatttgga atcaatgaga ccaatcctgg agagcatcga 600
aatattcgaa aacttattgc caatgctctt acgaatttaa catacggta aattcactct 660
aaacgccggc tatgctcata tgatggattc attcgatgcg ttgttcgaat tgtgatcgaa 720
tctccaaata taactcaagt atacgctgga ctaatcagaa atctctcatg gaacgccgat 780
tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattcga tgttacagca acattatctg ctttgtggaa tcttgctggt 900
cactcagtag agaataaacg aactatttgt gatactccga attgtttaaa agtattagcc 960
agccttctat ctctgatgc aagattcacg tcaattgttg attcagctac tgggaattctg 1020
aagtatgtat cacaatatct cgcgaatact tcacgcgatt tagagctaag aagcttgctc 1080
atcactcgaa tgctcacttt gctcaagagt gcctcgttca cttgtgttac aaataactcta 1140
ggagctattg caaacctaatt tgtcaaaagt ccccatatgc agcaaagat tcggcaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactcttaat caaccgtgta gtcacgttta tggatgatag 1320
tcacattctg ttggaggagg agccacaggg atgcaaatgc tttcggagcc acaacttcag 1380
atgcaaacat ctcacatgc ttatcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacag 1500
actccacaag ttgatcaaag atctagtagt ctgccaagac attttgccgt tcaacgaaat 1560
ggatttgatg tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaaatg 1620
atctatcaat tgcagcaaca acaacaaatt atgacggagg atcaagcgca aatggaacat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaacaat ttcatcaaat tcaacaacag 1740
ca

```

<210> 18

<211> 509

<212> PRT

<213> *Caenorhabditis elegans*

<400> 18

```

Met Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr
  1             5             10             15

```

```

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly
          20             25             30

```

```

Ser Ser Lys Arg Thr Ser Asn Val Arg His Asp Val Ser Asp Val Asp
          35             40             45

```

```

Asp Glu Glu Glu His Tyr Ala Arg Phe Arg Glu Asp Thr Ala Ile Glu
          50             55             60

```

```

Val Asp Asp Ala Ile Thr Val Leu Leu Ser Ser Leu His Phe Glu His
          65             70             75             80

```

```

Lys Arg Asp Ile Val Pro Thr Asp Glu Asp Asp Asn Lys Leu Arg Glu
          85             90             95

```

```

Leu His Glu Lys Ile Phe Ala Leu Ile Thr Ser Glu Ser Asp Val Asn
          100            105            110

```

```

Arg Lys Arg Arg Leu Lys Lys Ala Leu Pro Ala Ser Asn Cys Val Arg
          115            120            125

```

```

Glu Gln Val Tyr Tyr Leu Arg Arg Lys Pro Ser Thr Pro Pro Ala Ser

```

29

130		135		140											
Tyr	Tyr	His	Arg	Leu	Asn	Ala	Ala	Leu	His	Thr	Ile	Val	Lys	Glu	Ser
145					150					155					160
Phe	Gly	Glu	Glu	Tyr	Arg	Lys	Val	Ala	Thr	Val	Leu	Gly	Leu	Val	Glu
				165					170					175	
Ala	Leu	Ala	Glu	Val	Leu	Ile	Leu	Glu	Val	His	Thr	Phe	Gly	Ile	Asn
			180					185					190		
Glu	Thr	Asn	Pro	Gly	Glu	His	Arg	Asn	Ile	Arg	Lys	Leu	Ile	Ala	Asn
		195					200					205			
Ala	Leu	Thr	Asn	Leu	Thr	Tyr	Gly	Gln	Ile	His	Ser	Lys	Arg	Arg	Leu
	210					215					220				
Cys	Ser	Tyr	Asp	Gly	Phe	Ile	Arg	Cys	Val	Val	Arg	Ile	Val	Ile	Glu
225					230					235					240
Ser	Pro	Asn	Ile	Thr	Gln	Val	Tyr	Ala	Gly	Leu	Ile	Arg	Asn	Leu	Ser
				245					250					255	
Trp	Asn	Ala	Asp	Ser	Gly	Met	Ser	Glu	Ala	Leu	Gln	Pro	Thr	Val	His
			260					265					270		
Ala	Leu	Ser	Ile	Ala	Ala	Val	His	Ala	His	Thr	His	Arg	Phe	Asp	Val
		275					280					285			
Thr	Ala	Thr	Leu	Ser	Ala	Leu	Trp	Asn	Leu	Ala	Gly	His	Ser	Val	Glu
	290					295					300				
Asn	Lys	Arg	Thr	Ile	Cys	Asp	Thr	Pro	Asn	Cys	Leu	Lys	Val	Leu	Ala
305					310					315					320
Ser	Leu	Leu	Ser	Pro	Asp	Ala	Arg	Phe	Thr	Ser	Leu	Val	Asp	Ser	Ala
				325					330					335	
Thr	Gly	Ile	Leu	Lys	Tyr	Val	Ser	Gln	Tyr	Leu	Ala	Asn	Thr	Ser	Thr
			340					345					350		
His	Leu	Glu	Leu	Arg	Ser	Leu	Leu	Ile	Thr	Arg	Met	Leu	Thr	Leu	Leu
		355					360					365			
Lys	Ser	Ala	Ser	Phe	Thr	Cys	Val	Thr	Asn	Thr	Leu	Gly	Ala	Ile	Ala
	370					375					380				
Asn	Leu	Ile	Val	Lys	Asp	Pro	His	Met	Gln	Gln	Met	Ile	Arg	Gln	Asp
385					390					395					400
Met	Ala	Ala	Val	Gln	Gln	Leu	Asn	Val	Leu	Arg	Asn	Ser	Asn	Arg	Asp
				405					410					415	
Asp	Ile	Arg	Thr	Ala	Val	Lys	Ser	Val	Leu	Asn	Thr	Leu	Asn	Gln	Pro
			420					425					430		
Cys	Ser	His	Arg	Tyr	Gly	Asp	Met	Ser	His	Ser	Val	Gly	Gly	Gly	Ala
		435					440					445			

Thr	Gly	Met	Gln	Met	Leu	Ser	Glu	Pro	Gln	Leu	Gln	Met	Gln	Thr	Ser
450						455					460				
His	His	Ala	Tyr	His	Gly	Thr	Ala	Ser	Pro	Arg	Leu	Leu	Ser	Leu	Arg
465					470					475					480
Ala	Thr	Arg	Ala	Ser	Pro	Gly	Lys	Tyr	Ile	Gln	Pro	Gln	Ala	Gln	Gln
				485					490					495	
Gln	Leu	Ile	Gln	Thr	Pro	Gln	Val	Asp	Gln	Arg	Ser	Ser			
			500					505							

<210> 19

<211> 1998

<212> DNA

<213> Caenorhabditis elegans

<400> 19

```

atggtggaac tgtgcgaact gcacatgatg cctgaagagg atcaatggcc cgatgacatt 60
gatgctcgaa tcgctgctct caacttttgt ggagaagatt cgatgctctt tgaatcagtt 120
gatccttctg tatcaactga ttcttttagac tctcaacagt ttcgagagag atgtcaaagt 180
aaaaaagaag attttcaatt agcattcgca gactctggac attggcaatc aggtataaat 240
gataatctga caacttgggg tcggattcgg acatctgaac cattggatga acgtactgcc 300
agtgtctccag atgtttggaa tgtaaaaaga agtgatagtg ctcgatcacc aaatcgtcca 360
aattcactga ttgccaactt tgtttccgga gatgctactc gattcgtcga tgtaaatgat 420
aatgaaattc gcgaggcaaa tgaagaaata attcgtaaag atcgttggag aagagattca 480
gcgagacgat gctcatctgg aggacaaaat cagaaacgaa catttgcgga tattctggaa 540
aagaatgtaa cagcaccaac ttcaatggca atcacatcgt ctgataatga aaagcctccg 600
aaattagact tcctggcaat gcatcatgag atgccatctc tctgcgagtc attcaccgct 660
tcgttccgtg atgctattat taaaatgcag aaatgtgagc cactaccgtc gattacttca 720
accaatgatt ttccgctctt ctttcaagaa gactctcccg actcaggact cggtttagt 780
gggtccgagcc acattgaaga ttggcaatct ctatctgttc ttctgcccac acacgtcgca 840
gaagcatgtt cattcttcaa gagcaacacc caattattaa catcaagtac atcaaaaaca 900
gcaccccaaa catcaacaaa catcgtatca aattgcattg atcgccgtat ctctggtatt 960
tcagcatcag caaatgaagc atgtcgaacg tgttatcgag tacgaaggag gatacaccca 1020
ccagtttggg ctcaaaactgc ccaatcaaag acggttcttt gtgactgcgc atcaacaccc 1080
acggatacga atttctcatt tgcaccaaca acttcaacga ctcgccatca actgcgcgca 1140
aaagagctct caattgtcgg attgccgatt tatgcagcaa agcggacact cgttgagaat 1200
gttgttgaag gcgttgctgc aatttcaaga ggggatggaa gtgatttgct tgtcatcgcc 1260
atgagatgct taattgaaga tggcttcaa gaaaatgtat cggcatggac aatgattcag 1320
acggttacct caaaaggccc agctacaaaa gatgttcatt caattgtaaa acaattggaa 1380
gaatgttcaa agactgacaa cgtcaaagtt gaaatcttct ttgaggagct tatcagagaa 1440
aactcattgg actgctggct gtgctatatt gtgttgaaag agaaggtgct gaaaacattg 1500
tattctgaaa atgcattcct tctttctgcg agttctgaat acagaactct tctttggaga 1560
atggtcgaca gtttgtctct tttgccagt atcgaagctc gcagtgattc agttcaccaa 1620
cagttcaa atcaatgcaaca atggggcgga gcatccagaa tagcttctga ctcaagagtt 1680
ccaaagagtt catcgttccc agcaagatta tcaactgctc catcaagaag atcaaggata 1740
ccattgtcaa caagtgcgat cagtatcagc tcaacaactt caacacctcg atcagctcga 1800
tcaccttcaa cgacatctcg tattcagagt gcactataaa tgggtgactt cacacttgcc 1860
aatttctccc tctcagacgg agaaaaagtt agtgttctat caactcgtgg aggacttgct 1920
cgatgtgtcc gtttaacgac ttctcattca aaaatcaaca atggagttat tccgattgaa 1980
catcttcttt tccagtga

```

<210> 20

<211> 665

<212> PRT

31

<213> Caenorhabditis elegans

<400> 20

```

Met Val Glu Leu Cys Glu Leu His Met Met Pro Glu Glu Asp Gln Trp
 1              5              10              15

Pro Asp Asp Ile Asp Ala Arg Ile Ala Ala Leu Asn Phe Cys Gly Glu
      20              25              30

Asp Ser Met Leu Phe Glu Ser Val Asp Pro Ser Val Ser Thr Asp Ser
      35              40              45

Leu Asp Ser Gln Gln Phe Arg Glu Arg Cys Gln Met Lys Lys Glu Asp
      50              55              60

Phe Gln Leu Ala Phe Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn
 65              70              75              80

Asp Asn Leu Thr Thr Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp
      85              90              95

Glu Arg Thr Ala Ser Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp
      100              105              110

Ser Ala Arg Ser Pro Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val
      115              120              125

Ser Gly Asp Ala Thr Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg
      130              135              140

Glu Ala Asn Glu Glu Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser
      145              150              155              160

Ala Arg Arg Cys Ser Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala
      165              170              175

Asp Ile Leu Glu Lys Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr
      180              185              190

Ser Ser Asp Asn Glu Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His
      195              200              205

His Glu Met Pro Ser Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp
      210              215              220

Ala Ile Ile Lys Met Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser
      225              230              235              240

Thr Asn Asp Phe Pro Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly
      245              250              255

Leu Gly Cys Ser Gly Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser
      260              265              270

Val Leu Leu Pro Lys His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser
      275              280              285

Asn Thr Gln Leu Leu Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr

```

32

290 295 300

Ser Thr Asn Ile Val Ser Asn Cys Ile Asp Arg Arg Ile Ser Gly Ile
 305 310 315 320

Ser Ala Ser Ala Asn Glu Ala Cys Arg Thr Cys Tyr Arg Val Arg Arg
 325 330 335

Arg Ile His Pro Pro Val Trp Ala Gln Thr Ala Gln Ser Lys Thr Val
 340 345 350

Leu Cys Asp Cys Ala Ser Thr Pro Thr Asp Thr Asn Phe Ser Phe Ala
 355 360 365

Pro Thr Thr Ser Thr Thr Arg His Gln Leu Arg Ala Lys Glu Leu Ser
 370 375 380

Ile Val Gly Leu Pro Ile Tyr Ala Ala Lys Arg Thr Leu Val Glu Asn
 385 390 395 400

Val Val Glu Gly Val Ala Ala Ile Ser Arg Gly Asp Gly Ser Asp Leu
 405 410 415

Leu Val Ile Ala Met Arg Cys Leu Ile Glu Asp Gly Leu Gln Glu Asn
 420 425 430

Val Ser Ala Trp Thr Met Ile Gln Thr Val Thr Ser Lys Gly Pro Ala
 435 440 445

Thr Lys Asp Val His Ser Ile Val Lys Gln Leu Glu Glu Cys Ser Lys
 450 455 460

Thr Asp Asn Val Lys Val Glu Ile Phe Phe Glu Glu Leu Ile Arg Glu
 465 470 475 480

Asn Ser Leu Asp Cys Trp Leu Cys Tyr Ile Val Leu Lys Glu Lys Val
 485 490 495

Leu Lys Thr Leu Tyr Ser Glu Asn Ala Phe Leu Leu Ser Ala Ser Ser
 500 505 510

Glu Tyr Arg Thr Leu Leu Trp Arg Met Val Asp Ser Leu Ser Leu Leu
 515 520 525

Pro Val Ile Glu Ala Arg Ser Asp Ser Val His Gln Gln Phe Lys Ser
 530 535 540

Met Gln Gln Trp Gly Gly Ala Ser Arg Ile Ala Ser Asp Ser Arg Val
 545 550 555 560

Pro Lys Ser Ser Ser Phe Pro Ala Arg Leu Ser Thr Ala Pro Ser Arg
 565 570 575

Arg Ser Arg Ile Pro Leu Ser Thr Ser Arg Ile Ser Ile Ser Ser Thr
 580 585 590

Thr Ser Thr Pro Arg Ser Ala Arg Ser Pro Ser Thr Thr Ser Arg Ile
 595 600 605

Arg Val Ala Ser Ile Met Gly Asp Phe Thr Leu Ala Asn Phe Ser Leu
 610 615 620

Ser Asp Gly Glu Lys Val Ser Val Leu Ser Thr Arg Gly Gly Leu Ala
 625 630 635 640

Arg Cys Val Arg Leu Thr Thr Ser His Ser Lys Ile Asn Asn Gly Val
 645 650 655

Ile Pro Ile Glu His Leu Leu Phe Gln
 660 665

<210> 21
 <211> 1839
 <212> DNA
 <213> Caenorhabditis elegans

<400> 21

tttcgagaga	gatgtcaaat	gaaaaaagaa	gattttcaat	tagcattcgc	agactctgga	60
cattggcaat	caggtataaa	tgataatctg	acaacttggg	gtcggattcg	gacatctgaa	120
ccattggatg	aacgtactgc	cagtgtctca	gatgtttgga	atgtaaaaag	aagtgatagt	180
gctcgatcac	caaatcgccc	aaattcactg	attgccaaact	ttgtttccgg	agatgctact	240
cgattcgtcg	atgtaaatga	taatgaaatt	cgcgaggcaa	atgaagaaat	aattcgtaaa	300
gatcggttga	gaagagattc	agcgagacga	tgctcatctg	gaggacaaaa	tcagaaacga	360
acatttgcgg	atattctgga	aaagaatgta	acagcaccaa	cttcaatggc	aatcacatcg	420
tctgataatg	aaaagcctcc	gaaattagac	ttcctggcaa	tgcatcatga	gatgccatct	480
ctctgcgagt	cattcaccgc	ttcgttccgt	gatgtctatta	ttaaaatgca	gaaatgtgag	540
ccactaccgt	cgattacttc	aaccaatgat	tttcgcgtct	tctttcaaga	agactctccc	600
gactcaggac	tcggtttag	tggtccgagc	cacattgaag	attggcaatc	tctatctggt	660
cttctgcccc	aacacgtcgc	agaagcatgt	tcattcttca	agagcaaac	ccaattatta	720
acatcaagta	catcaaaaac	agcaccctaa	acatcaacaa	acatcgtatc	aaattgcatt	780
gatcgccgta	tctctggtat	ttcagcatca	gcaaatgaag	catgtcgaac	gtgttatcga	840
gtacgaagga	ggatacacc	accagtttgg	gctcaaactg	cccaatcaaa	gacggttctt	900
tgtgactgcg	catcaacacc	cacggatagc	aatttctcat	ttgcaccaac	aacttcaacg	960
actcgccatc	aactgcgcgc	aaaagagctc	tcaattgtcg	gattgccgat	ttatgcagca	1020
aagcggacac	tcgttgagaa	tggtgttgaa	ggcgttgctg	caatttcaag	aggggatgga	1080
agtgatttgc	ttgtcatcgc	catgagatgc	ttaattgaag	atggtcttca	agaaaatgta	1140
tcggcatgga	caatgattca	gacggttacc	tcaaaaggcc	cagctacaaa	agatgttcat	1200
tcaattgtaa	aacaattgga	agaatgttca	aagactgaca	acgtcaaagt	tgaaatcttc	1260
tttgaggagc	ttatcagaga	aaactcattg	gactgctggc	tgtgctatat	tgtgttgaaa	1320
gagaagggtgc	tgaaaacatt	gtattctgaa	aatgcattcc	ttctttctgc	gagttctgaa	1380
tacagaactc	ttctttggag	aatggtcgac	agtttgtctc	ttttgccagt	gatcgaagct	1440
cgcagtgatt	cagttcacca	acagttcaaa	tcaatgcaac	aatggggcgg	agcatccaga	1500
atagcttctg	actcaagagt	tccaaagagt	tcacgttccc	cagcaagatt	atcaactgct	1560
ccatcaagaa	gatcaaggat	accattgtca	acaagtcgca	tcagtatcag	ctcaacaact	1620
tcaacacctc	gatcagctcg	atcaccttca	acgacatctc	gtattcagat	tgcatctata	1680
atgggtgact	tcacacttgc	caatttctcc	ctctcagacg	gagaaaaagt	tagtgttcta	1740
tcaactcgtg	gaggacttgc	tcgatgtgtc	cgtttaacga	cttctcattc	aaaaatcaac	1800
aatggagtta	ttccgattga	acatcttctt	ttccagtga			1839

<210> 22
 <211> 612
 <212> PRT
 <213> Caenorhabditis elegans

<400> 22

Phe Arg Glu Arg Cys Gln Met Lys Lys Glu Asp Phe Gln Leu Ala Phe
 1 5 10 15
 Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn Asp Asn Leu Thr Thr
 20 25 30
 Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp Glu Arg Thr Ala Ser
 35 40 45
 Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp Ser Ala Arg Ser Pro
 50 55 60
 Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val Ser Gly Asp Ala Thr
 65 70 75 80
 Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg Glu Ala Asn Glu Glu
 85 90 95
 Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser Ala Arg Arg Cys Ser
 100 105 110
 Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala Asp Ile Leu Glu Lys
 115 120 125
 Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr Ser Ser Asp Asn Glu
 130 135 140
 Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His His Glu Met Pro Ser
 145 150 155 160
 Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp Ala Ile Ile Lys Met
 165 170 175
 Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser Thr Asn Asp Phe Pro
 180 185 190
 Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly Leu Gly Cys Ser Gly
 195 200 205
 Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser Val Leu Leu Pro Lys
 210 215 220
 His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser Asn Thr Gln Leu Leu
 225 230 235 240
 Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr Ser Thr Asn Ile Val
 245 250 255
 Ser Asn Cys Ile Asp Arg Arg Ile Ser Gly Ile Ser Ala Ser Ala Asn
 260 265 270
 Glu Ala Cys Arg Thr Cys Tyr Arg Val Arg Arg Arg Ile His Pro Pro
 275 280 285
 Val Trp Ala Gln Thr Ala Gln Ser Lys Thr Val Leu Cys Asp Cys Ala
 290 295 300
 Ser Thr Pro Thr Asp Thr Asn Phe Ser Phe Ala Pro Thr Thr Ser Thr

BNSDOCID: <WO_0073328A2 | >

<210> 23
<211> 3435
<212> DNA
<213> *Caenorhabditis elegans*

<400> 23

```
atgcaggcga tagatgaatc caagcgaaat caaaaagtgc cgcctgcaaa acgaaagcgg 60
atatatttgt ctgacgagga agaggaagat tttgctgaag cggcgcacgt tgagaacaca 120
gtccccgagc gtgcaactcg acgtagcacc agaagacggt catcaatgca cgaagaactt 180
ggagtttcag aacaggaaga gtcgcgggtt cgcaggactc gcaaagccgc caagcgcctt 240
ggaagtgagc aaccagagga aaatctagca gcagatgac cggttgccaaat ggaaggaggt 300
ggcgagattg tgctaccaat tgctgaaatt gatggaatgg ctgaacaaga aaatgaggac 360
ttgattgaga aaattggaag ggaagaagag gaggaaggcg ctgaagaaga tgagcaaagc 420
ggtgaaaaag atccagaaga agaagaggat gatagcagca atgcagaaag ttcagaggaa 480
tcaactgtct cacgtcaata cagtcttcgc cgccgtcaac cagttgtcca gttcaatgca 540
tcagaagctc gtgaaaaatcg acgggctcgt cttgaacatc atcgggttgc aaatcaaaac 600
agacatcacc gcaatcgaaa tggatctcgt cgaagacgaa gcgattcgga ttctgatagt 660
gatgatattg tgcttccgag acctgataaa cgtcaatcga ggccctcatat gcataaccgt 720
ggagaacgtg aacgtggtcg atttatgccc atcaatatga ccgaaaaaga attgcagtct 780
gcccaacaca ttctgatgga tcgaatgaga aaaactgatg ctggtcaagg tgcaagtgc 840
attgatccaa tgagtgttga ttcgtcgggt ggtttcgatc aagttggagg actcgggtcat 900
catattcaat ctctcaaaga agttgtcctt ttcccaatgc tttatcctga agtatttgaa 960
aagttcagaa taaatccgcc aaaagggtgc gtattctatg ggcccccagg aaccggaaaa 1020
actcttgttg caggtgctct tgcgaatgaa tgccgaagag gagccaacaa agttgcattc 1080
tttatgcgaa aaggagctga ttgtttgagt aaatgggtcg gagagctctga aagacaactt 1140
cgactattgt ttgatcaagc atatgccatg cgtccatcaa ttatcttttt tgatgaaatc 1200
gatggttttag ctccagttcg ttcttcgaaa caagatcaaa ttcatgcgag catagtgcgt 1260
acattgttag cactgatgga cggattagat ggtcaggag aagttggtgt aattggagct 1320
acaaatcgat tagatactct tgatccagct ctacgaagac caggacgttt tgatagggaa 1380
ctccgttttt cccttcctga tttgaatgcc cgacgacaaa ttttagatat tcacacttcc 1440
aaatgggagg aaaacaaacc gattccggaa acactcgatg ctattgcaga gagaactagt 1500
ggatattgag gtgcccgttt gaaattcttg tgacagaag cagttcttat tggattgaga 1560
tctcgatata ctcatatcta catgtgttct gaaaggctga aactcgacgt tgccaccatt 1620
aaaatcactt ctgagcattt tggacatgca atgcggagga tcacacctgc ttccagacga 1680
gatcttacia ttccatcgag accattggat gaacgaactt caattttact tggagatact 1740
gtgagcaact tgatttcggt gagaattcca caaggatata gatgcgtgga aaatgcaatg 1800
gcgacagctt caagcgaact ggaacaagtt gttagggcat tggaaacctaa tccaaccgtg 1860
cctgctatct gtcttcttct atgtggatct gagcaactcg cggacggttg acaaacgtct 1920
tacgttcttc ccgccattct agcaaaaactg gatcatctac cgggtgttctc tctttctgtt 1980
tcaagtcttt taacagatgg acgtccagaa gaagcatttt caaatgcaat tcagtcggca 2040
atgctgcat cagcaaccgg cccatgtatc atgcttcttc catcaatcga tgaatggatt 2100
aaagtcattc ctgtatcagt tcaacatatg cttatcacat gtctggaatc aatgactggt 2160
ttcacgccga ttcttttctt atcgacgctt gacacttctg ttgaagatgc gcctgaatat 2220
gtcacggaaa ttttcagaca tgcaaaactgt atcactttga atccttcccg ccgaacaatt 2280
cgtcaaaaat atttcgagca cgttattgag aagattaaca ctccaccaaa agtatttgat 2340
ccacgtctta tgcgagatcg tcgattcggt gaatttgcgt agcccgtgga tccggatgag 2400
gctgaggact attatgagat tatcgaaaca ccgatttgta tgcaggatat tatggaaaag 2460
ctgaataatt gcgaatataa tcatgcccga aaatttgttg ctgacttgat attgattcaa 2520
acgaatgtct tcgaatataa tccgtcgaca acaaaagacg gaaaactgat tcgtaaatg 2580
gcaaatcacac ttcgagatgc aattgatgat ctgatcgagt gtgaacttga cgaatcggtt 2640
gtcgaacgaa ttgaaacagt ttcacgaatg ctacaagacg ctggagtaac tccaacctct 2700
gataaattac tcacagaaat tcccaaaggt tttgcccgaa aaaaggcgtg gtctatgacc 2760
aattcacttg caaaagaaat tgagcaatgg acatcagagc gtgaagctga aaatcaaaaa 2820
atgttgagca agcttgggtg agctgctcca acattggaac tcgttggtgt ccctgtagaa 2880
gatatgaaaa gtgaagaagg aacgagcaca tcaactgatg gagttccagc ttctgctgga 2940
aataaaaaaga aattgctcaa aaagaagaag ggtcaaaaga aaagcaaaac cggcgaatct 3000
```

37

```

gaagagcacg atgaagatag tacagttgaa gacgcaggag aagatacaat tgtagaaaat 3060
cttgaaatca agaaaaatca ggaaactcca aacagtgaac atgatatcga gatgaaagat 3120
gcttctaaag attctacacc ttccgtgcaa atttcgattg ctgagaaaga attgatagtt 3180
tcgaagccag caacatgcga gctgattcag tgttggtgctg aaaagtcgga gggttggtca 3240
gtcagcgagt tggaacgttt gtcttctgtt ctatcacata caattgaacg attccgggac 3300
gaatggaacc gcgaaaatct accagcccaa cttacccaaa ttgtacgtga atggcaaaca 3360
gctgacgatt cgaacaatac attgttaaat ggaaccctca acaaatcgaa tggaaatctt 3420
gccaatggac actaa 3435

```

<210> 24

<211> 1144

<212> PRT

<213> *Caenorhabditis elegans*

<400> 24

```

Met Gln Ala Ile Asp Glu Ser Lys Arg Asn Gln Lys Val Pro Pro Ala
  1              5              10              15

```

```

Lys Arg Lys Arg Ile Tyr Leu Ser Asp Glu Glu Glu Glu Asp Phe Ala
              20              25              30

```

```

Glu Ala Ala His Val Glu Asn Thr Val Pro Glu Arg Ala Thr Arg Arg
      35              40              45

```

```

Ser Thr Arg Arg Arg Ser Ser Met His Glu Glu Leu Gly Val Ser Glu
  50              55              60

```

```

Gln Glu Glu Ser Pro Val Arg Arg Thr Arg Lys Ala Ala Lys Arg Leu
  65              70              75              80

```

```

Gly Ser Glu Gln Pro Glu Glu Asn Leu Ala Ala Asp Asp Pro Leu Pro
              85              90              95

```

```

Met Glu Gly Gly Gly Glu Ile Val Leu Pro Ile Ala Glu Ile Asp Gly
  100              105              110

```

```

Met Ala Glu Gln Glu Asn Glu Asp Leu Ile Glu Lys Ile Gly Arg Glu
  115              120              125

```

```

Glu Glu Glu Glu Gly Ala Glu Glu Asp Glu Gln Ser Gly Glu Lys Asp
  130              135              140

```

```

Pro Glu Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu
  145              150              155              160

```

```

Ser Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Arg Gln Pro Val Val
              165              170              175

```

```

Gln Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Glu
      180              185              190

```

```

His His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly
  195              200              205

```

```

Ser Arg Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Asp Met Val
  210              215              220

```

```

Leu Pro Arg Pro Asp Lys Arg Gln Ser Arg Pro His Met His Asn Arg

```

225 230 38 235 240
 Gly Glu Arg Glu Arg Gly Arg Phe Met Pro Ile Asn Met Thr Glu Lys
 245 250 255
 Glu Leu Gln Ser Ala Gln His Ile Leu Met Asp Arg Met Arg Lys Thr
 260 265 270
 Asp Ala Gly Gln Gly Ala Ser Asp Ile Asp Pro Met Ser Val Asp Ser
 275 280 285
 Ser Val Gly Phe Asp Gln Val Gly Gly Leu Gly His His Ile Gln Ser
 290 295 300
 Leu Lys Glu Val Val Leu Phe Pro Met Leu Tyr Pro Glu Val Phe Glu
 305 310 315 320
 Lys Phe Arg Ile Asn Pro Pro Lys Gly Val Val Phe Tyr Gly Pro Pro
 325 330 335
 Gly Thr Gly Lys Thr Leu Val Ala Arg Ala Leu Ala Asn Glu Cys Arg
 340 345 350
 Arg Gly Ala Asn Lys Val Ala Phe Phe Met Arg Lys Gly Ala Asp Cys
 355 360 365
 Leu Ser Lys Trp Val Gly Glu Ser Glu Arg Gln Leu Arg Leu Leu Phe
 370 375 380
 Asp Gln Ala Tyr Ala Met Arg Pro Ser Ile Ile Phe Phe Asp Glu Ile
 385 390 395 400
 Asp Gly Leu Ala Pro Val Arg Ser Ser Lys Gln Asp Gln Ile His Ala
 405 410 415
 Ser Ile Val Ser Thr Leu Leu Ala Leu Met Asp Gly Leu Asp Gly Arg
 420 425 430
 Gly Glu Val Val Val Ile Gly Ala Thr Asn Arg Leu Asp Thr Leu Asp
 435 440 445
 Pro Ala Leu Arg Arg Pro Gly Arg Phe Asp Arg Glu Leu Arg Phe Ser
 450 455 460
 Leu Pro Asp Leu Asn Ala Arg Arg Gln Ile Leu Asp Ile His Thr Ser
 465 470 475 480
 Lys Trp Glu Glu Asn Lys Pro Ile Pro Glu Thr Leu Asp Ala Ile Ala
 485 490 495
 Glu Arg Thr Ser Gly Tyr Cys Gly Ala Asp Leu Lys Phe Leu Cys Thr
 500 505 510
 Glu Ala Val Leu Ile Gly Leu Arg Ser Arg Tyr Pro His Ile Tyr Met
 515 520 525
 Cys Ser Glu Arg Leu Lys Leu Asp Val Ala Thr Ile Lys Ile Thr Ser
 530 535 540

Glu His Phe Gly His Ala Met Arg Arg Ile Thr Pro Ala Ser Arg Arg
 545 550 555 560
 Asp Leu Thr Ile Pro Ser Arg Pro Leu Asp Glu Arg Thr Ser Ile Leu
 565 570 575
 Leu Gly Asp Thr Val Ser Asn Leu Ile Ser Leu Arg Ile Pro Gln Gly
 580 585 590
 Tyr Arg Cys Val Glu Asn Ala Met Ala Thr Ala Ser Ser Glu Leu Glu
 595 600 605
 Gln Val Val Arg Ala Leu Glu Pro Asn Pro Thr Val Pro Ala Ile Arg
 610 615 620
 Leu Leu Leu Cys Gly Ser Glu Gln Leu Ala Asp Gly Gly Gln Thr Ser
 625 630 635 640
 Tyr Val Leu Pro Ala Ile Leu Ala Lys Leu Asp His Leu Pro Val Phe
 645 650 655
 Ser Leu Ser Val Ser Ser Leu Leu Thr Asp Gly Arg Pro Glu Glu Ala
 660 665 670
 Phe Ser Asn Ala Ile Gln Ser Ala Met Arg Ala Ser Ala Thr Gly Pro
 675 680 685
 Cys Ile Met Leu Leu Pro Ser Ile Asp Glu Trp Ile Lys Val Ile Pro
 690 695 700
 Val Ser Val Gln His Met Leu Ile Thr Cys Leu Glu Ser Met Thr Gly
 705 710 715 720
 Phe Thr Pro Ile Leu Phe Leu Ser Thr Leu Asp Thr Ser Phe Glu Asp
 725 730 735
 Ala Pro Glu Tyr Val Thr Glu Ile Phe Arg His Ala Asn Cys Ile Thr
 740 745 750
 Leu Asn Pro Ser Arg Arg Thr Ile Arg Gln Lys Tyr Phe Glu His Val
 755 760 765
 Ile Glu Lys Ile Asn Thr Pro Pro Lys Val Phe Asp Pro Arg Leu Met
 770 775 780
 Arg Asp Arg Arg Phe Val Glu Phe Val Glu Pro Val Asp Pro Asp Glu
 785 790 795 800
 Ala Glu Asp Tyr Tyr Glu Ile Ile Glu Thr Pro Ile Cys Met Gln Asp
 805 810 815
 Ile Met Glu Lys Leu Asn Asn Cys Glu Tyr Asn His Ala Asp Lys Phe
 820 825 830
 Val Ala Asp Leu Ile Leu Ile Gln Thr Asn Ala Leu Glu Tyr Asn Pro
 835 840 845

40

Ser Thr Thr Lys Asp Gly Lys Leu Ile Arg Gln Met Ala Asn Thr Leu
850 855 860

Arg Asp Ala Ile Asp Asp Leu Ile Glu Cys Glu Leu Asp Glu Ser Phe
865 870 875 880

Val Glu Arg Ile Glu Thr Val Ser Arg Met Leu Gln Asp Ala Gly Val
885 890 895

Thr Pro Thr Ser Asp Lys Leu Leu Thr Glu Ile Pro Lys Gly Phe Ala
900 905 910

Arg Lys Lys Ala Trp Ser Met Thr Asn Ser Leu Ala Lys Glu Ile Glu
915 920 925

Gln Trp Thr Ser Glu Arg Glu Ala Glu Asn Gln Lys Met Leu Ser Lys
930 935 940

Leu Gly Val Ala Ala Pro Thr Leu Glu Leu Val Val Val Pro Val Glu
945 950 955 960

Asp Met Lys Ser Glu Glu Gly Thr Ser Thr Ser Thr Asp Gly Val Pro
965 970 975

Ala Ser Ala Gly Asn Lys Lys Lys Leu Leu Lys Lys Lys Lys Gly Gln
980 985 990

Lys Lys Ser Lys Thr Gly Glu Ser Glu Glu His Asp Glu Asp Ser Thr
995 1000 1005

Val Glu Asp Ala Gly Glu Asp Thr Ile Val Glu Asn Leu Glu Ile Lys
1010 1015 1020

Lys Asn Gln Glu Thr Pro Asn Ser Glu His Asp Ile Glu Met Lys Asp
1025 1030 1035 1040

Ala Ser Lys Asp Ser Thr Pro Ser Val Gln Ile Ser Ile Ala Glu Lys
1045 1050 1055

Glu Leu Ile Val Ser Lys Pro Ala Thr Cys Glu Leu Ile Gln Cys Cys
1060 1065 1070

Val Glu Lys Ser Glu Gly Trp Ser Val Ser Glu Leu Glu Arg Leu Ser
1075 1080 1085

Ser Val Leu Ser His Thr Ile Glu Arg Phe Arg Asp Glu Trp Asn Arg
1090 1095 1100

Glu Asn Leu Pro Ala Gln Leu Thr Gln Ile Val Arg Glu Trp Gln Thr
1105 1110 1115 1120

Ala Asp Asp Ser Asn Asn Thr Ile Val Asn Gly Thr Leu Asn Lys Ser
1125 1130 1135

Asn Gly Asn Leu Ala Asn Gly His
1140

41

<210> 25
 <211> 1908
 <212> DNA
 <213> Caenorhabditis elegans

<400> 25
 gaagacgaag aggatgatag cagcaatgca gaaagttcaq aqqaatcaac tgctccacgt 60
 caatacagtc ttgcgcgcgc tcaaccagtt gtccagttca atgcatcaga agctcgtgaa 120
 aatcgacggg ctctgtttga acatcatcgg gttgcaaatc aaaacagaca tcaccgcaat 180
 cgaaatggat ctctgtcgaag acgaagcgat tcggattctg atagtgatga tatgggtgct 240
 ccgagacctg ataaacgtca atcgaggcct catatgcata accgtggaga acgtgaacgt 300
 ggtcgattta tgccgatcaa tatgaccgaa aaagaattgc agtctgcccc acacattctg 360
 atggatcgaa tgagaaaaac tgatgctggt caaggtgcaa gtgacattga tccaatgagt 420
 gttgattcgt cggttgggtt cgatcaagtt ggaggactcg gtcatcatat tcaatctctc 480
 aaagaagttg tccttttccc aatgctttat cctgaagtat ttgaaaagtt cagaataaat 540
 ccgccccaaag gtgtcgtatt ctatgggccc ccaggaaccg gaaaaactct tggtgcacgt 600
 gctcttgcca atgaatgccg aagaggagcc aacaaagttg cattctttat gcgaaaagga 660
 gctgattggt tgagtaaattg ggtcggagag tctgaaagac aacttcgact attgtttgat 720
 caagcatatg ccattgcgtcc atcaattatc ttttttgatg aaatcgatgg tttagctcca 780
 gttcgttctt cgaacaaga tcaaattcat gcgagcatag tgagtacatt gttagcactg 840
 atggacggat tagatggctg aggagaagtt gttgtaattg gagctacaaa tcgattagat 900
 actcttgatc cagctctacg aagaccagga cgttttgata gggaaactccg tttttccctt 960
 cctgatttga atgcccgcgc acaaatttta gatattcaca cttccaaatg ggaggaaaac 1020
 aaaccgattc cggaaacact cgatgctatt gcagagagaa ctagtggata ttgcggtgcc 1080
 gatttgaaat tcttgtgcac agaagcagtt cttattggat tgagatctcg atatcctcat 1140
 atctacatgt gttctgaaag gctgaaactc gacgttgcca ccattaaaat cacttctgag 1200
 cattttggac atgcaatgcg gaggatcaca cctgcttcca gacgagatct tacaattcca 1260
 tcgagaccat tggatgaacg aacttcaatt ttacttggag atactgtgag caacttgatt 1320
 tcggttgaaa ttcacacaag atatcgatgc gtggaaaaatg caatggcgac agcttcaagc 1380
 gaactggaac aagttgttag ggcattggaa cctaatacaa ccgtgcctgc tattcgtctt 1440
 cttctatgtg gatctgagca actcgcggac ggtggacaaa cgtcttacgt tcttcccgcc 1500
 attctagcaa aactggatca tctaccggtg ttctctcttt ctgtttcaag tcttttaaca 1560
 gatggacgtc cagaagaagc attttcaa atgcaattcagt cggcaatgcg tgcacagca 1620
 accggcccat gtatcatgct tcttccatca atcgatgaat ggattaaagt cattcctgta 1680
 tcagttcaac atatgcttat cacatgtctg gaatcaatga ctggtttcac gccgattctt 1740
 ttcttatcga cgcttgacac ttcgtttgaa gatgcgcctg aatatgtcac ggaaattttc 1800
 agacatgcaa actgtatcac tttgaatcct tcccgcgcaa caattcgtca aaaatatttc 1860
 gagcacgtta ttgagaagat taacactcca ccaaaagtat ttgatcca 1908

<210> 26
 <211> 636
 <212> PRT
 <213> Caenorhabditis elegans

<400> 26
 Glu Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu Ser
 1 5 10 15
 Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Arg Gln Pro Val Val Gln
 20 25 30
 Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Glu His
 35 40 45
 His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly Ser
 50 55 60
 Arg Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Asp Met Val Leu

65						70			42		75				80
Pro	Arg	Pro	Asp	Lys	Arg	Gln	Ser	Arg	Pro	His	Met	His	Asn	Arg	Gly
				85					90					95	
Glu	Arg	Glu	Arg	Gly	Arg	Phe	Met	Pro	Ile	Asn	Met	Thr	Glu	Lys	Glu
			100					105					110		
Leu	Gln	Ser	Ala	Gln	His	Ile	Leu	Met	Asp	Arg	Met	Arg	Lys	Thr	Asp
		115					120					125			
Ala	Gly	Gln	Gly	Ala	Ser	Asp	Ile	Asp	Pro	Met	Ser	Val	Asp	Ser	Ser
	130					135					140				
Val	Gly	Phe	Asp	Gln	Val	Gly	Gly	Leu	Gly	His	His	Ile	Gln	Ser	Leu
145					150					155					160
Lys	Glu	Val	Val	Leu	Phe	Pro	Met	Leu	Tyr	Pro	Glu	Val	Phe	Glu	Lys
				165					170					175	
Phe	Arg	Ile	Asn	Pro	Pro	Lys	Gly	Val	Val	Phe	Tyr	Gly	Pro	Pro	Gly
			180					185					190		
Thr	Gly	Lys	Thr	Leu	Val	Ala	Arg	Ala	Leu	Ala	Asn	Glu	Cys	Arg	Arg
		195					200					205			
Gly	Ala	Asn	Lys	Val	Ala	Phe	Phe	Met	Arg	Lys	Gly	Ala	Asp	Cys	Leu
	210					215					220				
Ser	Lys	Trp	Val	Gly	Glu	Ser	Glu	Arg	Gln	Leu	Arg	Leu	Leu	Phe	Asp
225					230					235					240
Gln	Ala	Tyr	Ala	Met	Arg	Pro	Ser	Ile	Ile	Phe	Phe	Asp	Glu	Ile	Asp
				245					250					255	
Gly	Leu	Ala	Pro	Val	Arg	Ser	Ser	Lys	Gln	Asp	Gln	Ile	His	Ala	Ser
			260					265					270		
Ile	Val	Ser	Thr	Leu	Leu	Ala	Leu	Met	Asp	Gly	Leu	Asp	Gly	Arg	Gly
		275					280					285			
Glu	Val	Val	Val	Ile	Gly	Ala	Thr	Asn	Arg	Leu	Asp	Thr	Leu	Asp	Pro
	290					295					300				
Ala	Leu	Arg	Arg	Pro	Gly	Arg	Phe	Asp	Arg	Glu	Leu	Arg	Phe	Ser	Leu
305					310					315					320
Pro	Asp	Leu	Asn	Ala	Arg	Arg	Gln	Ile	Leu	Asp	Ile	His	Thr	Ser	Lys
				325					330					335	
Trp	Glu	Glu	Asn	Lys	Pro	Ile	Pro	Glu	Thr	Leu	Asp	Ala	Ile	Ala	Glu
			340					345					350		
Arg	Thr	Ser	Gly	Tyr	Cys	Gly	Ala	Asp	Leu	Lys	Phe	Leu	Cys	Thr	Glu
		355					360					365			
Ala	Val	Leu	Ile	Gly	Leu	Arg	Ser	Arg	Tyr	Pro	His	Ile	Tyr	Met	Cys
	370					375					380				

43

Ser Glu Arg Leu Lys Leu Asp Val Ala Thr Ile Lys Ile Thr Ser Glu
 385 390 395 400
 His Phe Gly His Ala Met Arg Arg Ile Thr Pro Ala Ser Arg Arg Asp
 405 410 415
 Leu Thr Ile Pro Ser Arg Pro Leu Asp Glu Arg Thr Ser Ile Leu Leu
 420 425 430
 Gly Asp Thr Val Ser Asn Leu Ile Ser Leu Arg Ile Pro Gln Gly Tyr
 435 440 445
 Arg Cys Val Glu Asn Ala Met Ala Thr Ala Ser Ser Glu Leu Glu Gln
 450 455 460
 Val Val Arg Ala Leu Glu Pro Asn Pro Thr Val Pro Ala Ile Arg Leu
 465 470 475 480
 Leu Leu Cys Gly Ser Glu Gln Leu Ala Asp Gly Gly Gln Thr Ser Tyr
 485 490 495
 Val Leu Pro Ala Ile Leu Ala Lys Leu Asp His Leu Pro Val Phe Ser
 500 505 510
 Leu Ser Val Ser Ser Leu Leu Thr Asp Gly Arg Pro Glu Glu Ala Phe
 515 520 525
 Ser Asn Ala Ile Gln Ser Ala Met Arg Ala Ser Ala Thr Gly Pro Cys
 530 535 540
 Ile Met Leu Leu Pro Ser Ile Asp Glu Trp Ile Lys Val Ile Pro Val
 545 550 555 560
 Ser Val Gln His Met Leu Ile Thr Cys Leu Glu Ser Met Thr Gly Phe
 565 570 575
 Thr Pro Ile Leu Phe Leu Ser Thr Leu Asp Thr Ser Phe Glu Asp Ala
 580 585 590
 Pro Glu Tyr Val Thr Glu Ile Phe Arg His Ala Asn Cys Ile Thr Leu
 595 600 605
 Asn Pro Ser Arg Arg Thr Ile Arg Gln Lys Tyr Phe Glu His Val Ile
 610 615 620
 Glu Lys Ile Asn Thr Pro Pro Lys Val Phe Asp Pro
 625 630 635

<210> 27

<211> 3024

<212> DNA

<213> Caenorhabditis elegans

<400> 27

atggaacgac acggttcaga attacaagga gaagtgggtt tcactacgac gagtactgcg 60
 aataacaatg tgaacgagc cgtcgaatat ttcgaagatg ataataaga tgatgcacta 120

44

```

acatccactt catccggcaa cagtacacag aaggaatcgt ctccggttcac agattttgat 180
gatgttccgc cgccaccagt ggctccagaa actccggctc cagcccaaaa ccgccgagaa 240
tctgcgtccc ccgaacgtca attccttgat gagagtcacc tcggcggaat tggatctccg 300
ttatcacaga gtacaaggct cgatgagacg tttattgagg aatactctat tgagttggac 360
acctctggga aaaacaacat ttcctccgca gcttcacctg gtcccaagtc tccatttgac 420
gatgatttta ctgatacagc tgccccggta gccccgccac cagcacctac aaaagctgcc 480
gaggaatatc gccggcaacc acatcagaat ccgtttgatg aggaagagga agaagaatca 540
cagtttgagag ggggaactct gtccggtaga gaccatttg atgaagattc tggaaactct 600
aacgaaaacc agctccgcga gaagaagctc cacaaaaaag agcaactagc tcaccggctc 660
tcctcctctt ccgaagaaat tgtggaagcc tcaattcacg aggatgagcc aattgtgatg 720
gctcaaattc cagaggagaa gcccaaaccg aaggctatcc cggcttttga taacgcctat 780
gacgccgact ttgacaattc cccaccactt catcattact cggcggttca tttggaaact 840
gggctctcac cgcttgagga ggctcagaga gctctccgag ccaaccgagc aaggcataag 900
ccgtcgaatg tatcgttggc agaggaggcg aagcttgctg ccagacagag atactcgaat 960
gcatcgata ttagaagaga agaggaggaa gaagtgggtg aagaagatcc agcagtggta 1020
gttccagttc tacggaagga tctggaagtt gaggaggctc cgaaatcggt acgaccgcct 1080
agatatcgga agtcaaggga aattgaggaa ccggtgggtt ttgatcgggt tttgaggaa 1140
gaagttagat agaaggagga tattgatgag atttttgaga aatatcgaaa gacgtctgta 1200
tcgcccgatc caaaatctca cagcccgatt ttgatggccg acgagtacaa agaaccacag 1260
aagcaagtgc ctgcaccagt tgtcgttgct caggagtcgc cgatcttaaa acgaagaaac 1320
tctctagtac catcaaggat cagtggaaag cagtcgacgc ggcgaagtgt caccagtgtt 1380
cggagtatga gaggaaaacg gaagaccctg gcgattcccg agttcttcga cctaaccgca 1440
catcagaaca ttcgggtccg tgctccagct acgaaaaaga aacgcataag cctacaccgc 1500
gtcaggagca ccgaagtctg cgtcagagct ctgaacggcc aaaaagttga agtggcatgc 1560
cgaagtgcag tcatctcgcg tgacgtgttc tctcttatcg tccagaacat gaatatcaat 1620
gatcacgtgt tcttcgggct ctcgttcctt cgtgatggcg agcactactt tatagaggat 1680
catcaacggc tcgaaaagtt tgcaccgtcc ggatggaaaa gtgtggcacg cgtgggctgt 1740
aaggtgccat acgtgttgca cttacgattc aaattttatc cgcagatttt ggatttcac 1800
aaaacagacg taacgatgaa cgagttgtat ctacaatgta gacgagacgt actcgaagag 1860
agaatccaac caaaaagaga cgcagcattc gaactcgccg cgctcgccct ccaagccgaa 1920
tttggaaatc gaccgccacc ggtgatcacc gattatttcg atattcaaca ctacctgccc 1980
aagaagtata gctcatttga agatcagtc cggctgaaga acattctcgc cgagctgcac 2040
gggcattacg cgggcacccg gatttctgag gccaaagcaca aatacattca aatctgtcag 2100
cgacaccgat attttgagc gcatgtgcat cgtgtgttcc gaacgaagcc aacatcagct 2160
cagcgagcat ctccggttca tcctgatact gggctatcgc tttggattgg aattatgcca 2220
cgtggaatat cgatttatga gcagcaggga ggagcccgtg aggtgattgc cgagcatgtt 2280
tgcccgagca cgcagaccct gcaattcgat aagaagcgat ttgtgattgt tgccgttggg 2340
gctcacgatg agcaaattga gagcacattt tatacggatc atcactcgaa atcctcctat 2400
ttcgtgcgat tcgccgcctc ccaacatcgt tggatgatga agatgcgtca gtggaagagc 2460
acgtccggc acgagaatac gattcaggcg atgccagacg tgattgttga agggcagact 2520
atcccgccgg cgctatacag gcaaggtctc gaagaatcac ctccatcaac tccactgctc 2580
gcctctgccc atcagatctt tgcgaaaatg tcagtgaacc aggaaaaacc ggcggccaac 2640
cgaccgccc aactgccacc accggcaccg tcgtcgaaat tcgcggtca atatgatacg 2700
gttgatgaag gaattgtttg tgattcccaa gctgaaaact ttgagcgcgt cgactcgact 2760
gacaacggga acgtgacgcc acgtggcatg caatttgaca ttttgctcgt gaaagacccc 2820
gccaacggtc tgggtcttac ctagtcgac gggaatctca acggagtcc aggagtgtat 2880
gtgaagcttg tcgccgacaa tggagccgga atgaaagcgg taagaattcg aaatttcagt 2940
caatatccct tttcctcggg gtgtacacta gagttgtgta aatctacaca taacgttttt 3000
tcgattatct ctgaaaaatc gtaa 3024

```

<210> 28

<211> 1007

<212> PRT

<213> *Caenorhabditis elegans*

<400> 28

Met Glu Arg His Gly Ser Glu Leu Gln Gly Glu Val Val Phe Thr Thr
1 5 10 15

45

Thr Ser Thr Ala Asn Asn Asn Val Lys Arg Ala Val Glu Tyr Phe Glu
 20 25 30
 Asp Asp Asn Gln Asp Asp Ala Leu Thr Ser Thr Ser Ser Gly Asn Ser
 35 40 45
 Thr Gln Lys Glu Ser Ser Pro Phe Thr Asp Phe Asp Asp Val Pro Pro
 50 55 60
 Pro Pro Val Ala Pro Glu Thr Pro Ala Pro Ala Gln Asn Arg Arg Glu
 65 70 75 80
 Ser Ala Ser Pro Glu Arg Gln Phe Leu Asp Glu Ser His Leu Gly Gly
 85 90 95
 Ile Gly Ser Pro Leu Ser Gln Ser Thr Arg Leu Asp Glu Thr Phe Ile
 100 105 110
 Glu Glu Tyr Ser Ile Glu Leu Asp Thr Ser Gly Lys Asn Asn Ile Ser
 115 120 125
 Ser Ala Ala Ser Pro Gly Pro Lys Ser Pro Phe Asp Asp Asp Phe Thr
 130 135 140
 Asp Thr Ala Ala Pro Val Ala Pro Pro Pro Ala Pro Thr Lys Ala Ala
 145 150 155 160
 Glu Glu Tyr Arg Arg Gln Pro His Gln Asn Pro Phe Asp Glu Glu Glu
 165 170 175
 Glu Glu Glu Ser Gln Phe Gly Gly Gly Thr Leu Ser Gly Arg Asp Pro
 180 185 190
 Phe Asp Glu Asp Ser Gly Asn Ser Asn Glu Asn Gln Leu Arg Glu Lys
 195 200 205
 Lys Leu His Lys Lys Glu Gln Leu Ala His Arg Leu Ser Ser Ser Ser
 210 215 220
 Glu Glu Ile Val Glu Ala Ser Ile His Glu Asp Glu Pro Ile Val Met
 225 230 235 240
 Ala Gln Ile Pro Glu Glu Lys Pro Lys Pro Lys Ala Ile Pro Ala Phe
 245 250 255
 Asp Asn Ala Tyr Asp Ala Asp Phe Asp Asn Ser Pro Pro Leu His His
 260 265 270
 Tyr Ser Ala Val His Leu Glu Thr Gly Leu Ser Pro Leu Glu Glu Ala
 275 280 285
 Gln Arg Ala Leu Arg Ala Asn Arg Ala Arg His Lys Pro Ser Asn Val
 290 295 300
 Ser Leu Ala Glu Glu Ala Lys Leu Ala Ala Arg Gln Arg Tyr Ser Asn
 305 310 315 320

Ala Ser Asp Ile Arg Arg Glu Glu Glu Glu Glu Val Val Glu Glu Asp
 325 330 335

Pro Ala Val Val Val Pro Val Leu Arg Lys Asp Leu Glu Val Glu Glu
 340 345 350

Ala Pro Lys Ser Val Arg Pro Pro Arg Tyr Arg Lys Ser Arg Glu Ile
 355 360 365

Glu Glu Pro Val Val Val Asp Arg Phe Val Glu Glu Glu Val Asp Glu
 370 375 380

Lys Glu Asp Ile Asp Ala Ile Phe Glu Lys Tyr Arg Lys Thr Ser Val
 385 390 395 400

Ser Ala Asp Pro Lys Ser His Thr Pro Ile Leu Met Ala Asp Glu Tyr
 405 410 415

Lys Glu Pro Gln Lys Gln Val Pro Ala Pro Val Val Val Ala Gln Glu
 420 425 430

Ser Pro Ile Leu Lys Arg Arg Asn Ser Leu Val Pro Ser Arg Ile Ser
 435 440 445

Gly Arg Gln Ser Thr Arg Arg Ser Val Thr Ser Val Arg Ser Met Arg
 450 455 460

Gly Lys Arg Lys Thr Arg Ala Ile Pro Glu Phe Phe Asp Leu Thr Arg
 465 470 475 480

His Gln Asn Ile Arg Leu Arg Ala Pro Ala Thr Lys Lys Lys Arg Ile
 485 490 495

Ser Leu His Arg Val Glu Asp Thr Glu Val Val Val Glu Leu Leu Asn
 500 505 510

Gly Gln Lys Val Glu Val Ala Cys Arg Ser Asp Val Ile Ser Arg Asp
 515 520 525

Val Phe Ser Leu Ile Val Gln Asn Met Asn Ile Asn Glu His Val Phe
 530 535 540

Phe Gly Leu Ser Phe Leu Arg Asp Gly Glu His Tyr Phe Ile Glu Asp
 545 550 555 560

His Gln Arg Leu Glu Lys Phe Ala Pro Ser Gly Trp Lys Ser Val Ala
 565 570 575

Arg Val Gly Val Lys Val Pro Tyr Val Leu His Leu Arg Phe Lys Phe
 580 585 590

Tyr Pro Gln Ile Leu Asp Phe Ile Lys Thr Asp Val Thr Met Asn Glu
 595 600 605

Leu Tyr Leu Gln Cys Arg Arg Asp Val Leu Glu Glu Arg Ile Gln Pro
 610 615 620

Lys Arg Asp Ala Ala Phe Glu Leu Ala Ala Leu Ala Leu Gln Ala Glu

47

625					630						635				640
Phe	Gly	Asn	Arg	Pro	Pro	Pro	Val	Ile	Thr	Asp	Tyr	Phe	Asp	Ile	Gln
				645					650					655	
His	Tyr	Leu	Pro	Lys	Lys	Tyr	Ser	Ser	Phe	Glu	Asp	Gln	Ser	Arg	Leu
			660					665					670		
Lys	Asn	Ile	Leu	Ala	Glu	Leu	His	Gly	His	Tyr	Ala	Gly	Thr	Arg	Ile
		675					680					685			
Ser	Glu	Ala	Lys	His	Lys	Tyr	Ile	Gln	Ile	Cys	Gln	Arg	His	Pro	Asp
	690					695					700				
Phe	Gly	Ala	His	Val	His	Arg	Val	Phe	Arg	Thr	Lys	Pro	Thr	Ser	Ala
705					710					715					720
His	Gly	Ala	Ser	Pro	Phe	Asp	Pro	Asp	Thr	Gly	Ser	Ser	Leu	Trp	Ile
				725					730					735	
Gly	Ile	Met	Pro	Arg	Gly	Ile	Ser	Ile	Tyr	Glu	Gln	Gln	Gly	Gly	Ala
			740					745					750		
Arg	Glu	Val	Ile	Ala	Glu	His	Val	Trp	Pro	Gln	Thr	Gln	Thr	Leu	Gln
		755					760					765			
Phe	Asp	Lys	Lys	Arg	Phe	Val	Ile	Val	Ala	Val	Gly	Ala	His	Asp	Glu
	770					775					780				
Gln	Ile	Glu	Ser	Thr	Phe	Tyr	Thr	Asp	His	His	Ser	Lys	Ser	Ser	Tyr
785					790					795					800
Phe	Val	Arg	Phe	Ala	Ala	Ser	Gln	His	Arg	Trp	Met	Met	Lys	Met	Arg
				805					810					815	
Gln	Trp	Lys	Ser	Thr	Leu	Arg	His	Glu	Asn	Thr	Ile	Gln	Ala	Met	Pro
			820					825					830		
Asp	Val	Ile	Val	Glu	Gly	Gln	Thr	Ile	Pro	Pro	Ala	Pro	Ile	Arg	Gln
		835					840					845			
Gly	Leu	Glu	Glu	Ser	Pro	Pro	Ser	Thr	Pro	Leu	Leu	Ala	Ser	Ala	Asp
	850					855					860				
Gln	Ile	Phe	Ala	Lys	Met	Ser	Val	Ser	Gln	Glu	Lys	Pro	Ala	Ala	Asn
865					870					875					880
Arg	Pro	Ala	Glu	Leu	Pro	Pro	Pro	Ala	Pro	Ser	Ser	Lys	Phe	Ala	Ala
				885					890					895	
Gln	Tyr	Asp	Thr	Val	Asp	Glu	Gly	Ile	Val	Cys	Asp	Ser	Gln	Ala	Glu
			900					905					910		
Asn	Phe	Glu	Arg	Val	Asp	Ser	Thr	Asp	Asn	Gly	Asn	Val	Thr	Pro	Arg
		915					920					925			
Gly	Met	Gln	Phe	Asp	Ile	Leu	Leu	Val	Lys	Asp	Pro	Ala	Asn	Gly	Leu
	930					935					940				

48

Gly Leu Thr Leu Val Asp Gly Asn Leu Asn Gly Val Pro Gly Val Tyr
 945 950 955 960

Val Lys Leu Val Ala Asp Asn Gly Ala Gly Met Lys Ala Val Arg Ile
 965 970 975

Arg Asn Phe Ser Gln Tyr Pro Phe Ser Ser Gly Cys Thr Leu Glu Leu
 980 985 990

Cys Lys Ser Thr His Asn Val Phe Ser Ile Ile Ser Glu Lys Ser
 995 1000 1005

<210> 29
 <211> 1311
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 29
 aaaccgaagg ctatcccggc ttttgataac gcctatgacg ccgactttga caattcccca 60
 ccacttcacg attactcggc ggttcatttg gaaactgggc tctcaccgct tgaggaggct 120
 cagagagctc tccgagccaa ccgagcaagg cataagccgt cgaatgtatc gttggcagag 180
 gaggcgaagc ttgctgccag acagagatac tcgaatgcat cggatattag aagagaagag 240
 gaggaagaag tgggtggaaga agatccagca gtggtagttc cagttctacg gaaggatctg 300
 gaagttgagg aggctccgaa atcggtacga ccgcctagat atcggaagtc aagggaatt 360
 gaggaaccgg tggttgttga tcggtttgtt gaggaagaag ttgatgagaa ggaggatatt 420
 gatgcgattt ttgagaaata tcgaaagacg tctgtatccg ccgatccaaa atctcacacg 480
 ccgattttga tggccgacga gtacaaagaa ccacagaagc aagtgcctgc accagttgtc 540
 gttgctcagg agtcgccgat cttaaaacga agaaactctc tagtaccatc aaggatcagt 600
 ggaaggcagt cgacgcggcg aagtgtcacc agtggttcgga gtatgagagg aaaacggaag 660
 acccggtgca ttcccgagtt ctccgaccta acccgacatc agaacattcg gctccgtgct 720
 ccagctacga aaaagaaacg cataagccta caccgcgtcg aggacaccga agtcgtcgtc 780
 gagctcctga acggccaaaa agttgaagtg gcatgccgaa gtgacgtcat ctcgcgtgac 840
 gtgttctctc ttatcgtcca gaacatgaat atcaatgagc acgtgttctt cgggctctcg 900
 ttccttcgtg atggcgagca ctactttata gaggatcatc aacggctcga aaagtttga 960
 ccgtccggat ggaaaagtgt ggcacgcgtg ggcgttaagg tgccatacgt gttgcactta 1020
 cgattcaaat tttatccgca gattttggat ttcataaaaa cagacgtaac gatgaacgag 1080
 ttgtatctac aatgtagacg agacgtactc gaagagagaa tccaacccaa aagagacgca 1140
 gcattcgaac tcgccgcgct cgccctccaa gccgaatttg gaaatcgacc gccaccggtg 1200
 atcaccgatt atttcgatat tcaacactac ctgccaaga agtatagctc atttgaagat 1260
 cagtcacggc tgaagaacat tctcgccgag ctgcacgggc attacgcggg c 1311

<210> 30
 <211> 437
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 30
 Lys Pro Lys Ala Ile Pro Ala Phe Asp Asn Ala Tyr Asp Ala Asp Phe
 1 5 10 15

Asp Asn Ser Pro Pro Leu His His Tyr Ser Ala Val His Leu Glu Thr
 20 25 30

Gly Leu Ser Pro Leu Glu Glu Ala Gln Arg Ala Leu Arg Ala Asn Arg
 35 40 45

49

Ala Arg His Lys Pro Ser Asn Val Ser Leu Ala Glu Glu Ala Lys Leu
50 55 60

Ala Ala Arg Gln Arg Tyr Ser Asn Ala Ser Asp Ile Arg Arg Glu Glu
65 70 75 80

Glu Glu Glu Val Val Glu Glu Asp Pro Ala Val Val Val Pro Val Leu
85 90 95

Arg Lys Asp Leu Glu Val Glu Glu Ala Pro Lys Ser Val Arg Pro Pro
100 105 110

Arg Tyr Arg Lys Ser Arg Glu Ile Glu Glu Pro Val Val Val Asp Arg
115 120 125

Phe Val Glu Glu Glu Val Asp Glu Lys Glu Asp Ile Asp Ala Ile Phe
130 135 140

Glu Lys Tyr Arg Lys Thr Ser Val Ser Ala Asp Pro Lys Ser His Thr
145 150 155 160

Pro Ile Leu Met Ala Asp Glu Tyr Lys Glu Pro Gln Lys Gln Val Pro
165 170 175

Ala Pro Val Val Val Ala Gln Glu Ser Pro Ile Leu Lys Arg Arg Asn
180 185 190

Ser Leu Val Pro Ser Arg Ile Ser Gly Arg Gln Ser Thr Arg Arg Ser
195 200 205

Val Thr Ser Val Arg Ser Met Arg Gly Lys Arg Lys Thr Arg Ala Ile
210 215 220

Pro Glu Phe Phe Asp Leu Thr Arg His Gln Asn Ile Arg Leu Arg Ala
225 230 235 240

Pro Ala Thr Lys Lys Lys Arg Ile Ser Leu His Arg Val Glu Asp Thr
245 250 255

Glu Val Val Val Glu Leu Leu Asn Gly Gln Lys Val Glu Val Ala Cys
260 265 270

Arg Ser Asp Val Ile Ser Arg Asp Val Phe Ser Leu Ile Val Gln Asn
275 280 285

Met Asn Ile Asn Glu His Val Phe Phe Gly Leu Ser Phe Leu Arg Asp
290 295 300

Gly Glu His Tyr Phe Ile Glu Asp His Gln Arg Leu Glu Lys Phe Ala
305 310 315 320

Pro Ser Gly Trp Lys Ser Val Ala Arg Val Gly Val Lys Val Pro Tyr
325 330 335

Val Leu His Leu Arg Phe Lys Phe Tyr Pro Gln Ile Leu Asp Phe Ile
340 345 350

Lys Thr Asp Val Thr Met Asn Glu Leu Tyr Leu Gln Cys Arg Arg Asp

50

355	360	365	
Val Leu Glu Glu Arg Ile Gln Pro Lys Arg Asp Ala Ala Phe Glu Leu			
370	375	380	
Ala Ala Leu Ala Leu Gln Ala Glu Phe Gly Asn Arg Pro Pro Pro Val			
385	390	395	400
Ile Thr Asp Tyr Phe Asp Ile Gln His Tyr Leu Pro Lys Lys Tyr Ser			
	405	410	415
Ser Phe Glu Asp Gln Ser Arg Leu Lys Asn Ile Leu Ala Glu Leu His			
	420	425	430
Gly His Tyr Ala Gly			
435			

<210> 31

<211> 2574

<212> DNA

<213> Caenorhabditis elegans

<400> 31

atgcctgcta	atgagctttt	cggagattct	gatccggaag	gggatgaaat	ttttgaaaga	60
gttcgaaagg	tgcaaccaa	gtcgatcaat	gtaactgaga	atcaaaaagg	agaccctatg	120
cgtaaagtca	aaatcgagct	tcaagctgtt	ttggttgagg	aaaaaatacc	aattagtaca	180
gaagaaatca	gacggcgtct	gctggattct	tatggtgcat	gtcctgatcc	gaaaagatat	240
aactgttcga	ctttggacga	tcttcttcaa	gcatgctcgg	agtcaattgt	acacactttc	300
ggccgtgatg	gaatacaccg	atatggggcca	agaactactg	aagccaacca	agatattatc	360
gaaatggtcc	agcagcagtc	gagctcaaaa	cgcccgcccc	gctcgttttt	aggttcagga	420
gctactaata	acctcagcac	tcattgggtca	tcattccggg	cattcagagg	tccgtatgag	480
tcagaggaaa	tcgctaaatc	gagaggaaca	cctgagcaat	tcaaagcaag	acacaagttg	540
ggtccagcaa	aaacaatttc	tcgcgtaaaa	aaccttgacg	aggttttgaa	agaatatgct	600
gatgagatag	gagtttcaca	tcctgatgag	ccaaatcgca	agattgtaac	actggcagct	660
cttgccaata	agttcaaaca	gttgtattgt	ttaccagcat	ggggaaagaa	catatcgga	720
agtgaactat	acattcagct	caatgttctc	cctttcaacg	aatatctgca	tttctggcgt	780
cttagcgaaa	aaggtgacat	cttcgttgat	tgtattgacg	gtgacaatgc	cgatccaaact	840
caaaaaagtg	aacaaaatcc	gtcagcagat	gtttctattc	aatctgaatc	ttttggcggt	900
aaaagttcag	cttcagcgtt	tgaacaatct	gtagtatccg	ctccttcaac	tattagagat	960
caaacatccg	attcctttga	cggtttcaac	agtttcgaag	tgccccaga	aaatggaagc	1020
aaagattcaa	aaattttcaa	ctcgaatcaa	gaaagcatcg	atgactatcc	aggaaatgct	1080
atatctcgag	atcgaaccgc	tgatatgacc	gacattgcat	tgcgcttttg	aactgtctct	1140
gtggcaagcc	aacaatgtcc	ggtatcttcg	tcactcgttc	cacaaaatgg	aattcttcgt	1200
cagtcgcgtg	ctcaagaaga	cgacaacaac	acatctattc	taactattca	atcatctcgt	1260
cgcaatcatt	cagtgcctcg	tcacgtagcg	atcaagcctc	gcaatccaac	acaaaatctt	1320
gctgaagtcg	taaaaactca	tggtagcatt	ccttatgaag	cgcttttcgga	ttgtgataag	1380
attatcgtcg	acttaggaaa	gaacattttc	aaagtttatg	caactcaacc	tggagaaatg	1440
atggtccgcc	tttgtgatcc	ccacgttgac	acgactacat	tgccactcct	agagaacaat	1500
cttcgggatc	ctgtcgagtc	tgatttacgt	tggatgacac	tgggaaattc	ccatatcaag	1560
aaacaatctg	ttaaagtggg	caagcctgca	atgttttattg	cgccacgcgg	atttttgttg	1620
attttaaaag	atgaagaacg	tgaagaaatg	gacgttgaaa	aggttgctac	tatggggaat	1680
atattgaggg	ccgtgatggt	agcgcctatt	gtggagctcc	agcgtgaaac	cgtccgcacg	1740
ggatcagctg	cagtctacgt	ttatcgacaa	ggagcggagg	tgcgctatta	tagagtgttg	1800
atagttggac	aagctaaaca	agatggtgaa	gtgttggttt	tgttggtgta	tgtcgatgat	1860
caatatcttcg	tggatgtaca	tctatctcat	ttgttcccga	ttccggaaga	agccagcttc	1920
aaacactttc	cctcgaatgt	tgtattcgca	acattgcatg	gagtactggg	tttgacgctt	1980
tctgagcagg	atgtgatggt	cgaaaacatt	gataatgatg	atacaaaacg	atttgtgggt	2040

51

```

ggatattttc atggaaacga tgacagaatt cttaacatcg atatggtttg gaaaaatgag 2100
cgtgggtcaat ttgagtggct ttcacaaatt gtcaagagac gtggagcagt tacttcgtcc 2160
gatgccaaca tcattcactt tccacattct gcactcgatg tgataaagtc tgttggacca 2220
gattgttcgg tgtgctttgt cgactattca gttcgtgatg aatctgcaac atcttcattg 2280
atggaatcga ctagaattgt tcatgatagt cgtgaatcta tgacaactac ttatgttggt 2340
gagatgccaa gcccaattat cgaagaaatc gatgcaacat cttcatttga cccaaaactc 2400
ttgaatctcc attcattggt cgataagtta atcgaggacc agaattgttc tatgattgtg 2460
gggatgttcc aattcgttcg aagtttgaag gatttattcg gcgataacaa tgaatgggaa 2520
cgcttgctca cgtacatgct cactgactggt aaaaacaata acattcgtct ctga 2574

```

<210> 32

<211> 857

<212> PRT

<213> Caenorhabditis elegans

<400> 32

```

Met Pro Ala Asn Glu Leu Phe Gly Asp Ser Asp Pro Glu Gly Asp Glu
  1                      5                      10                      15

Ile Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr
                20                      25                      30

Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln
                35                      40                      45

Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg
                50                      55                      60

Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr
  65                      70                      75                      80

Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile
                85                      90                      95

Val His Thr Phe Gly Arg Asp Gly Ile His Arg Tyr Gly Pro Arg Thr
                100                      105                      110

Thr Glu Ala Asn Gln Asp Ile Ile Glu Met Val Gln Gln Gln Ser Ser
                115                      120                      125

Ser Lys Arg Pro Ala Arg Ser Phe Leu Gly Ser Gly Ala Thr Asn Asn
  130                      135                      140

Leu Ser Thr His Gly Ser Ser Phe Arg Ala Phe Arg Gly Pro Tyr Ala
  145                      150                      155                      160

Ser Glu Glu Ile Ala Lys Ser Arg Gly Thr Pro Glu Gln Phe Lys Ala
                165                      170                      175

Arg His Lys Leu Gly Pro Ala Lys Thr Ile Ser Arg Val Lys Asn Leu
                180                      185                      190

Ala Glu Val Leu Lys Glu Tyr Ala Asp Glu Ile Gly Val Ser His Pro
                195                      200                      205

Asp Glu Pro Asn Arg Lys Ile Val Thr Leu Ala Ala Leu Ala Asn Lys
  210                      215                      220

```

52

Phe	Lys	Gln	Leu	Tyr	Cys	Leu	Pro	Ala	Trp	Gly	Lys	Asn	Ile	Ser	Glu
225					230					235					240
Ser	Glu	Leu	Tyr	Ile	Gln	Leu	Asn	Val	Pro	Pro	Phe	Asn	Glu	Tyr	Leu
				245					250					255	
His	Phe	Trp	Arg	Leu	Ser	Glu	Lys	Gly	Asp	Ile	Phe	Val	Asp	Cys	Ile
			260					265					270		
Asp	Arg	Asp	Asn	Ala	Asp	Pro	Thr	Gln	Lys	Ser	Glu	Gln	Asn	Pro	Ser
		275					280					285			
Ala	Asp	Val	Ser	Ile	Gln	Ser	Glu	Ser	Phe	Gly	Gly	Lys	Ser	Ser	Ala
	290					295					300				
Ser	Ala	Phe	Glu	Gln	Ser	Val	Val	Ser	Ala	Pro	Ser	Thr	Ile	Arg	Asp
305					310					315					320
Gln	Thr	Ser	Asp	Ser	Phe	Asp	Gly	Phe	Asn	Ser	Phe	Glu	Val	Pro	Pro
				325					330					335	
Glu	Asn	Gly	Ser	Lys	Asp	Ser	Lys	Ile	Phe	Asn	Ser	Asn	Gln	Glu	Ser
			340					345					350		
Ile	Asp	Asp	Tyr	Pro	Gly	Asn	Ala	Ile	Ser	Arg	Asp	Arg	Thr	Ala	Asp
		355					360					365			
Met	Thr	Asp	Ile	Ala	Leu	Arg	Phe	Gly	Thr	Val	Ser	Val	Ala	Ser	Gln
	370					375					380				
Gln	Cys	Pro	Val	Ser	Ser	Ser	Leu	Val	Pro	Gln	Asn	Gly	Ile	Leu	Arg
385					390					395					400
Gln	Ser	Arg	Ala	Gln	Glu	Asp	Asp	Asn	Asn	Thr	Ser	Ile	Leu	Thr	Ile
				405					410					415	
Gln	Ser	Ser	Arg	Arg	Asn	His	Ser	Val	Leu	Arg	His	Arg	Thr	Ile	Lys
			420					425					430		
Pro	Arg	Asn	Pro	Thr	Gln	Asn	Leu	Ala	Glu	Val	Val	Lys	Thr	His	Gly
		435					440					445			
Ser	Ile	Pro	Tyr	Glu	Ala	Leu	Ser	Asp	Cys	Asp	Lys	Ile	Ile	Val	Asp
	450					455				460					
Leu	Gly	Lys	Asn	Ile	Phe	Lys	Val	Tyr	Ala	Thr	Gln	Pro	Gly	Glu	Met
465					470					475					480
Met	Val	Arg	Leu	Cys	Asp	Pro	His	Val	Asp	Thr	Thr	Thr	Leu	Pro	Leu
				485					490					495	
Leu	Glu	Asn	Asn	Leu	Arg	Asp	Pro	Val	Glu	Ser	Asp	Leu	Arg	Trp	Met
			500					505					510		
Thr	Leu	Gly	Asn	Ser	His	Ile	Lys	Lys	Gln	Ser	Val	Lys	Val	Val	Lys
		515					520					525			
Pro	Ala	Met	Phe	Ile	Ala	Pro	Arg	Gly	Phe	Leu	Leu	Ile	Leu	Lys	Asp

53

530	535	540
Glu Glu Arg Glu Glu Met Asp Val Glu Lys Val Ala Thr Met Gly Asn		
545	550	555 560
Ile Leu Arg Ala Val Met Val Ala Pro Ile Val Glu Leu Gln Arg Glu		
	565	570 575
Thr Val Arg Thr Gly Ser Ala Ala Val Tyr Val Tyr Arg Gln Gly Ala		
	580	585 590
Glu Val Arg Tyr Tyr Arg Val Leu Ile Val Gly Gln Ala Lys Gln Asp		
	595	600 605
Gly Glu Val Leu Val Leu Leu Ala Asp Val Asp Asp Gln Tyr Phe Val		
610	615	620
Asp Val His Leu Ser His Leu Phe Pro Ile Pro Glu Glu Ala Ser Phe		
625	630	635 640
Lys His Phe Pro Ser Asn Val Val Phe Ala Thr Leu His Gly Val Leu		
	645	650 655
Gly Leu Thr Leu Ser Glu Gln Asp Val Met Phe Glu Asn Ile Asp Asn		
	660	665 670
Asp Asp Thr Lys Arg Phe Val Gly Gly Tyr Phe His Gly Asn Asp Asp		
	675	680 685
Arg Ile Leu Asn Ile Asp Met Val Trp Lys Asn Glu Arg Gly Gln Phe		
690	695	700
Glu Trp Leu Ser Gln Ile Val Lys Arg Arg Gly Ala Val Thr Ser Ser		
705	710	715 720
Asp Ala Asn Ile Ile His Phe Pro His Ser Ala Leu Asp Val Ile Lys		
	725	730 735
Ser Val Gly Pro Asp Cys Ser Val Cys Phe Val Asp Tyr Ser Val Arg		
	740	745 750
Asp Glu Ser Ala Thr Ser Ser Leu Met Glu Ser Thr Arg Ile Val His		
	755	760 765
Asp Ser Arg Glu Ser Met Thr Thr Thr Tyr Val Gly Glu Met Pro Ser		
770	775	780
Pro Ile Ile Glu Glu Ile Asp Ala Thr Ser Ser Phe Asp Pro Lys Leu		
785	790	795 800
Leu Asn Leu His Ser Leu Phe Asp Lys Leu Ile Glu Glu Gln Asn Val		
	805	810 815
Thr Met Ile Val Gly Met Phe Gln Phe Val Arg Ser Leu Lys Asp Leu		
	820	825 830
Phe Gly Asp Asn Asn Glu Trp Glu Arg Leu Leu Thr Tyr Met Leu Thr		
	835	840 845

Thr Gly Lys Asn Asn Asn Ile Arg Leu
850 855

<210> 33
<211> 1587
<212> DNA
<213> Caenorhabditis elegans

<400> 33
atttttgaaa gagttcgaaa ggtgcaacca aagtcgatca atgtaactga gaatcaaaag 60
gtagacccta tgcgtaaagt caaaatcgag cttcaagctg ttttggttgc ggaaaaaata 120
ccaattagta cagaagaaat cagacggcgt ctgctggatt cttatggtgc atgtcctgat 180
ccgaaaagat ataactgttc gactttggac gatcttcttc aagcatgctc ggagtcaatt 240
gtacacactt tcggccgtga tggaatacac cgatatgggc caagaactac tgaagccaac 300
caagatatta tcgaaatggg ccagcagcag tcgagctcaa aacgcccggc ccgctcgttt 360
ttaggttcag gagctactaa taacctcagc actcatgggt catcattccg ggcattcaga 420
ggtccgtatg cgtcagagga aatcgctaaa tcgagaggaa cacctgagca attcaaagca 480
agacacaagt tgggtccagc aaaaacaatt tctcgcgtaa aaaaccttgc agaggttttg 540
aaagaatatg ctgatgagat aggagtttca catcctgatg agccaaatcg caagattgta 600
acactggcag ctcttgccaa taagttcaaa cagttgtatt gtttaccagc atggggaaaag 660
aacatatcgg aaagtgaact atacattcag ctcaatgttc ctcttttcaa cgaatatctg 720
catttctggc gtcttagcga aaaaggtgac atcttcgttg attgtattga tcgtgacaat 780
gccgatccaa ctcaaaaaag tgaacaaaat ccgtcagcag atgtttctat tcaatctgaa 840
tcttttggcg gtaaaagttc agcttcagcg tttgaacaat ctgtagtata cgctccttca 900
actattagag atcaaacatc cgattccttt gacgggttca acagtttcga agtgcccca 960
gaaaatggaa gcaaagattc aaaaattttc aactcgaatc aagaaagcat cgatgactat 1020
ccaggaaatg ctatatctcg agatcgaacc gctgatatga ccgacattgc attgcgcttt 1080
ggaactgtct ctgtggcaag ccaacaatgt ccggtatctt cgtcactcgt tccacaaaat 1140
ggaattcttc gtcagtcgcg tgctcaagaa gacgacaaca acacatctat tctaactatt 1200
caatcatctc gtcgcaatca ttcagtgtct cgtcatcgta cgatcaagcc tcgcaatcca 1260
acacaaaatc ttgctgaagt cgtaaaaaact catggttagca ttccttatga agcgctttcg 1320
gattgtgata agattatcgt cgacttagga aagaacattt tcaaagttta tgcaactcaa 1380
cctggagaaa tgatgggtccg cctttgtgat ccccaggttg acacgactac attgccactc 1440
ctagagaaca atcttcggga tcctgtcgag tctgatttac gttggatgac actgggaaat 1500
tcccatatca agaaacaatc tgttaaagtg gtcaagcctg caatgtttat tgcgccacgc 1560
ggatttttgt tgatttttaa agatgaa 1587

<210> 34
<211> 529
<212> PRT
<213> Caenorhabditis elegans

<400> 34
Ile Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr
1 5 10 15
Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln
20 25 30
Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg
35 40 45
Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr
50 55 60
Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile

65						70						55						75						80
Val	His	Thr	Phe	Gly	Arg	Asp	Gly	Ile	His	Arg	Tyr	Gly	Pro	Arg	Thr									
				85					90					95										
Thr	Glu	Ala	Asn	Gln	Asp	Ile	Ile	Glu	Met	Val	Gln	Gln	Gln	Ser	Ser									
			100					105					110											
Ser	Lys	Arg	Pro	Ala	Arg	Ser	Phe	Leu	Gly	Ser	Gly	Ala	Thr	Asn	Asn									
			115				120					125												
Leu	Ser	Thr	His	Gly	Ser	Ser	Phe	Arg	Ala	Phe	Arg	Gly	Pro	Tyr	Ala									
	130					135					140													
Ser	Glu	Glu	Ile	Ala	Lys	Ser	Arg	Gly	Thr	Pro	Glu	Gln	Phe	Lys	Ala									
	145				150					155					160									
Arg	His	Lys	Leu	Gly	Pro	Ala	Lys	Thr	Ile	Ser	Arg	Val	Lys	Asn	Leu									
				165					170					175										
Ala	Glu	Val	Leu	Lys	Glu	Tyr	Ala	Asp	Glu	Ile	Gly	Val	Ser	His	Pro									
			180					185					190											
Asp	Glu	Pro	Asn	Arg	Lys	Ile	Val	Thr	Leu	Ala	Ala	Leu	Ala	Asn	Lys									
		195					200					205												
Phe	Lys	Gln	Leu	Tyr	Cys	Leu	Pro	Ala	Trp	Gly	Lys	Asn	Ile	Ser	Glu									
	210					215					220													
Ser	Glu	Leu	Tyr	Ile	Gln	Leu	Asn	Val	Pro	Pro	Phe	Asn	Glu	Tyr	Leu									
	225				230					235					240									
His	Phe	Trp	Arg	Leu	Ser	Glu	Lys	Gly	Asp	Ile	Phe	Val	Asp	Cys	Ile									
				245					250					255										
Asp	Arg	Asp	Asn	Ala	Asp	Pro	Thr	Gln	Lys	Ser	Glu	Gln	Asn	Pro	Ser									
			260					265					270											
Ala	Asp	Val	Ser	Ile	Gln	Ser	Glu	Ser	Phe	Gly	Gly	Lys	Ser	Ser	Ala									
		275					280					285												
Ser	Ala	Phe	Glu	Gln	Ser	Val	Val	Ser	Ala	Pro	Ser	Thr	Ile	Arg	Asp									
	290					295					300													
Gln	Thr	Ser	Asp	Ser	Phe	Asp	Gly	Phe	Asn	Ser	Phe	Glu	Val	Pro	Pro									
	305				310					315				320										
Glu	Asn	Gly	Ser	Lys	Asp	Ser	Lys	Ile	Phe	Asn	Ser	Asn	Gln	Glu	Ser									
				325					330					335										
Ile	Asp	Asp	Tyr	Pro	Gly	Asn	Ala	Ile	Ser	Arg	Asp	Arg	Thr	Ala	Asp									
			340					345					350											
Met	Thr	Asp	Ile	Ala	Leu	Arg	Phe	Gly	Thr	Val	Ser	Val	Ala	Ser	Gln									
		355					360					365												
Gln	Cys	Pro	Val	Ser	Ser	Ser	Leu	Val	Pro	Gln	Asn	Gly	Ile	Leu	Arg									
	370					375					380													

56

Gln Ser Arg Ala Gln Glu Asp Asp Asn Asn Thr Ser Ile Leu Thr Ile
385 390 395 400

Gln Ser Ser Arg Arg Asn His Ser Val Leu Arg His Arg Thr Ile Lys
405 410 415

Pro Arg Asn Pro Thr Gln Asn Leu Ala Glu Val Val Lys Thr His Gly
420 425 430

Ser Ile Pro Tyr Glu Ala Leu Ser Asp Cys Asp Lys Ile Ile Val Asp
435 440 445

Leu Gly Lys Asn Ile Phe Lys Val Tyr Ala Thr Gln Pro Gly Glu Met
450 455 460

Met Val Arg Leu Cys Asp Pro His Val Asp Thr Thr Thr Leu Pro Leu
465 470 475 480

Leu Glu Asn Asn Leu Arg Asp Pro Val Glu Ser Asp Leu Arg Trp Met
485 490 495

Thr Leu Gly Asn Ser His Ile Lys Lys Gln Ser Val Lys Val Val Lys
500 505 510

Pro Ala Met Phe Ile Ala Pro Arg Gly Phe Leu Leu Ile Leu Lys Asp
515 520 525

Glu

<210> 35
<211> 1593
<212> DNA
<213> *Caenorhabditis elegans*

<400> 35
atgcgcattg tccgtacaca ccgcgacgag tttttacgga cattgtgctt gaacttgttt 60
tggtgtctgt tgatcaactc aattgagaaa tcaaaacaaa ttcaatcttc agcgtatttt 120
tttcgaaatt ctcaactctt cgccatcgaa aagttcaaaa gaaaacaaca aaaaatgcct 180
cgcggtctac ggagagcaga tttagtcaaa cgacatcgcc actcaacgac aggagacaaa 240
gacggaggag taccagaagt aataggatgc ccagtttttag atcctattat ctgccaatgt 300
ccaaaagatg agatcgagct tgggtgaagga gtcaagatga cgtgcacttg ggaatcatgc 360
ccgtactcta gtagaccact tcatcacata tgctatcaac tgctcgagga caatcttgtc 420
aagcgattag cctcactggg aagtgcacga ggatggacag tgccacaacg gaggaataac 480
ttatgggaga ggaaggggtca gtccctgatc ggaaagttct gccgatgtcg ctgcatcg 540
ggacaaatga ccagagacaa gcaggcttta tatgagaaag agaaggctgt ggaaaaagag 600
aagaagaaga aggccaaaga agcaaaaacaa ctgccccagc tacaatttaa ttctaaacct 660
ttggcagcta tcgaggagaa aaagcgagga gacgctgatg tattccactc accgtccatt 720
gcctcaagta cacggcatca cacattctcg acgacgacac gatcgcgact tcatactgat 780
cgttcggtct ctccattttt aacacacact attggaagaa cgtgggtccga atcttcggtt 840
gccggtgaaa caaatgggtca gtacgacaac aatcaggagc cacatccatc aaattgtgaa 900
tgcgtatttc atcacgatta cgacgctgac gatcaaatag atacggattt cgagtgtgaa 960
agcaatcaca gcgacgtaat agttccagct ccacttcac cacttcaggc gaaaagctat 1020
gcagcgacaa taatgagaaa cgggacaccg aaggttacaa attattcacc ggatagtggt 1080
ctcgatcagc aaactccaag gttttcattg tcttcttcga gtggaggaga tgtcgataat 1140
caacatggag acttcacgt ggaaactaga atttccgagc atctcaacgc gttgggactc 1200

57

```

agcataatgt cgccggtgga gaatgcgaat gaaaatgtca attatgaaga atcgccgttc 1260
taccgaggac tgacatcgac tccaatcgtc tcgaagaagc agcgggaacc tctccgagcg 1320
aaaaagagca catctgtctc gaagcttcca cttgctccgt cgtcacagct attcaatgaa 1380
gaatcgcggt gtggattcag attcaatgtg ccggttcgcg aaatgatgga catatggcaa 1440
gagtctggag ccttgtcgcc ggcaattcga gaaacacagg ctgaaaatac tgaaaaaaga 1500
gctgagaatg cgtcgggtgt actccaatat ggatggactc cattcttcgg caatggcttc 1560
aatctcggag agcgctctc ctacttccca tag 1593

```

<210> 36

<211> 530

<212> PRT

<213> *Caenorhabditis elegans*

<400> 36

```

Met Arg Ile Val Arg Thr His Arg Asp Glu Phe Leu Arg Thr Leu Cys
  1             5             10             15

```

```

Leu Asn Leu Phe Cys Cys Leu Leu Ile Asn Ser Ile Glu Lys Ser Lys
          20             25             30

```

```

Gln Ile Gln Ser Ser Ala Tyr Phe Phe Arg Asn Ser His Ser Phe Ala
      35             40             45

```

```

Ile Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg Gly Leu Arg
  50             55             60

```

```

Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr Gly Asp Lys
  65             70             75             80

```

```

Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu Asp Pro Ile
          85             90             95

```

```

Ile Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu Gly Val Lys
      100             105             110

```

```

Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg Pro Leu His
      115             120             125

```

```

His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys Arg Leu Ala
      130             135             140

```

```

Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg Arg Asn Asn
      145             150             155             160

```

```

Leu Trp Glu Arg Lys Gly Gln Ser Leu Ile Gly Lys Phe Cys Arg Cys
      165             170             175

```

```

Arg Cys Asp Arg Gly Gln Met Thr Arg Asp Lys Gln Ala Leu Tyr Glu
      180             185             190

```

```

Lys Glu Lys Ala Val Glu Lys Glu Lys Lys Lys Lys Ala Lys Lys Ala
      195             200             205

```

```

Lys Gln Leu Pro Gln Leu Gln Phe Asn Ser Lys Pro Leu Ala Ala Ile
      210             215             220

```

```

Glu Glu Lys Lys Arg Gly Asp Ala Asp Val Phe His Ser Pro Ser Ile
      225             230             235             240

```


58

Ala	Ser	Ser	Thr	Arg 245	His	His	Thr	Phe	Ser 250	Thr	Thr	Thr	Arg	Ser 255	Arg
Leu	His	Thr	Asp 260	Arg	Ser	Ala	Ser	Ser 265	Ile	Leu	Thr	His	Thr 270	Ile	Gly
Arg	Thr	Trp 275	Ser	Glu	Ser	Ser	Phe 280	Ala	Gly	Glu	Thr	Asn 285	Gly	Gln	Tyr
Asp	Asn 290	Asn	Gln	Glu	Pro	His 295	Pro	Ser	Asn	Cys	Glu 300	Cys	Val	Phe	His
His 305	Asp	Tyr	Asp	Ala	Asp 310	Asp	Gln	Ile	Asp 315	Thr	Asp	Phe	Glu	Cys	Glu 320
Ser	Asn	His	Ser	Asp 325	Val	Ile	Val	Pro	Ala 330	Pro	Leu	Pro	Pro	Leu 335	Gln
Ala	Lys	Ser	Tyr 340	Ala	Ala	Thr	Ile	Met 345	Arg	Asn	Gly	Thr	Pro 350	Lys	Val
Thr	Asn	Tyr 355	Ser	Pro	Asp	Ser	Gly 360	Leu	Asp	Gln	Gln	Thr 365	Pro	Arg	Phe
Ser 370	Leu	Ser	Ser	Ser	Ser	Gly 375	Gly	Asp	Val	Asp	Asn 380	Gln	His	Gly	Asp
Phe 385	His	Val	Glu	Thr	Arg 390	Ile	Ser	Glu	His	Leu 395	Asn	Ala	Leu	Gly	Leu 400
Ser	Ile	Met	Ser	Pro 405	Val	Glu	Asn	Ala	Asn 410	Glu	Asn	Val	Asn	Tyr	Glu 415
Glu	Ser	Pro	Phe 420	Tyr	Pro	Glu	Leu	Thr 425	Ser	Thr	Pro	Ile	Val 430	Ser	Lys
Lys	Gln	Arg 435	Glu	Pro	Leu	Arg	Ala 440	Lys	Lys	Ser	Thr	Ser	Val	Ser	Lys
Leu 450	Pro	Leu	Ala	Pro	Ser	Ser 455	Gln	Leu	Phe	Asn	Glu 460	Glu	Ser	Arg	Cys
Gly 465	Phe	Arg	Phe	Asn 470	Val	Pro	Val	Arg	Glu	Met 475	Met	Asp	Ile	Trp	Gln 480
Glu	Ser	Gly	Ala	Leu 485	Ser	Pro	Ala	Ile	Arg 490	Glu	Thr	Gln	Ala	Glu 495	Asn
Thr	Glu	Lys	Arg 500	Ala	Glu	Asn	Ala	Ser 505	Gly	Val	Leu	Gln	Tyr 510	Gly	Trp
Thr	Pro	Phe 515	Phe	Gly	Asn	Gly	Phe 520	Asn	Leu	Gly	Glu	Arg 525	Leu	Tyr	Tyr
Phe 530	Pro														

<210> 37
 <211> 1458
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 37
 tcttttcgcca tcgaaaagtt caaaagaaaa caacaaaaaa tgcctcgcg tctacggaga 60
 gcagatttag tcaaacgaca tcgccactca acgacaggag acaaagacgg aggagtacca 120
 gaagtaatag gatgcccagt tttagatcct attatctgcc aatgtccaaa agatgagatc 180
 gagcttggtg aaggagtcaa gatgacgtgc acttggggaat catgcccgtc ctctagtaga 240
 ccacttcatac acatatgcta tcaactgctc gaggacaatc ttgtcaagcg attagcctca 300
 ctgggaagtg caccgaggatg gacagtgccca caacggagga ataacttatg ggagaggaag 360
 ggtcagtccc tgatcggaag gttctgcccga tgtcgctgcg atcggggaca aatgaccaga 420
 gacaagcagg ctttatatga gaaagagaag gctgtggaaa aagagaagaa gaagaaggcc 480
 aagaaagcaa aacaactgcc ccagctacaa ttttaattcta aacctttggc agctatcgag 540
 gagaaaaagc gaggagacgc tgatgtattc cactcaccgt ccattgcctc aagtacacgg 600
 catcacacat tctcgacgac gacacgatcg cgacttcata ctgatcggtc ggcttcttcc 660
 attttaacac acactattgg aagaacgtgg tccgaatctt cgtttgccgg tgaaacaaat 720
 ggtcagtacg acaacaatca ggagccacat ccatacaatt gtgaatgcgt atttcacac 780
 gattacgacg ctgacgatca aatagatacg gatttcgagt gtgaaagcaa tcacagcgac 840
 gtaaatagttc cagctccact tccaccactt caggcgaaaa gctatgcagc gacaataatg 900
 agaaacggga caccgaaggt tacaaattat tcaccggata gtggtctcga tcagcaaaact 960
 ccaaggtttt cattgtcttc ttcgagtggg ggagatgtcg ataatacaac tggagacttc 1020
 cacgtggaaa ctagaatttc cgagcatctc aacgcgttgg gactcagcat aatgtcgccg 1080
 gtggagaatg cgaatgaaaa tgtcaattat gaagaatcgc cgttctaccc ggagctgaca 1140
 tcgactccaa tcgtctcgaa gaagcagcgg gaacctctcc gagcgaaaaa gagcacatct 1200
 gtctcgaagc ttccacttgc tccgtcgtca cagctattca atgaagaatc gcgttggtga 1260
 ttcagattca atgtgccggt tcgcgaaatg atggacatat ggcaagagtc tggagccttg 1320
 tcgccggcaa ttcgagaaac acaggctgaa aatactgaaa aaagagctga gaatgcgtcg 1380
 ggtgtactcc aatatggatg gactccattc ttcggcaatg gcttcaatct cggagagcgc 1440
 ctctactact tcccatag 1458

<210> 38
 <211> 485
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 38
 Ser Phe Ala Ile Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg
 1 5 10 15
 Gly Leu Arg Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr
 20 25 30
 Gly Asp Lys Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu
 35 40 45
 Asp Pro Ile Ile Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu
 50 55 60
 Gly Val Lys Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg
 65 70 75 80
 Pro Leu His His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys
 85 90 95
 Arg Leu Ala Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg

100						105						110					
Arg	Asn	Asn	Leu	Trp	Glu	Arg	Lys	Gly	Gln	Ser	Leu	Ile	Gly	Lys	Phe		
		115					120					125					
Cys	Arg	Cys	Arg	Cys	Asp	Arg	Gly	Gln	Met	Thr	Arg	Asp	Lys	Gln	Ala		
	130					135					140						
Leu	Tyr	Glu	Lys	Glu	Lys	Ala	Val	Glu	Lys	Glu	Lys	Lys	Lys	Lys	Ala		
145					150					155					160		
Lys	Lys	Ala	Lys	Gln	Leu	Pro	Gln	Leu	Gln	Phe	Asn	Ser	Lys	Pro	Leu		
				165					170					175			
Ala	Ala	Ile	Glu	Glu	Lys	Lys	Arg	Gly	Asp	Ala	Asp	Val	Phe	His	Ser		
			180					185					190				
Pro	Ser	Ile	Ala	Ser	Ser	Thr	Arg	His	His	Thr	Phe	Ser	Thr	Thr	Thr		
		195					200					205					
Arg	Ser	Arg	Leu	His	Thr	Asp	Arg	Ser	Ala	Ser	Ser	Ile	Leu	Thr	His		
		210				215					220						
Thr	Ile	Gly	Arg	Thr	Trp	Ser	Glu	Ser	Ser	Phe	Ala	Gly	Glu	Thr	Asn		
225					230					235					240		
Gly	Gln	Tyr	Asp	Asn	Asn	Gln	Glu	Pro	His	Pro	Ser	Asn	Cys	Glu	Cys		
				245					250					255			
Val	Phe	His	His	Asp	Tyr	Asp	Ala	Asp	Asp	Gln	Ile	Asp	Thr	Asp	Phe		
			260					265					270				
Glu	Cys	Glu	Ser	Asn	His	Ser	Asp	Val	Ile	Val	Pro	Ala	Pro	Leu	Pro		
		275					280					285					
Pro	Leu	Gln	Ala	Lys	Ser	Tyr	Ala	Ala	Thr	Ile	Met	Arg	Asn	Gly	Thr		
	290					295					300						
Pro	Lys	Val	Thr	Asn	Tyr	Ser	Pro	Asp	Ser	Gly	Leu	Asp	Gln	Gln	Thr		
305					310					315					320		
Pro	Arg	Phe	Ser	Leu	Ser	Ser	Ser	Ser	Ser	Gly	Gly	Asp	Val	Asp	Asn		
				325						330				335			
His	Gly	Asp	Phe	His	Val	Glu	Thr	Arg	Ile	Ser	Glu	His	Leu	Asn	Ala		
			340					345					350				
Leu	Gly	Leu	Ser	Ile	Met	Ser	Pro	Val	Glu	Asn	Ala	Asn	Glu	Asn	Val		
		355					360					365					
Asn	Tyr	Glu	Glu	Ser	Pro	Phe	Tyr	Pro	Glu	Leu	Thr	Ser	Thr	Pro	Ile		
	370					375					380						
Val	Ser	Lys	Lys	Gln	Arg	Glu	Pro	Leu	Arg	Ala	Lys	Lys	Ser	Thr	Ser		
					390					395					400		
Val	Ser	Lys	Leu	Pro	Leu	Ala	Pro	Ser	Ser	Gln	Leu	Phe	Asn	Glu	Glu		
				405					410					415			

61

Ser Arg Cys Gly Phe Arg Phe Asn Val Pro Val Arg Glu Met Met Asp
 420 425 430

Ile Trp Gln Glu Ser Gly Ala Leu Ser Pro Ala Ile Arg Glu Thr Gln
 435 440 445

Ala Glu Asn Thr Glu Lys Arg Ala Glu Asn Ala Ser Gly Val Leu Gln
 450 455 460

Tyr Gly Trp Thr Pro Phe Phe Gly Asn Gly Phe Asn Leu Gly Glu Arg
 465 470 475 480

Leu Tyr Tyr Phe Pro
 485

<210> 39

<211> 1056

<212> DNA

<213> *Caenorhabditis elegans*

<400> 39

```

atgcaaaaca cacagatatt tactaacttc gctcacagag cacatgatgg attaccgttt 60
aacagtgcga atccttccaa caaagatcca attttcacia tgccaatatc ggtcaaaccg 120
aaaactcgtg agccggcttc ttccacagat aacaggatat atgtcagcaa tattcccttc 180
tcgtttcgtg aacaagattt ggcggcaatg ttcttcgcat atggaagagt cctgagtgtg 240
gaaatcgtca caaatgatcg tggatccaaa gggttcgggt ttgtcacact cgattccatc 300
gaatcctgtg agaaagctcg tgctgcgctt cacgaatcac atgttcaagg aagaattata 360
gaagtgagaa gagcgacacc aaccgcgaga aagcttatca acaatccaca aaatgaagtt 420
ttgccaccac caaagctgtg tgtcgatctt cgagcccttc ataatttatg gagagctgag 480
ccaatgcac agttgttcaa ggaaaaggag aacacaacat gttttcccga agctggattc 540
atgatggcac cataccgtag caatggaatt ttcaacacgc gtagtcttgt gcagacccaa 600
ccacctcgat gcaccaagca cagcgagctc aagctttctt cagctggtga atacttctgc 660
aaaaacggcg agcctacgac ggaaacaagt attctgatgt gcatgcacag acaaaactca 720
ccatgcagca ataagtgttc tgattcttcg aatcacgagc tgtctgatgt ggagttgaac 780
tctatatcc cacatcatct tcgtgaccag attactgctc ttctcgacac ttcaaaccat 840
tttgatcag gaaataatag tgctaacaaa ggaaagagag caccatctgt gacatcttct 900
ggattgagat catcagagag cgagacagtt tcagacgaag agattcattg gtccccacat 960
aacagccctg attatcttct cgtgctctc tacgaagggt ccacatcgtt ccacggaaag 1020
tctgtttctc caccaaaaga atcgtcaagc cagtaa 1056

```

<210> 40

<211> 351

<212> PRT

<213> *Caenorhabditis elegans*

<400> 40

Met Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp
 1 5 10 15

Gly Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe
 20 25 30

Thr Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe
 35 40 45

Thr Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu

<210> 41

<211> 1053

<212> DNA

<213> *Caenorhabditis elegans*

<400> 41

```

caaaacacac agatattttac taacttcgct cacagagcac atgatggatt accgtttaac 60
agtgcgaatc ctccaacaa agatccatt ttcacaatgc caatatcggc caaacggaaa 120
actcgtgagc cggcttcttt cacagataac aggatatatg tcagcaatat tcccttctcg 180
tttcgtgaac aagatttggtc ggcaatgttc ttcgcatatg gaagagtcct gagtgtggaa 240
atcgtcacia atgatcgtgg atccaaaggg ttcgggtttg tcacactcga ttccatcgaa 300
tcctgtgaga aagctcgtgc tgcgcttcac gaatcacatg ttcaaggaa aattatagaa 360
gtgagaagag cgacaccaac ccgcagaaag cttatcaaca atccacaaaa tgaagttttg 420
ccaccaccaa agctgtgtgt cgatcttcga gcccctcata atttatggag agctgagcca 480
atgcatcagt tgttcaaggga aaaggagaac acaacatgtt ttcccgaagc tggattcatg 540
atggcaccat accgtagcaa tggaaatttc aacacgcgta gtcttgtgca gaccaaacca 600
cctcgatgca ccaagcacag cgagctcaag ctttcttcag ctggtgaata cttctgcaaa 660
aacggcgagc ctacgacgga aacaagtatt ctgatgtgca tgcacagaca aaactcacca 720
tgcagcaata agtgttctga ttcttcgaat cacgagctgt ctgatgtgga gttgaactct 780
atattccac atcatcttcg tgaccagatt actgctcttc tcgacacttc aaaccatttt 840
ggatcaggaa ataatagtgc taacaaagga aagagagcac catctgtgac atcttctgga 900
ttgagatcat cagagagcga gacagtttca gacgaagaga ttcattgggtc cccacataac 960
agccctgatt atcttctcgc tgctctctac gaaggttcca catcgttcca cggaaagtct 1020
gtttctccac caaaagaatc gtcaagccag taa 1053

```

<210> 42

<211> 350

<212> PRT

<213> *Caenorhabditis elegans*

<400> 42

```

Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp Gly
 1             5             10             15
Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe Thr
          20             25             30
Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe Thr
          35             40             45
Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu Gln
          50             55             60
Asp Leu Ala Ala Met Phe Phe Ala Tyr Gly Arg Val Leu Ser Val Glu
          65             70             75             80
Ile Val Thr Asn Asp Arg Gly Ser Lys Gly Phe Gly Phe Val Thr Leu
          85             90             95
Asp Ser Ile Glu Ser Cys Glu Lys Ala Arg Ala Ala Leu His Glu Ser
          100             105             110
His Val Gln Gly Arg Ile Ile Glu Val Arg Arg Ala Thr Pro Thr Arg
          115             120             125
Arg Lys Leu Ile Asn Asn Pro Gln Asn Glu Val Leu Pro Pro Pro Lys
          130             135             140
Leu Cys Val Asp Leu Arg Ala Pro His Asn Leu Trp Arg Ala Glu Pro

```

```
<210> 43
<211> 1349
<212> DNA
<213> Caenorhabditis elegans
```

<400> 43							
aagtttgagg	taacaaaaat	gccgccgcca	gctccggttcg	aggggcaaaa	gaacaaagg	60	
cacaatgtcc	acaaaactgg	aggaaaagca	anaaagcgaa	atgagaagga	gccgagagtc	120	
aagggaacaa	atctgaaagc	tttcactttc	cactccgccg	tatccgctgg	aaaagcgatt	180	
cgacgagctg	cagatctcaa	tgaaaagaag	aaacatgttc	tgatgatgga	cagaaaaccc	240	
atcgaaacac	caccaatcat	tgtagcaatc	gttggaccga	gtaaagtcgg	aaaaacgaca	300	
cttctccggg	gtcttgtcaa	gtattacctc	cgtgatggat	tcggagagat	caatgggtcca	360	
gtgacaattg	taactggaaa	gaaacgtcgt	gtacagttca	tctgaagtcaa	aaacgatatt	420	
aatcatatga	ttgatatcgc	gaaagtcgca	gatttggtcg	ttctaattgg	cgatgcacgc	480	
tatggatttg	aaatggaaac	ctttgaattt	ctaaatat	gccaaagtgc	cggaaatgcc	540	
cgtattattg	gagtattgaa	tcattttggat	cttctcgatg	gaatctcacg	tgtcaataag	600	
accaagaaaa	ttctgaaaca	tcgtttctgg	acggagctct	accagggcgc	gaagcttttc	660	
tacatgactg	gaatgatgca	tggaacagtat	aaatataatg	agatccataa	cctctgcaga	720	
ttcattttctg	tcatgaaatt	ccgtccgatg	gtgtggaaag	atgctcatcc	atacgttctt	780	

65

```

tgtgacggtt tcgaagacat taccaacgctc gaaactcttc gaacggatcc actcatcgat 840
cgacacattg ccatgtatgg atgggttcat ggtgctcatt tgaagaatca ttcgtcgatt 900
catgtgccag gtgttggtga tatgaggatc agtaatgtca cgagtctacc cgatccgtgt 960
ccgctgcctg atgagattaa gaaacgagcg ttgaatgaga aagagcggaa agtgtatgct 1020
ccgttttctg gattaggagg tgtcatttat gataaggatg cgatttatat tgagtcaaag 1080
aatgctcaca attttaatat aaaacgcgac ggactcgttg aagctctcga aggcgtcaag 1140
tcagggaaccg atgataaatt gaaqaaatcc tctctgcaac ttctcggtga ttcagtagca 1200
cttgatattg atcaggaaag tgattggcca gagcctggag aagaagatga agaagatctg 1260
gatgaggagg attttcagga tgaagaagaa gatgaagatg aggatgagga tgaggaagat 1320
gttggtgtcg tgaaaaagga aggtgtact 1349

```

<210> 44

<211> 449

<212> PRT

<213> Caenorhabditis elegans

<400> 44

```

Lys Phe Glu Val Thr Lys Met Pro Pro Pro Ala Pro Phe Glu Gly Gln
  1              5              10              15

Lys Asn Lys Gly His Asn Val His Lys Thr Gly Gly Lys Ala Xaa Lys
      20              25              30

Arg Asn Glu Lys Glu Pro Arg Val Lys Gly Asn Asn Leu Lys Ala Phe
      35              40              45

Thr Phe His Ser Ala Val Ser Ala Gly Lys Ala Ile Arg Arg Ala Ala
  50              55              60

Asp Leu Asn Glu Lys Lys Lys His Val Leu Met Met Asp Arg Lys Pro
  65              70              75              80

Ile Glu Thr Pro Pro Ile Ile Val Ala Ile Val Gly Pro Ser Lys Val
      85              90              95

Gly Lys Thr Thr Leu Leu Arg Gly Leu Val Lys Tyr Tyr Leu Arg Asp
 100              105              110

Gly Phe Gly Glu Ile Asn Gly Pro Val Thr Ile Val Thr Gly Lys Lys
 115              120              125

Arg Arg Val Gln Phe Ile Glu Val Lys Asn Asp Ile Asn His Met Ile
 130              135              140

Asp Ile Ala Lys Val Ala Asp Leu Val Leu Leu Met Val Asp Ala Ser
 145              150              155              160

Tyr Gly Phe Glu Met Glu Thr Phe Glu Phe Leu Asn Ile Cys Gln Val
      165              170              175

His Gly Met Pro Arg Ile Met Gly Val Leu Asn His Leu Asp Leu Leu
 180              185              190

Asp Gly Ile Ser Arg Val Asn Lys Thr Lys Lys Ile Leu Lys His Arg
 195              200              205

Phe Trp Thr Glu Leu Tyr Gln Gly Ala Lys Leu Phe Tyr Met Thr Gly
 210              215              220

```


66

Met Met His Gly Gln Tyr Lys Tyr Asn Glu Ile His Asn Leu Cys Arg
 225 230 235 240

Phe Ile Ser Val Met Lys Phe Arg Pro Met Val Trp Lys Asp Ala His
 245 250 255

Pro Tyr Val Leu Cys Asp Arg Phe Glu Asp Ile Thr Asn Val Glu Thr
 260 265 270

Leu Arg Thr Asp Pro Leu Ile Asp Arg His Ile Ala Met Tyr Gly Trp
 275 280 285

Val His Gly Ala His Leu Lys Asn His Ser Ser Ile His Val Pro Gly
 290 295 300

Val Gly Asp Met Arg Ile Ser Asn Val Thr Ser Leu Pro Asp Pro Cys
 305 310 315 320

Pro Leu Pro Asp Glu Ile Lys Lys Arg Ala Leu Asn Glu Lys Glu Arg
 325 330 335

Lys Val Tyr Ala Pro Phe Ser Gly Leu Gly Gly Val Ile Tyr Asp Lys
 340 345 350

Asp Ala Ile Tyr Ile Glu Ser Lys Asn Ala His Asn Phe Asn Arg Lys
 355 360 365

Arg Asp Gly Leu Val Glu Ala Leu Glu Gly Val Lys Ser Gly Thr Asp
 370 375 380

Asp Lys Leu Lys Lys Ser Ser Leu Gln Leu Leu Gly Asp Ser Val Ala
 385 390 395 400

Leu Asp Ile Asp Gln Glu Ser Asp Trp Pro Glu Pro Gly Glu Glu Asp
 405 410 415

Glu Glu Asp Leu Asp Glu Glu Asp Phe Gln Asp Glu Glu Glu Asp Glu
 420 425 430

Asp Glu Asp Glu Asp Glu Glu Asp Val Gly Val Val Lys Lys Glu Gly
 435 440 445

Val

<210> 45
 <211> 3423
 <212> DNA
 <213> Caenorhabditis elegans

<400> 45
 atgtcgtacc gcgtgttttc acgcgtcgat ccccatgtgc catcgacatc cacagctcca 60
 cagcgtcggt ttcaagaaaa cttgcaaaaa ttcaagcgat tttttccgcc aaacgcacca 120
 ccaacactct gggaagtttg ctctcgaaa caacgcagca aatcattgaa aaacacgttt 180
 caaacggaag tacgtgcact acgaggactt aattttacag tattgctgaa tccgtacaaa 240
 aactatctca atgatctcac aaatctatcc ggtttcacct tcgatgatct ttgtcaagca 300

67

```

cttcgattct ttgcatttta tagaaaacag ccagttttga agtcaaatat ggaagatgct 360
aacgaattat ttcgattaat tgcaagttgc atcattttatt caaatgataa ctggaggggcg 420
tccatcgata aatcaacact agtggatagc ctgtcaatga acatttttga gaagcagagg 480
cttaagaatc tgaacaaga atcatctgaa caaaaagatc caatataccc accactattc 540
caagatgatg agctaccttc tgttccaata caaattggca gattgaaaga cagagaaaaa 600
gtaccaattc ctccgcctcc ttgtagaaat gattttttcga tgcgacaatt taatccgttg 660
gaagatgaac atttacdatc aatgcacctg tggaaatcatg ttgggtgtaa tgatgcaaaa 720
ttcaatgggc catttgagag aactatcaaa atgatgtcta agaataatgt tgcgattcgc 780
tccaaagatc gacgattgag cgatgtggaa tattacggag acaatgaaga ttaccatcc 840
acacatatca gttttagatt agattctgtg atgcaattga ttaactttga tttcccaaaa 900
attgaagatg atggatattt ctccaaagaa tgtctggata gtgcattgga tctctacgag 960
aattatcaaa ctgctcttca tgaatgcaca actgctttcg cagttatccg acctccatct 1020
ggacgtacaa tcaagccggg attcgttgaa gatggcctaa ctacagacga atgttcagaa 1080
tttcatatga tgggacgaca tattcatgga tttttccaag tatggaggga agaggatcgt 1140
ggatggagag aatcaaatgg aaaatgggtc ccacggcgat atttggtgga tatctacaat 1200
catattatgt ttccattatt cgtaaaatgg gaactttggc cgtcaacatt gaaatgggct 1260
tttgataagt acagcttgta tggattaaga ctaatgtcaa tgattagaag acatccacaa 1320
gaattgttga atgctggaga gaacttattt tcgaggtatc catcgcatct gttggaatcg 1380
aatagatatg atatgagcac tacgaaagga cggaaatcagt atttatcagc aattcaaatg 1440
gagaataatc gagttgtgga caagcatatg cacagttcgg cttacaagct tcttatcgaa 1500
gaggacggaa gaaggagaaa gaggaaccg aaggatgaag ctctactcgg agttgtctga 1560
aaagtacgaa cacctcgaaa agttcttgag ccacctctat ttgctccaac tcgatttatt 1620
tcttcatcaa ctccaaaaca acgcgccttg cttgttcaaa aagagaattt ggagaaaaca 1680
atgattaatc aagtgccacc agttgtaaat acaccaccat ccccaaca gaactgcttca 1740
caactcaaaa agacgccaac ttcggctaca aaacgtcatt taccggaaat tgagcaagaa 1800
ttgaagtcgg aatctgtccc agctccacca ccaaccaaga aaatgtcaat tatagctgac 1860
agttgggatg atcatgttgg taattcgaat gaagaagaac atgtagatga gaaggattcg 1920
gagaaaatgg aagattcaga aggaagacag aatgtttggg ttccacagga tcgaggaaaa 1980
gaatatgcac ctgaacaata tgcgcgagat attatcgaa attatatccc tgctgtctga 2040
gatcatccac ctcaaccaca acaaccacca cctccactac caacgccgaa gcctccacga 2100
agacggaaat ccggtcagaa aactgatcaa acgactccat catcagacgc cgaagcttca 2160
tccgatcctg caccgcctgt tcctgctgct ccagtggtc ctgttgttcc aattgttcca 2220
attgttccag ttcactctgt acctttgcca aacggaagtg taaatactcc aaaagtgaag 2280
acgattgcaa agacaacagc acgagtactg tattccatta aacctcaaat accaccaatt 2340
gcgaacaaaa ctgtgtatcc tgtcaagaag ttgacacctt ctgtagtccc gtctccaatg 2400
attttaaatg gaaataactgc aactgcaagt ccacgaaaa atgcagcatc tgtagttgtc 2460
agaaatgcat atacattttc attacagcaa aaagctccat attatccagc tggaaatgcgt 2520
ccgaaaccaa ctcaaaatgg aattgaaaca cctccgacag gagcacaatc tttaatgcgt 2580
gcagccttct atagtggag tcactctaca cgaagtcccc tcgtcccgtg aggttttgtt 2640
cctccagttg ccacatcatc tacttttgta cctgctgcaa caataccatc acctgctagc 2700
cgagcaatag ctcatcagaa gcaaatgtct ttaaatacgg aaacgtgtcg acgcgttatg 2760
ccgtttaata ttcaaatggc attcaaacca cgtcgttggg atcctcttcc gaaatcttct 2820
ggtgttttgg ctcatcaca ttcaacaata ccataatgtt agcagatccc caacaactca 2880
acacaatcag actttcggcc gagaagcttc agtcaaaata gtgttgcttc cccggctcct 2940
gctcctgttc caaatgcaat aaagagaaga gaagtaggga atttaaaatc tcggcagtat 3000
gtgccatgga tcgcaaatag cagggcgttg gtggcagcgg cgatggcaac gatggaggag 3060
acggctgaaa agatgtcttc gagcccgtta ctatcgtcac aggtcccgat gacaactttg 3120
atgccaaact ctctcctccc ggctccggt cctgctcaag catctgcaca atcaacatca 3180
gcaactccag cattggtgga tacaatatcg gctggttcaa cgactacaga acaactaca 3240
ggcgattcaa atcagtcaaa tctcctttaa cggacgtaca catcacacat tcgaaaaact 3300
cctggaacaa cactgacacc tgaagaaatc ggcgacgca ttcgaactga aagtcaaaga 3360
tttcaagagg atggtgatga agggccaaca gtgaaaagct tcctaataa catctacaaa 3420
tga 3423

```

<210> 46

<211> 1140

<212> PRT

<213> *Caenorhabditis elegans*

68

<400> 46

Met Ser Tyr Arg Val Phe Ser Arg Val Asp Pro His Val Pro Ser Thr
 1 5 10 15
 Ser Thr Ala Pro Gln Arg Arg Phe Gln Glu Asn Leu Gln Lys Phe Lys
 20 25 30
 Arg Phe Phe Pro Pro Asn Ala Pro Pro Thr Leu Trp Glu Val Cys Ser
 35 40 45
 Ser Lys Gln Arg Ser Lys Ser Leu Lys Asn Thr Phe Gln Thr Glu Val
 50 55 60
 Arg Ala Leu Arg Gly Leu Asn Phe Thr Val Leu Leu Asn Pro Tyr Lys
 65 70 75 80
 Asn Tyr Leu Asn Asp Leu Thr Asn Leu Ser Gly Phe Thr Phe Asp Asp
 85 90 95
 Leu Cys Gln Ala Leu Arg Phe Phe Ala Phe Tyr Arg Lys Gln Pro Val
 100 105 110
 Leu Lys Ser Asn Met Glu Asp Ala Asn Glu Leu Phe Arg Leu Ile Ala
 115 120 125
 Ser Cys Ile Ile Tyr Ser Asn Asp Asn Trp Arg Ala Ser Ile Asp Lys
 130 135 140
 Ser Thr Leu Val Asp Thr Leu Ser Met Asn Ile Leu Glu Lys Gln Arg
 145 150 155 160
 Leu Lys Asn Leu Lys Gln Glu Ser Ser Glu Gln Lys Asp Pro Ile Tyr
 165 170 175
 Pro Pro Leu Phe Gln Asp Asp Glu Leu Pro Ser Val Pro Ile Gln Ile
 180 185 190
 Gly Arg Leu Lys Asp Arg Glu Lys Val Pro Ile Pro Pro Pro Cys
 195 200 205
 Arg Asn Asp Phe Ser Met Arg Gln Phe Asn Pro Leu Glu Asp Glu His
 210 215 220
 Leu Arg Ser Met His Leu Trp Asn His Val Gly Cys Asn Asp Ala Lys
 225 230 235 240
 Phe Asn Gly Pro Phe Glu Arg Thr Ile Lys Met Met Ser Lys Asn Asn
 245 250 255
 Val Ala Ile Arg Ser Lys Asp Arg Arg Leu Ser Asp Val Glu Tyr Tyr
 260 265 270
 Gly Asp Asn Glu Asp Leu Pro Ser Thr His Ile Ser Phe Arg Leu Asp
 275 280 285
 Ser Val Met Gln Leu Ile Asn Phe Asp Phe Pro Lys Ile Glu Asp Asp
 290 295 300

Gly Tyr Phe Ser Lys Glu Cys Leu Asp Ser Ala Trp Tyr Leu Tyr Glu
 305 310 315 320
 Asn Tyr Gln Thr Ala Leu His Glu Cys Thr Thr Ala Phe Ala Val Ile
 325 330 335
 Arg Pro Pro Ser Gly Arg Thr Ile Lys Pro Gly Phe Val Glu Asp Gly
 340 345 350
 Leu Thr Thr Asp Glu Cys Ser Glu Phe His Met Met Gly Arg His Ile
 355 360 365
 His Gly Phe Phe Gln Val Trp Arg Glu Glu Asp Arg Gly Trp Arg Glu
 370 375 380
 Ser Asn Gly Lys Trp Val Pro Arg Arg Tyr Leu Val Asp Ile Tyr Asn
 385 390 395 400
 His Ile Met Phe Pro Leu Phe Val Lys Trp Glu Leu Trp Pro Ser Thr
 405 410 415
 Leu Lys Trp Ala Phe Asp Lys Tyr Ser Leu Tyr Gly Leu Arg Leu Met
 420 425 430
 Ser Met Ile Arg Arg His Pro Gln Glu Leu Leu Asn Ala Gly Glu Asn
 435 440 445
 Leu Phe Ser Arg Tyr Pro Ser His Leu Leu Glu Ser Asn Arg Tyr Asp
 450 455 460
 Met Ser Thr Thr Lys Gly Arg Asn Gln Tyr Leu Ser Ala Ile Gln Met
 465 470 475 480
 Glu Asn Asn Arg Val Val Asp Lys His Met His Ser Ser Ala Tyr Lys
 485 490 495
 Leu Leu Ile Glu Glu Asp Gly Arg Arg Arg Lys Arg Lys Pro Lys Asp
 500 505 510
 Glu Ala Leu Leu Gly Val Ala Ala Lys Val Arg Thr Pro Arg Lys Val
 515 520 525
 Leu Glu Pro Pro Leu Phe Ala Pro Thr Arg Phe Ile Ser Ser Ser Thr
 530 535 540
 Pro Lys Gln Arg Ala Leu Leu Val Gln Lys Glu Asn Leu Glu Lys Thr
 545 550 555 560
 Met Ile Asn Gln Val Pro Pro Val Val Asn Thr Pro Pro Ser Pro Gln
 565 570 575
 Gln Thr Ala Ser Gln Leu Lys Lys Thr Pro Thr Ser Ala Thr Lys Arg
 580 585 590
 His Leu Pro Glu Ile Glu Gln Glu Leu Lys Ser Glu Ser Val Pro Ala
 595 600 605

70
 Pro Pro Pro Thr Lys Lys Met Ser Ile Ile Ala Asp Ser Trp Asp Asp
 610 615 620
 His Val Gly Asn Ser Met Glu Glu Glu His Val Asp Glu Lys Asp Ser
 625 630 635 640
 Glu Lys Met Glu Asp Ser Glu Gly Arg Gln Asn Val Trp Val Pro Gln
 645 650 655
 Asp Arg Gly Lys Glu Tyr Ala Pro Glu Gln Tyr Ala Arg Asp Ile Ile
 660 665 670
 Glu His Tyr Ile Pro Ala Ala Arg Asp His Pro Pro Gln Pro Gln Gln
 675 680 685
 Pro Pro Pro Pro Leu Pro Thr Pro Lys Pro Pro Arg Arg Arg Lys Ser
 690 695 700
 Gly Gln Lys Thr Asp Gln Thr Thr Pro Ser Ser Asp Ala Glu Ala Ser
 705 710 715 720
 Ser Asp Pro Ala Pro Pro Val Pro Ala Ala Pro Val Ala Pro Val Val
 725 730 735
 Pro Ile Val Pro Ile Val Pro Val His Pro Val Pro Leu Pro Asn Gly
 740 745 750
 Ser Val Asn Thr Pro Lys Val Lys Thr Ile Ala Lys Thr Thr Ala Arg
 755 760 765
 Val Leu Tyr Ser Ile Lys Pro Gln Ile Pro Pro Ile Ala Asn Lys Thr
 770 775 780
 Val Tyr Pro Val Lys Lys Leu Thr Pro Ser Val Val Pro Ser Pro Met
 785 790 795 800
 Ile Leu Asn Gly Asn Thr Ala Thr Ala Ser Pro Ser Lys Asn Ala Ala
 805 810 815
 Ser Val Val Val Arg Asn Ala Tyr Thr Phe Ser Leu Gln Gln Lys Ala
 820 825 830
 Pro Tyr Tyr Pro Ala Gly Met Arg Pro Lys Pro Thr Gln Asn Gly Ile
 835 840 845
 Glu Thr Pro Pro Thr Gly Ala Gln Ser Leu Met Arg Ala Ala Phe Tyr
 850 855 860
 Ser Glu Ser His Pro Thr Arg Ser Pro Leu Val Pro Tyr Gly Phe Val
 865 870 875 880
 Pro Pro Val Ala Thr Ser Ser Thr Phe Val Pro Ala Ala Thr Ile Pro
 885 890 895
 Ser Pro Ala Ser Arg Ala Ile Ala His Gln Lys Gln Met Leu Leu Asn
 900 905 910
 Thr Glu Thr Cys Arg Arg Val Met Pro Phe Asn Ile Gln Met Ala Phe

71

915	920	925
Lys Pro Arg Arg Trp Asp Pro Leu Pro Lys Ser Ser Gly Val Leu Ala 930 935 940		
His Ser Asn Ser Thr Ile Pro Tyr Val Gln Arg Val Pro Asn Asn Ser 945 950 955 960		
Thr Gln Ser Asp Phe Arg Pro Arg Ser Phe Ser Gln Asn Ser Val Ala 965 970 975		
Ser Pro Ala Pro Ala Pro Val Pro Asn Ala Ile Lys Arg Arg Glu Val 980 985 990		
Gly Asn Leu Lys Ser Arg Gln Tyr Val Pro Trp Ile Ala Asn Ser Arg 995 1000 1005		
Ala Leu Val Ala Ala Ala Met Ala Thr Met Glu Glu Thr Ala Glu Lys 1010 1015 1020		
Met Ser Ser Ser Pro Leu Leu Ser Ser Gln Ala Pro Met Thr Thr Leu 1025 1030 1035 1040		
Met Pro Thr Pro Pro Pro Ala Pro Ala Pro Ala Gln Ala Ser Ala 1045 1050 1055		
Gln Ser Thr Ser Ala Thr Pro Ala Leu Val Asp Thr Ile Ser Ala Gly 1060 1065 1070		
Ser Thr Thr Thr Glu Thr Thr Thr Gly Asp Ser Asn Gln Ser Asn Pro 1075 1080 1085		
Pro Leu Arg Thr Tyr Thr Ser His Ile Arg Lys Thr Pro Gly Thr Thr 1090 1095 1100		
Leu Thr Pro Glu Glu Ile Gly Asp Ala Ile Arg Thr Glu Ser Gln Arg 1105 1110 1115 1120		
Phe Gln Glu Asp Gly Asp Glu Gly Pro Thr Val Lys Ser Phe Leu Met 1125 1130 1135		
Asn Ile Tyr Lys 1140		

<210> 47

<211> 1644

<212> DNA

<213> Caenorhabditis elegans

<400> 47

```

ttaccggaat ttgagcaaga attgaagtcg gaatctgtcc cagctccacc accaaccaag 60
aaaatgtcaa ttatagctga cagttgggat gatcatgttg gtaattcgat ggaagaagaa 120
catgtagatg agaaggattc ggagaaaatg gaagattcag aaggaagaca gaatgtttgg 180
gttccacagg atcgaggaaa agaatatgca cctgaacaat atgcgcgaga tattatcgaa 240
cattatattc ctgctgctcg agatcatcca cctcaaccac aacaaccacc acctccacta 300
ccaatgcccg agcctccacg aagacggaaa tccggtcaga aaactgatca aacgactcca 360
tcatcagacg ccgaagcttc atccgatcct gcaccgcctg ttcctgctgc tccagtggct 420

```

72

```

cctgttggtc caattgttcc aattgtttcca gttcatcctg tacctttgcc aaacggaagt 480
gtaaatactc caaaagtga gacgattgca aagacaacag cagcagtagt gtattccatt 540
aaacctcaaa taccaccaat tgcgaacaaa actgtgtatc ctgtcaagaa gttgacacct 600
tctgtagtcc cgtctccaat gatttttaaat ggaaatactg caactgcaag tccatcgaaa 660
aatgcagcat ctgtagttgt cagaaatgca tatacathtt cattacagca aaaagctcca 720
tattatccag ctggaatgcg tccgaaacca actcaaaatg gaattgaaac acctccgaca 780
ggagcacaaat ctttaatgcg tgcagccttc tatagtgaaga gtcacacctac acgaagtccc 840
ctcgtcccgt atgggtttgt tcttccagtt gccacatcat ctacttttgt acctgtgca 900
acaataccat caccgtctag ccgagcaata gctcatcaga agcaaagtgt cttaaatacg 960
gaaacgtgtc gacgcgttat gccgtttaat attcaaattg cattcaaacc acgtcgttgg 1020
gacccctctc cgaaatcttc tgggtgtttg gctcattcaa attcaacaat accatatgtt 1080
cagcgagtcc ccaacaactc aacacaatca gactttcggc cgagaagctt cagtcaaaat 1140
agtgttgctt ccccggtctc tgcctcgttt ccaaattgcaa taaagagaag agaagtaggg 1200
aatttaaaat ctcggcagta tgtgccatgg atcgcaaata gcagggcggt ggtggcagcg 1260
gcgatggcaa cgatggagga gacggctgaa aagatgtctt cgagcccgtt actatcgtca 1320
caggctccga tgacaacttt gatgccaaact cctcctctc cggtcctggc tctgtctcaa 1380
gcacatctgc aatcaacatc agcaactcca gcattggtgg atacaatata ggctggttca 1440
acgactacag aaacaactac aggcgattca aatcagtcac atcctccttt acggacgtac 1500
acatcacaca ttcgaaaaac tcttggaaca acactgacac ctgaagaaat cggcgacgcg 1560
attcgaactg aaagtcaaag atttcaagag gatggtgatg aagggccaac agtgaaaagc 1620
ttcctaataa acatctacaa atga 1644

```

<210> 48

<211> 547

<212> PRT

<213> Caenorhabditis elegans

<400> 48

```

Leu Pro Glu Ile Glu Gln Glu Leu Lys Ser Glu Ser Val Pro Ala Pro
  1              5              10              15

Pro Pro Thr Lys Lys Met Ser Ile Ile Ala Asp Ser Trp Asp Asp His
      20              25              30

Val Gly Asn Ser Met Glu Glu Glu His Val Asp Glu Lys Asp Ser Glu
      35              40              45

Lys Met Glu Asp Ser Glu Gly Arg Gln Asn Val Trp Val Pro Gln Asp
      50              55              60

Arg Gly Lys Glu Tyr Ala Pro Glu Gln Tyr Ala Arg Asp Ile Ile Glu
      65              70              75              80

His Tyr Ile Pro Ala Ala Arg Asp His Pro Pro Gln Pro Gln Gln Pro
      85              90              95

Pro Pro Pro Leu Pro Thr Pro Lys Pro Pro Arg Arg Arg Lys Ser Gly
      100              105              110

Gln Lys Thr Asp Gln Thr Thr Pro Ser Ser Asp Ala Glu Ala Ser Ser
      115              120              125

Asp Pro Ala Pro Pro Val Pro Ala Ala Pro Val Ala Pro Val Val Pro
      130              135              140

Ile Val Pro Ile Val Pro Val His Pro Val Pro Leu Pro Asn Gly Ser
      145              150              155              160

```

73

Val	Asn	Thr	Pro	Lys	Val	Lys	Thr	Ile	Ala	Lys	Thr	Thr	Ala	Arg	Val	165	170	175
Leu	Tyr	Ser	Ile	Lys	Pro	Gln	Ile	Pro	Pro	Ile	Ala	Asn	Lys	Thr	Val	180	185	190
Tyr	Pro	Val	Lys	Lys	Leu	Thr	Pro	Ser	Val	Val	Pro	Ser	Pro	Met	Ile	195	200	205
Leu	Asn	Gly	Asn	Thr	Ala	Thr	Ala	Ser	Pro	Ser	Lys	Asn	Ala	Ala	Ser	210	215	220
Val	Val	Val	Arg	Asn	Ala	Tyr	Thr	Phe	Ser	Leu	Gln	Gln	Lys	Ala	Pro	225	230	235
Tyr	Tyr	Pro	Ala	Gly	Met	Arg	Pro	Lys	Pro	Thr	Gln	Asn	Gly	Ile	Glu	245	250	255
Thr	Pro	Pro	Thr	Gly	Ala	Gln	Ser	Leu	Met	Arg	Ala	Ala	Phe	Tyr	Ser	260	265	270
Glu	Ser	His	Pro	Thr	Arg	Ser	Pro	Leu	Val	Pro	Tyr	Gly	Phe	Val	Pro	275	280	285
Pro	Val	Ala	Thr	Ser	Ser	Thr	Phe	Val	Pro	Ala	Ala	Thr	Ile	Pro	Ser	290	295	300
Pro	Ala	Ser	Arg	Ala	Ile	Ala	His	Gln	Lys	Gln	Met	Leu	Leu	Asn	Thr	305	310	315
Glu	Thr	Cys	Arg	Arg	Val	Met	Pro	Phe	Asn	Ile	Gln	Met	Ala	Phe	Lys	325	330	335
Pro	Arg	Arg	Trp	Asp	Pro	Leu	Pro	Lys	Ser	Ser	Gly	Val	Leu	Ala	His	340	345	350
Ser	Asn	Ser	Thr	Ile	Pro	Tyr	Val	Gln	Arg	Val	Pro	Asn	Asn	Ser	Thr	355	360	365
Gln	Ser	Asp	Phe	Arg	Pro	Arg	Ser	Phe	Ser	Gln	Asn	Ser	Val	Ala	Ser	370	375	380
Pro	Ala	Pro	Ala	Pro	Val	Pro	Asn	Ala	Ile	Lys	Arg	Arg	Glu	Val	Gly	385	390	395
Asn	Leu	Lys	Ser	Arg	Gln	Tyr	Val	Pro	Trp	Ile	Ala	Asn	Ser	Arg	Ala	405	410	415
Leu	Val	Ala	Ala	Ala	Met	Ala	Thr	Met	Glu	Glu	Thr	Ala	Glu	Lys	Met	420	425	430
Ser	Ser	Ser	Pro	Leu	Leu	Ser	Ser	Gln	Ala	Pro	Met	Thr	Thr	Leu	Met	435	440	445
Pro	Thr	Pro	Pro	Pro	Pro	Ala	Pro	Ala	Pro	Ala	Gln	Ala	Ser	Ala	Gln	450	455	460
Ser	Thr	Ser	Ala	Thr	Pro	Ala	Leu	Val	Asp	Thr	Ile	Ser	Ala	Gly	Ser			


```

<400> 50
Met Gln Met Ser Tyr Ala Ile Arg Cys Ala Phe Tyr Gln Leu Leu Leu
 1          5          10          15

Ala Ala Leu Met Leu Val Ala Met Leu Gln Leu Leu Tyr Leu Ser Leu
 20          25          30

```

75

Leu Ser Gly₃₅ Leu His Gly Gln Glu₄₀ Glu Gln Asp Gln Tyr Phe Glu Phe

Phe Pro₅₀ Pro Ser Pro Arg Ser₅₅ Val Asp Gln Val Lys₆₀ Ala Gln Leu Arg

Thr₆₅ Ala Leu Ala Ser Gly₇₀ Gly Val Leu Asp Ala₇₅ Ser Gly Asp Tyr Arg₈₀

Val Tyr Arg Gly Leu₈₅ Leu Lys Thr Thr Met₉₀ Asp Pro Asn Asp Val₉₅ Ile

Leu Ala Thr His₁₀₀ Ala Ser Val Asp Asn₁₀₅ Leu Leu His Leu Ser Gly Leu₁₁₀

Leu Glu Arg Trp Glu Gly Pro Leu Ser Val Ser Val Phe₁₁₅ Ala Ala Thr₁₂₀

Lys Glu Glu Ala Gln Leu Ala Thr Val Leu Ala Tyr₁₃₀ Ala Leu Ser Ser₁₃₅

His Cys Pro Asp Met Arg₁₄₅ Ala Arg Val Ala Met₁₅₀ His Leu Val Cys Pro₁₅₅

Ser Arg Tyr Glu Ala₁₆₀ Ala Val Pro Asp Pro Arg Glu Pro Gly Glu Phe₁₆₅

Ala Leu Leu Arg₁₇₀ Ser Cys Gln Glu Val Phe Asp Lys Leu Ala Arg Val₁₇₅

Ala Gln Pro Gly Ile Asn Tyr Ala Leu Gly Thr Asn Val Ser Tyr Pro₁₈₀

Ala Gln Pro Gly Ile Asn Tyr Ala Leu Gly Thr Asn Val Ser Tyr Pro₁₉₅

Asn Asn Leu Leu Arg Asn Leu Ala Arg Glu Gly Ala Asn Tyr Ala Leu₂₀₀

Val Ile Asp Val Asp Met₂₀₅ Val Pro Ser Glu Gly Leu Trp Arg Gly Leu₂₁₀

Arg Glu Met Leu Asp₂₁₅ Gln Ser Asn Gln Trp Gly Gly Thr Ala Leu Val₂₂₀

Val Pro Ala Phe Glu Ile Arg Arg Ala Arg Arg Met Pro Met Asn Lys₂₂₅

Asn Glu Leu Val Gln Leu Tyr Gln Val Gly Glu Val Arg Pro Phe Tyr₂₃₀

Tyr Gly Leu Cys Thr Pro Cys₂₃₅ Gln Ala Pro Thr Asn Tyr Ser Arg Trp₂₄₀

Val Asn Leu Pro Glu Glu Ser Leu Leu Arg Pro Ala Tyr Val Val Pro₂₄₅

Trp Gln Asp Pro Trp₂₅₀ Glu Pro Phe Tyr Val Ala Gly Gly Lys Val Pro₂₅₅

Thr Phe Asp Glu Arg Phe Arg Gln Tyr Gly Phe Asn Arg Ile Ser Gln

<400> 53
Cys Gln Ala Pro Thr Asn Tyr Ser Arg Trp Val Asn Leu Pro Glu Glu
1 5 10 15

77

Ser Leu Leu Arg Pro Ala Tyr Val Val Pro Trp Gln Asp Pro Trp Glu
 20 25 30

Pro Phe Tyr Val Ala Gly Gly Lys Val Pro Thr Phe Asp Glu Arg Phe
 35 40 45

Arg Gln Tyr Gly Phe Asn Arg Ile Ser Gln Ala Cys Glu Leu His Val
 50 55 60

Ala Gly Phe Asp Phe Glu Val Leu Asn Glu Gly Phe Leu Val His Lys
 65 70 75 80

Gly Phe Lys Glu Ala Leu Lys Phe His Pro Gln Lys Glu Ala Glu Asn
 85 90 95

Gln His Asn Lys Ile Leu Tyr Arg Gln Phe Lys Gln Glu Leu Lys Ala
 100 105 110

Lys Tyr Pro Asn Ser Pro Arg Arg Cys
 115 120

<210> 54

<211> 552

<212> DNA

<213> Homo sapiens

<400> 54

```

cctccttcct tgccctccc tacctccctg cctctacatg gcttctctcc acccctccca 60
gagtctacg ggacaggacc ctgctccagt ggtatccaac tcctccctgc cactcttcc 120
tcatgggcca cctcacctcc cactttcgat gtctcgctc ccgtggccac cctgcaatta 180
gctttccaag cccctcccg tggccgtccc ctccaagac ctctcacca tgtagcaatc 240
cctacatggc tgcctgtcat gtccctactc tctaagccct cctgccact gttcctccct 300
ccccgacatg ctgacaccaa gtggtggaaa ccaccctca gcccgaagcc tgccctgtgc 360
agagttcagc tttgtgttga atgagggggg agaggggaca gtgagggcgg agagagaagt 420
tcaggaggag gcagggatgc gcanggagca ganagtgaag gaaggaagat ccgaacagat 480
tgacngaaaa cgttggaccg naaaagttag tttntcctaa tttttttccg ggagaacctg 540
ttacacagtt nt                                     552

```

<210> 55

<211> 754

<212> DNA

<213> Homo sapiens

<400> 55

```

ggaaagtttt tgttttcttt tccccacaca tttccggggt tggggtgttt tccaagactc 60
agacacattt gtttaaaaag agagaaaaaa aactggggga gcaggagacc cgtgggcaaa 120
gaagtgaccc cagcagtctg tggacaatgc cttgctccct cttccctgct gaccgcgccc 180
agcgggtgcc acaggctgct gctcgtggaa tctagagtat ttgtctgtaa tatatatctg 240
catttgctt tccctccct cccacccnnc acccctgtct ctccagcagc ttccccatca 300
atgcacgtcg nccggcgga cacacagaac aggccttccg tcaggcctga gcccttccc 360
tgggcggcac caaagcaggt gccnntnctg gtgaggggag ttggggcact tgcccagcc 420
nancanactn acacctgggc cantncggna nncctntnn cnttcnntcn aaccnattct 480
ggaancccn ngggaannaa nnggnancnt annnccnna tcncnaannn aanaatnanc 540
nannnncnng nnnnnnnnnc ncanncncan ncaccccgag nnacgnnana tcgnannccc 600
ttgnnctcaa ancgaancgc cncacnnc tacagganca nanncnnaac tcagngaan 660
tcnaccntac tnccanncan cnettcacca ccnnntcatc cttcnttncn ncnatccnnc 720

```

78

aatataannn cncttataca naactccacn ngnt

754

<210> 56
 <211> 555
 <212> DNA
 <213> Homo sapiens

<400> 56
 gggcagccgg gcgagtccca gggcaggggt cctccgccgc cttgcacctg ccctgctggg 60
 cggcaccggg tcagtgcctt gccccctcct gcgggtccca actctctctt tcccatcgtg 120
 cgtcctctgg agaagtgcgc gcgtgagctg acatggaccc aaatcctcgg gccgccctgg 180
 agcgccagca gctccgcctt cgggagcggc aaaaattctt cgaggacatt ttacaagcca 240
 gagacagagt ttgtctttcc tctgtcccat ctgcatctcg agtcgcagag accccccata 300
 ggtaagtatc tcatccatgg aagtgaatgt ggacacactg gagcaagtag aacttattga 360
 ccttggggac ccgatgcag cagatgtgtt cttgccttgc gaagatcctt caccaacccc 420
 caagtccgct tgggatggac aaccatttgg aagggaagctg agcctgcccg tgcctacatc 480
 agacaaggac cacattanga acttcttctt cctcctcctn cgactcttca ncaanctgga 540
 taagccaaat caagt 555

<210> 57
 <211> 611
 <212> DNA
 <213> Homo sapiens

<400> 57
 nggcntnttn ttnttagttn nttnttnanc ccggnctttt nnccaaaagg gnnntanggg 60
 ggcncnnngg ntngngnccc ncnttacttg annngtnang ggntnnncat ccntttaaaa 120
 ccncttgnnt gaaaaactgt tttaaaaaac tncggnangg ttnaggggng ggaanagnnc 180
 taaaaaaagc nggggntttt ngnccaaccn aantttntnt tncctaattn gcaaactntn 240
 tntcaggggt aanccaaaaa ctggnggnag gnttnncnccn ggaaaaantt accnttaaan 300
 cagganaggg tttaaattntn aaaaagggcc ccaattcccc ccatcnttcc caccttnggg 360
 ggccnnctgc nagtaaanag nctggtcttt tccccaanag ggnttttggc tggcccnngg 420
 ggcnnnattn gggnnaatn ccccnccgn gggcacaann ntncaagcc agggccccc 480
 nttggttaaa tttnaagggn nccnagggtt tttgnccctt ttnanaaccc ccctttnccc 540
 cnccttttaa aancnncct tccccccaa nggnnccttt ttntgncccc aanannnacc 600
 tgggatttgg g 611

<210> 58
 <211> 4425
 <212> DNA
 <213> Homo sapiens

<400> 58
 atggggaaga acaaactcct tcatccaagt ctggttcttc tcctcttggg cctcctgccc 60
 acagacgcct cagtctctgg aaaaccgcag tatatgggtc tgggtcccct cctgctccac 120
 actgagacca ctgagaaggg ctgtgtcctt ctgagctacc tgaatgagac agtgactgta 180
 agtgcttcct tggagtctgt caggggaaac aggagcctct tcaactgacct ggaggcggag 240
 aatgacgtac tccactgtgt cgccttcgct gtcccaaagt cttcatccaa tgaggaggtg 300
 atgttcctca ctgtccaagt gaaaggacca acccaagaat ttaagaagcg gaccacagtg 360
 atggttaaga acgaggacag tctggtcttt gtccagacag acaaatcaat ctacaaacca 420
 gggcagacag tgaattttcg tgtgtcttcc atggatgaaa actttcaccc cctgaatgag 480
 ttgattccac tagtatacat tcaggatccc aaaggaaatc gcatcgcaca atggcagagt 540
 ttccagttag aggttggcct caagcaattt tcttttcccc tctcatcaga gcccttcagg 600
 ggctcctaca aggtggtggt acagaagaaa tcagggtggaa ggacagagca ccctttcacc 660
 gtggaggaat ttgttcttcc caagtgtgaa gtacaagtaa cagtgcacaa gataatcacc 720
 atcttggaag aagagatgaa tgtatcagtg tgtggcctat acacatatgg gaagcctgtc 780
 cctggacatg tgactgtgag catttgcaga aagtatagtg acgcttccga ctgccacggt 840
 gaagattcac aggttttctg tgagaaattc agtggacagc taaacagcca tggctgcttc 900

tatcagcaag	taaaaaccaa	ggtcttccag	ctgaagagga	aggagtatga	aatgaaactt	960
cacactgagg	cccagatcca	agaagaagga	acagtgggtg	aattgactgg	aaggcagtcc	1020
agtgaatca	caagaaccat	aaccaaactc	tcatttgtga	aagtggactc	acactttcga	1080
cagggaaattc	ccttcttttg	gcaggtgcgc	ctagtagatg	ggaaaggcgt	ccctatacca	1140
aataaagtca	tattcatcag	aggaaatgaa	gcaaactatt	actccaatgc	taccacggat	1200
gagcatggcc	ttgtacagtt	ctctatcaac	accaccaacg	ttatgggtac	ctctcttact	1260
gttagggcca	attacaagga	tcgtagtccc	tggttacggct	accagtgggt	gtcagaagaa	1320
cacgaagagg	cacatcacac	tgcttatctt	gtgttctccc	caagcaagag	ctttgtccac	1380
cttgagccca	tgtctcatga	actaccctgt	ggccatactc	agacagtcca	ggcacattat	1440
attctgaatg	gaggcaccct	gctggggctg	aagaagctct	ccttttatta	tctgataatg	1500
gcaaagggag	gcattgtccg	aactgggact	catggactgc	ttgtgaagca	ggaagacatg	1560
aagggccatt	tttccatctc	aatccctgtg	aagtcagaca	ttgctcctgt	cgctcggttg	1620
ctcatctatg	ctgtttttacc	taccggggac	gtgattgggg	attctgcaaa	atatgatgtt	1680
gaaaattgtc	tggccaacaa	ggtggatttg	agcttcagcc	catcaciaag	tctcccagcc	1740
tcacacgccc	acctgcgagt	cacagcggct	cctcagtcgg	tctgcgcctt	ccgtgctgtg	1800
gaccaaagcg	tgtgtctcat	gaagcctgat	gctgagctct	cggcgtcctc	ggttttacaac	1860
ctgctaccag	aaaaggacct	cactggcttc	cctgggcctt	tgaatgacca	ggacgatgaa	1920
gactgcatca	atcgtcataa	tgtctatatt	aatggaatca	catatactcc	agtatcaagt	1980
acaaatgaaa	aggatatgta	cagcttccta	gaggacatgg	gcttaaaggc	attcaccaac	2040
tcaaagattc	gtaaacccaa	aatgtgtcca	cagcttcaac	agtatgaaat	gcatggacct	2100
gaaggtctac	gtgtaggttt	ttatgagtc	gatgtaatgg	gaagaggcca	tgcacgcctg	2160
gtgcatgttg	aagagcctca	cacggagacc	gtacgaaagt	acttccctga	gacatggatc	2220
tgggatttgg	tgggtgtaaa	ctcagcaggg	gtggctgagg	taggagtaac	agtccctgac	2280
accatcacccg	agtggaaagg	aggggacctc	tgctgtgtct	aagatgctgg	acttggtatc	2340
tcttccactg	cctctctccg	agccttccag	cccttctttg	tggagcttac	aatgccttac	2400
tctgtgatcc	gtggagaggc	cttcacactc	aaggccacgg	tcctaaacta	ctctcccaaa	2460
tgcctccggg	tcagtgtgca	gctggaagcc	tcctccgcct	tccttgctgt	cccagtggag	2520
aaggaacaag	cgcctcactg	catctgtgca	aacgggcggc	aaactgtgtc	ctgggcagta	2580
accccaaagt	cattaggaaa	tgtgaatttc	actgtgagcg	cagaggcact	agagtctcaa	2640
gagctgtgtg	ggactgaggt	gccttcagtt	cctgaacacg	gaaggaaaga	cacagtcac	2700
aagcctctgt	tgggtgaacc	tgaaggacta	gagaaggaaa	caacattcaa	ctccctactt	2760
tgtccatcag	gtggtgaggt	ttctgaagaa	ttatccctga	aactgccacc	aaatgtggta	2820
gaagaatctg	cccagagctt	tgtctcagtt	ttgggagaca	tattaggctc	tgccatgcaa	2880
aacacacaaa	atcttctcca	gatgccctat	ggctgtggag	agcagaatat	ggtcctcttt	2940
gctcctaaca	tctatgtact	ggattatcta	aatgaaacac	agcagcttac	tccagaggtc	3000
aagtccaagg	ccattggcta	tctcaacact	ggttaccaga	gacagttgaa	ctacaaacac	3060
tatgatggct	cctacagcac	ccttggggag	cgattggca	ggaaccaggg	caacacctgg	3120
ctcacagcct	ttgttctgaa	gacttttgcc	caagctcgag	cctacatctt	catcgatgaa	3180
gcacacatta	cccaagccct	catatggctc	tcacagaggc	agaaggacaa	tggtgttttc	3240
aggagctctg	ggtcactgct	caacaatgcc	ataaagggag	gagtagaaga	tgaagtgacc	3300
ctctccgcct	atatcaccat	cgcccttctg	gagattcctc	tcacagtcac	tcaccctgtt	3360
gtccgcaatg	ccctgttttg	cctggagtca	gcctggaaga	cagcacaaga	aggggaccat	3420
ggcagccatg	tatataccaa	agcactgctg	gcctatgctt	ttgccctggc	aggtaaccag	3480
gacaagagga	aggaagtact	caagtcactt	aatgaggaag	ctgtgaagaa	agacaactct	3540
gtccattggg	agcgccctca	gaaacccaag	gcaccagtgg	ggcattttta	cgaaccccag	3600
gctccctctg	ctgaggtgga	gatgacatcc	tatgtgctcc	tcgcttatct	cacggcccag	3660
ccagccccaa	cctcggagga	cctgaccttc	gcaaccaaca	tcgtgaagtg	gatcacgaag	3720
cagcagaatg	cccaggcg	tttctcctcc	accaggaca	cagtgggtgg	tctccatgct	3780
ctgtccaaat	atggagccgc	cacattttacc	aggactggga	aggctgcaca	ggtgactatc	3840
cagtcttcag	ggacattttc	cagcaaattc	caagtggaca	acaacaatcg	cctgttactg	3900
cagcaggtct	cattgccaga	gctgcctggg	gaatacagca	tgaaagtgac	aggagaagga	3960
tgtgtctacc	tccagacctc	cttgaaatac	aatattctcc	cagaaaagga	agagttcccc	4020
tttgcttttag	gagtgcagac	tctgcctcaa	acttgtgatg	aacccaaagc	ccacaccagc	4080
ttccaaatct	ccctaagtgt	cagttacaca	gggagccgct	ctgcctccaa	catggcgtac	4140
gttgatgtga	agatggtctc	tggcttcatt	cccctgaagc	caacagtga	aatgcttgaa	4200
agatctaacc	atgtgagccg	gacagaagtc	agcagcaacc	atgtcttgat	ttaccttgat	4260
aaggtgtcaa	atcagacact	gagcttgctc	ttcacggttc	tgcaagatgt	cccagtaaga	4320
gatctcaaac	cagccatagt	gaaagtctat	gattactacg	agacggatga	gtttgcaatc	4380

80

gctgagtaca atgctccttg cagcaaagat cttggaaatg cttga

4425

<210> 59

<211> 1474

<212> PRT

<213> Homo sapiens

<400> 59

Met	Gly	Lys	Asn	Lys	Leu	Leu	His	Pro	Ser	Leu	Val	Leu	Leu	Leu	Leu
1				5					10					15	

Val	Leu	Leu	Pro	Thr	Asp	Ala	Ser	Val	Ser	Gly	Lys	Pro	Gln	Tyr	Met
			20					25					30		

Val	Leu	Val	Pro	Ser	Leu	Leu	His	Thr	Glu	Thr	Thr	Glu	Lys	Gly	Cys
		35					40					45			

Val	Leu	Leu	Ser	Tyr	Leu	Asn	Glu	Thr	Val	Thr	Val	Ser	Ala	Ser	Leu
	50					55					60				

Glu	Ser	Val	Arg	Gly	Asn	Arg	Ser	Leu	Phe	Thr	Asp	Leu	Glu	Ala	Glu
65					70					75					80

Asn	Asp	Val	Leu	His	Cys	Val	Ala	Phe	Ala	Val	Pro	Lys	Ser	Ser	Ser
				85					90					95	

Asn	Glu	Glu	Val	Met	Phe	Leu	Thr	Val	Gln	Val	Lys	Gly	Pro	Thr	Gln
			100						105				110		

Glu	Phe	Lys	Lys	Arg	Thr	Thr	Val	Met	Val	Lys	Asn	Glu	Asp	Ser	Leu
		115					120					125			

Val	Phe	Val	Gln	Thr	Asp	Lys	Ser	Ile	Tyr	Lys	Pro	Gly	Gln	Thr	Val
	130					135					140				

Lys	Phe	Arg	Val	Val	Ser	Met	Asp	Glu	Asn	Phe	His	Pro	Leu	Asn	Glu
145					150					155					160

Leu	Ile	Pro	Leu	Val	Tyr	Ile	Gln	Asp	Pro	Lys	Gly	Asn	Arg	Ile	Ala
				165					170					175	

Gln	Trp	Gln	Ser	Phe	Gln	Leu	Glu	Gly	Gly	Leu	Lys	Gln	Phe	Ser	Phe
			180					185					190		

Pro	Leu	Ser	Ser	Glu	Pro	Phe	Gln	Gly	Ser	Tyr	Lys	Val	Val	Val	Gln
		195					200					205			

Lys	Lys	Ser	Gly	Gly	Arg	Thr	Glu	His	Pro	Phe	Thr	Val	Glu	Glu	Phe
	210					215					220				

Val	Leu	Pro	Lys	Phe	Glu	Val	Gln	Val	Thr	Val	Pro	Lys	Ile	Ile	Thr
225					230					235					240

Ile	Leu	Glu	Glu	Glu	Met	Asn	Val	Ser	Val	Cys	Gly	Leu	Tyr	Thr	Tyr
				245					250					255	

Gly	Lys	Pro	Val	Pro	Gly	His	Val	Thr	Val	Ser	Ile	Cys	Arg	Lys	Tyr
			260					265					270		

Ser Asp Ala Ser Asp Cys His Gly Glu Asp Ser Gln Ala Phe Cys Glu
 275 280 285
 Lys Phe Ser Gly Gln Leu Asn Ser His Gly Cys Phe Tyr Gln Gln Val
 290 295 300
 Lys Thr Lys Val Phe Gln Leu Lys Arg Lys Glu Tyr Glu Met Lys Leu
 305 310 315 320
 His Thr Glu Ala Gln Ile Gln Glu Glu Gly Thr Val Val Glu Leu Thr
 325 330 335
 Gly Arg Gln Ser Ser Glu Ile Thr Arg Thr Ile Thr Lys Leu Ser Phe
 340 345 350
 Val Lys Val Asp Ser His Phe Arg Gln Gly Ile Pro Phe Phe Gly Gln
 355 360 365
 Val Arg Leu Val Asp Gly Lys Gly Val Pro Ile Pro Asn Lys Val Ile
 370 375 380
 Phe Ile Arg Gly Asn Glu Ala Asn Tyr Tyr Ser Asn Ala Thr Thr Asp
 385 390 395 400
 Glu His Gly Leu Val Gln Phe Ser Ile Asn Thr Thr Asn Val Met Gly
 405 410 415
 Thr Ser Leu Thr Val Arg Val Asn Tyr Lys Asp Arg Ser Pro Cys Tyr
 420 425 430
 Gly Tyr Gln Trp Val Ser Glu Glu His Glu Glu Ala His His Thr Ala
 435 440 445
 Tyr Leu Val Phe Ser Pro Ser Lys Ser Phe Val His Leu Glu Pro Met
 450 455 460
 Ser His Glu Leu Pro Cys Gly His Thr Gln Thr Val Gln Ala His Tyr
 465 470 475 480
 Ile Leu Asn Gly Gly Thr Leu Leu Gly Leu Lys Lys Leu Ser Phe Tyr
 485 490 495
 Tyr Leu Ile Met Ala Lys Gly Gly Ile Val Arg Thr Gly Thr His Gly
 500 505 510
 Leu Leu Val Lys Gln Glu Asp Met Lys Gly His Phe Ser Ile Ser Ile
 515 520 525
 Pro Val Lys Ser Asp Ile Ala Pro Val Ala Arg Leu Leu Ile Tyr Ala
 530 535 540
 Val Leu Pro Thr Gly Asp Val Ile Gly Asp Ser Ala Lys Tyr Asp Val
 545 550 555 560
 Glu Asn Cys Leu Ala Asn Lys Val Asp Leu Ser Phe Ser Pro Ser Gln
 565 570 575

82

Ser Leu Pro Ala Ser His Ala His Leu Arg Val Thr Ala Ala Pro Gln
 580 585 590
 Ser Val Cys Ala Leu Arg Ala Val Asp Gln Ser Val Leu Leu Met Lys
 595 600 605
 Pro Asp Ala Glu Leu Ser Ala Ser Ser Val Tyr Asn Leu Leu Pro Glu
 610 615 620
 Lys Asp Leu Thr Gly Phe Pro Gly Pro Leu Asn Asp Gln Asp Asp Glu
 625 630 635 640
 Asp Cys Ile Asn Arg His Asn Val Tyr Ile Asn Gly Ile Thr Tyr Thr
 645 650 655
 Pro Val Ser Ser Thr Asn Glu Lys Asp Met Tyr Ser Phe Leu Glu Asp
 660 665 670
 Met Gly Leu Lys Ala Phe Thr Asn Ser Lys Ile Arg Lys Pro Lys Met
 675 680 685
 Cys Pro Gln Leu Gln Gln Tyr Glu Met His Gly Pro Glu Gly Leu Arg
 690 695 700
 Val Gly Phe Tyr Glu Ser Asp Val Met Gly Arg Gly His Ala Arg Leu
 705 710 715 720
 Val His Val Glu Glu Pro His Thr Glu Thr Val Arg Lys Tyr Phe Pro
 725 730 735
 Glu Thr Trp Ile Trp Asp Leu Val Val Val Asn Ser Ala Gly Val Ala
 740 745 750
 Glu Val Gly Val Thr Val Pro Asp Thr Ile Thr Glu Trp Lys Ala Gly
 755 760 765
 Ala Phe Cys Leu Ser Glu Asp Ala Gly Leu Gly Ile Ser Ser Thr Ala
 770 775 780
 Ser Leu Arg Ala Phe Gln Pro Phe Phe Val Glu Leu Thr Met Pro Tyr
 785 790 795 800
 Ser Val Ile Arg Gly Glu Ala Phe Thr Leu Lys Ala Thr Val Leu Asn
 805 810 815
 Tyr Leu Pro Lys Cys Ile Arg Val Ser Val Gln Leu Glu Ala Ser Pro
 820 825 830
 Ala Phe Leu Ala Val Pro Val Glu Lys Glu Gln Ala Pro His Cys Ile
 835 840 845
 Cys Ala Asn Gly Arg Gln Thr Val Ser Trp Ala Val Thr Pro Lys Ser
 850 855 860
 Leu Gly Asn Val Asn Phe Thr Val Ser Ala Glu Ala Leu Glu Ser Gln
 865 870 875 880
 Glu Leu Cys Gly Thr Glu Val Pro Ser Val Pro Glu His Gly Arg Lys

BNSDOCID: <WO__0073328A2 | >

BNSDOCID: <WO__0073328A2_1_>

<212> DNA

<213> Homo sapiens

<400> 60

```
ngaccnnaaa aagngtttat tcatcaagtn tttaaagatn caaaaacacg tgtnttntgn 60
ggagctntga naacaggact ccagcaaagc acttttcagc cttgggggnc tcaagcattt 120
ccaaqatctt tgctgcaagg agcattgnnc tcagcaattg caaactcatc ctntcgttag 180
naancataga ctttcactat ggctgggttc anancnttta ctgggacatt ttgcanaacc 240
gngaanaaca agctcagggg ctgatttgac acctnttcaa ggtaaataca gacatgggtg 300
ctgntgactt ctgncccggg tcacatgggt tagatctttc aagcnttttt nactgnnnng 360
cttcagggga atgaaaacccc gagacntnt tnncaatnaa cgacnccnt nttgggaggc 420
aaaccggntc cctgngtaac ctnnccctta gggganattt ggaaanctng gtgtgggncn 480
tttgggttca tnnnnaaggt ttngaggcna agnntctgnc tcnnaaagca aaggggnacc 540
tnttcctttt ttntggtnaa antttgnttt ttcaaggnat tnnngaagnt annnncaacc 600
ttctcccggg nntttcaang cnggntttcc caggggnagt ttggnatagn nccnnttnna 660
aaanncgggg ggttttttac ncccttgga ttntnnggga aaaannccn aaannnggga 720
ac 722
```

<210> 61

<211> 557

<212> DNA

<213> Homo sapiens

<400> 61

```
gtgtgcagtg cccccttgcc tcttcaaacc tacagcttct ctttgccatt tgtggatttc 60
acatcactcc acacagaaac attacagcct ggcatcccca gtctttgcct tcttcagct 120
gcctcgacac agcactgtgg cctgtcccta ttgccaggc acgccatttc caagggcagg 180
aaggggcagt gtcctgaagc ccactctttc tgtgactgtc ttaggtgatg ttagtcccc 240
tccacctttc cactcaacaa cctcccaccc ctgtcctgct gcatgggccg gagtctggga 300
cctactttgt tttttgttat ttatgacctt gtttaaagaa aataaatatc tcccaacctt 360
taaaaaaaaa aaaaaaaaaa aactcgagag atctatgaat cgaagatact gaaaaacccc 420
gcangttcac ttcaactgtg catcgtgcan catctcaatt ctttcatttn atacatcct 480
tttgcccttc tttatgtaac tatactcctc taaagtttca atcttgggca ttnaaccttt 540
gatctataaa attttta 557
```

<210> 62

<211> 640

<212> DNA

<213> Homo sapiens

<400> 62

```
ttaaagggtt ggagatattt attttcttta aacaagggtca taaataacaa aaaacaaagt 60
aggtcccaga ctccggacca tgcagcagga caggggtggg aggttgttga gtggaaagg 120
ggaggggggt acacatcacc taagacagtc acagaaaaga tgggcttcag gacactgccc 180
cttcctgccc ttggaatgg cgtgcctggg caatagggac aggccacagt gctgtgtcga 240
ggcagctgga agaaggcaaa gactggggat gccaggctgt aatgtttctg tgtggagtga 300
tgtgaaatcc acaaatggca aagagaagct gtaggtttga agaggcaagg gggcactgca 360
cacgtcgacg cggccgcgaa ttcggatccc cggggcctcc atggccatat gaccacccaa 420
gctagcgtaa tctggaacat cgtatgggta aagccataga gatctctttt tttgggtttg 480
gtggggtatc ttcatcatcg aatagatagt tatatacata tccattgtag tgggattaaa 540
catccctgta gtgattccaa acgcgttata cgcagtttgg tccgtccaac caggtgacag 600
nggtttgaat tattaccatc tcaattttac tagccgggat 640
```

<210> 63

<211> 566

<212> DNA

<213> Homo sapiens

86

<400> 63

```

ctcccccatc cgcatacctc tctctctgtc ccctcttctt ctctgtccct caccaagcca 60
tccctctttt gcctctcccc atccctcgct ggctgtctcc tgctccctt ctcccatcct 120
ccccccccc gtctctgccc agccagcccc ctcccgactc cccagtttca tccgactccc 180
tgcccccatc ccgtccccgc cctggccccct ttgtgccccct tctcatcggt ttctccctcc 240
ttccggggtt tggcgctccct tctccccctt aactccttcc ctcggcctcc ctgccccctc 300
acggccccgc tgcctccctt gcccaggtcc tgagccacca tgctgacccc gatggtggcc 360
cggnggggtg gtgtccccgg actcttctct ntncagaac acgcttcagc cggctgcccc 420
aagctacgtt gggaggaggc cgacgcagcn ttgcctnagc caggcctggt ggtcctttgn 480
ccagnatca tggccttcan tggcggtncn tnnngttcac ctntctggnag cacntattga 540
taccaanatg ggtggccnta tnncta                                     566

```

<210> 64

<211> 648

<212> DNA

<213> Homo sapiens

<400> 64

```

tggcggtcac gcagatcgct ttttattagc ggtctgtaaa gcacctccca ggggtcccccg 60
accccagatt ggaggaagcc ttgagaggtc agtagacca gggacatggc agggccccgag 120
ggcgcgatgt gcagccgatg gtgagggact gggcgccctc gcctgcccc ggggttgtca 180
gactgggaa ggcttggggg tagcagccac ctcttcccc caaccaaca gactagtcca 240
aatttgggta aataaataaa ataaataaga ttcctcaagc tggcctaccc tggagaggag 300
ccgtggttgc agccggccac tggggaggcc cgagggccag cgggggttag ttggggcgctc 360
ctctcctctc ggggtgatggg gagccctggg ggatggcagc ataggggctg ggatggcctt 420
ggcagaggcc gtctnccac attctgactc cttggtcccc cttgaaacct tgttgggtgc 480
ccttcccaca aagcccttct tgccctcagt ggggtgggaa ggccggtgcc cccttccctt 540
cttcancgca aagggtntgc aggaaggagg caaaattagg gggnaaaaag gtcccttttt 600
tcancacct tngtccccna aaagatgggg ccttttccnt ttngnggt                                     648

```

<210> 65

<211> 2274

<212> PRT

<213> Mus sp.

<400> 65

```

Met Thr Ser Ser Met Ala Ser Tyr Glu Gln Leu Val Arg Gln Val Glu
 1              5              10              15

Ala Leu Lys Ala Glu Asn Thr His Leu Arg Gln Glu Leu Arg Asp Asn
      20              25              30

Ser Ser His Leu Ser Lys Leu Glu Thr Glu Thr Ser Gly Met Lys Glu
      35              40              45

Val Leu Lys His Leu Gln Gly Lys Leu Glu Gln Glu Ala Arg Val Leu
      50              55              60

Val Ser Ser Gly Gln Thr Glu Val Leu Glu Gln Leu Lys Ala Leu Gln
      65              70              75              80

Thr Asp Ile Ser Ser Leu Tyr Asn Leu Lys Phe His Ala Pro Ala Leu
      85              90              95

Gly Pro Glu Pro Ala Ala Arg Thr Pro Glu Gly Ser Pro Val His Gly
      100             105             110

Ser Gly Pro Ser Lys Asp Ser Phe Gly Glu Leu Ser Arg Ala Thr Ile

```

87

115	120	125
Arg Leu Leu Glu Glu Leu Asp Gln Glu Arg Cys Phe Leu Leu Ser Glu		
130	135	140
Ile Glu Lys Glu Glu Lys Glu Lys Leu Trp Tyr Tyr Ser Gln Leu Gln		
145	150	155
Gly Leu Ser Lys Arg Leu Asp Glu Leu Pro His Val Asp Thr Phe Ser		
165	170	175
Met Gln Met Asp Leu Ile Arg Gln Gln Leu Glu Phe Glu Ala Gln His		
180	185	190
Ile Arg Ser Leu Met Glu Glu Arg Phe Gly Thr Ser Asp Glu Met Val		
195	200	205
Gln Arg Ala Gln Ile Arg Ala Ser Arg Leu Glu Gln Ile Asp Lys Glu		
210	215	220
Leu Leu Glu Ala Gln Asp Arg Val Gln Gln Thr Glu Pro Gln Ala Leu		
225	230	235
Leu Ala Val Lys Pro Val Ala Val Glu Glu Glu Gln Glu Ala Glu Val		
245	250	255
Pro Thr His Pro Glu Asp Gly Thr Pro Gln Pro Gly Asn Ser Lys Val		
260	265	270
Glu Val Val Phe Trp Leu Leu Ser Met Leu Ala Thr Arg Asp Gln Glu		
275	280	285
Asp Thr Ala Arg Thr Leu Leu Ala Met Ser Ser Ser Pro Glu Ser Cys		
290	295	300
Val Ala Met Arg Arg Ser Gly Cys Leu Pro Leu Leu Leu Gln Ile Leu		
305	310	315
His Gly Thr Glu Ala Gly Ser Val Gly Arg Ala Gly Ile Pro Gly Ala		
325	330	335
Pro Gly Ala Lys Asp Ala Arg Met Arg Ala Asn Ala Ala Leu His Asn		
340	345	350
Ile Val Phe Ser Gln Pro Asp Gln Gly Leu Ala Arg Lys Glu Met Arg		
355	360	365
Val Leu His Val Leu Glu Gln Ile Arg Ala Tyr Cys Glu Thr Cys Trp		
370	375	380
Asp Trp Leu Gln Ala Arg Asp Ser Gly Thr Glu Thr Pro Val Pro Ile		
385	390	395
Glu Pro Gln Ile Cys Gln Ala Thr Cys Ala Val Met Lys Leu Ser Phe		
405	410	415
Asp Glu Glu Tyr Arg Arg Ala Met Asn Glu Leu Gly Gly Leu Gln Ala		
420	425	430

Val Ala Glu Leu Leu Gln Val Asp Tyr Glu Met His Lys Met Thr Arg
 435 440 445
 Asp Pro Leu Asn Leu Ala Leu Arg Arg Tyr Ala Gly Met Thr Leu Thr
 450 455 460
 Asn Leu Thr Phe Gly Asp Val Ala Asn Lys Ala Thr Leu Cys Ala Arg
 465 470 475 480
 Arg Gly Cys Met Glu Ala Ile Val Ala Gln Leu Gly Ser Glu Ser Glu
 485 490 495
 Glu Leu His Gln Val Val Ser Ser Ile Leu Arg Asn Leu Ser Trp Arg
 500 505 510
 Ala Asp Ile Asn Ser Lys Lys Val Leu Arg Glu Val Gly Ser Met Thr
 515 520 525
 Ala Leu Met Glu Cys Val Leu Arg Ala Ser Lys Glu Ser Thr Leu Lys
 530 535 540
 Ser Val Leu Ser Ala Leu Trp Asn Leu Ser Ala His Ser Thr Glu Asn
 545 550 555 560
 Lys Ala Ala Ile Cys Gln Val Asp Gly Ala Leu Gly Phe Leu Val Ser
 565 570 575
 Thr Leu Thr Tyr Arg Cys Gln Gly Asn Ser Leu Ala Val Ile Glu Ser
 580 585 590
 Gly Gly Gly Ile Leu Arg Asn Val Ser Ser Leu Ile Ala Thr Arg Glu
 595 600 605
 Asp Tyr Arg Gln Val Leu Arg Asp His Asn Cys Leu Gln Thr Leu Leu
 610 615 620
 Gln His Leu Thr Ser His Ser Leu Thr Ile Val Ser Asn Ala Cys Gly
 625 630 635 640
 Thr Leu Trp Asn Leu Ser Ala Arg Ser Pro Arg Asp Gln Glu Leu Leu
 645 650 655
 Trp Asp Leu Gly Ala Val Gly Met Leu Arg Asn Leu Val His Ser Lys
 660 665 670
 His Lys Met Ile Ala Met Gly Ser Ala Ala Ala Leu Arg Asn Leu Leu
 675 680 685
 Ala His Arg Pro Ala Lys Tyr Gln Ala Ala Ala Met Ala Val Ser Pro
 690 695 700
 Gly Thr Cys Val Pro Ser Leu Tyr Val Arg Lys Gln Arg Ala Leu Glu
 705 710 715 720
 Ala Glu Leu Asp Thr Arg His Leu Val His Ala Leu Gly His Leu Glu
 725 730 735

89

Lys Gln Ser Leu Pro Glu Ala Glu Thr Thr Ser Lys Lys Pro Leu Pro
740 745 750

Pro Leu Arg His Leu Asp Gly Leu Val Gln Asp Tyr Ala Ser Asp Ser
755 760 765

Gly Cys Phe Asp Asp Asp Asp Ala Pro Ser Leu Ala Ala Ala Ala Thr
770 775 780

Thr Ala Glu Pro Ala Ser Pro Ala Val Met Ser Met Phe Leu Gly Gly
785 790 795 800

Pro Phe Leu Gln Gly Gln Ala Leu Ala Arg Thr Pro Pro Ala Arg Gln
805 810 815

Gly Gly Leu Glu Ala Glu Lys Glu Ala Gly Gly Glu Ala Ala Val Ala
820 825 830

Ala Lys Ala Lys Ala Lys Leu Ala Leu Ala Val Ala Arg Ile Asp Arg
835 840 845

Leu Val Glu Asp Ile Ser Ala Leu His Thr Ser Ser Asp Asp Ser Phe
850 855 860

Ser Leu Ser Ser Gly Asp Pro Gly Gln Glu Ala Pro Arg Glu Gly Arg
865 870 875 880

Ala Gln Ser Cys Ser Pro Cys Arg Gly Thr Glu Gly Gly Arg Arg Glu
885 890 895

Ala Gly Ser Arg Ala His Pro Leu Leu Arg Leu Lys Ala Ala His Thr
900 905 910

Ser Leu Ser Asn Asp Ser Leu Asn Ser Gly Ser Thr Ser Asp Gly Tyr
915 920 925

Cys Thr Arg Glu His Met Thr Pro Cys Pro Leu Ala Ala Leu Ala Glu
930 935 940

His Arg Asp Asp Pro Val Arg Gly Gln Thr Arg Pro Arg Arg Leu Asp
945 950 955 960

Leu Asp Leu Pro Ser Arg Ala Glu Leu Pro Ala Arg Asp Thr Ala Ala
965 970 975

Thr Asp Ala Arg Val Arg Thr Ile Lys Leu Ser Pro Thr Tyr Gln His
980 985 990

Val Pro Leu Leu Asp Gly Ala Ala Gly Ala Gly Val Arg Pro Leu Val
995 1000 1005

Gly Pro Gly Thr Ser Pro Gly Ala Arg Lys Gln Ala Trp Ile Pro Ala
1010 1015 1020

Asp Ser Leu Ser Lys Val Pro Glu Lys Leu Val Ala Ser Pro Leu Pro
1025 1030 1035 1040

Ile Ala Ser Lys Val Leu Gln Lys Leu Val Ala Gln Asp Gly Pro Met

1045 90 1055
 1050
 Ser Leu Ser Arg Cys Ser Ser Leu Ser Ser Leu Ser Ser Thr Gly His
 1060 1065 1070
 Ala Val Pro Ser Gln Ala Glu Asn Leu Asp Ser Asp Ser Ser Leu Glu
 1075 1080 1085
 Gly Leu Glu Glu Ala Gly Pro Gly Glu Ala Glu Leu Gly Arg Ala Trp
 1090 1095 1100
 Arg Ala Ser Gly Ser Thr Ser Leu Pro Val Ser Ile Pro Ala Pro Gln
 1105 1110 1115 1120
 Arg Gly Arg Ser Arg Gly Leu Gly Val Glu Asp Ala Thr Pro Ser Ser
 1125 1130 1135
 Ser Ser Glu Asn Cys Val Gln Glu Thr Pro Leu Val Leu Ser Arg Cys
 1140 1145 1150
 Ser Ser Val Ser Ser Leu Gly Ser Phe Glu Ser Arg Ser Ile Ala Ser
 1155 1160 1165
 Ser Ile Pro Ser Asp Pro Cys Ser Gly Leu Gly Ser Gly Thr Val Ser
 1170 1175 1180
 Pro Ser Glu Leu Pro Asp Ser Pro Gly Gln Thr Met Pro Pro Ser Arg
 1185 1190 1195 1200
 Ser Lys Thr Pro Pro Ala Pro Pro Gly Gln Pro Glu Thr Ser Gln Phe
 1205 1210 1215
 Ser Leu Gln Trp Glu Ser Tyr Val Lys Arg Phe Leu Asp Ile Ala Asp
 1220 1225 1230
 Cys Arg Glu Arg Cys Gln Pro Pro Ser Glu Leu Asp Ala Gly Ser Val
 1235 1240 1245
 Arg Phe Thr Val Glu Lys Pro Asp Glu Asn Phe Ser Cys Ala Ser Ser
 1250 1255 1260
 Leu Ser Ala Leu Ala Leu His Glu Leu Tyr Val Gln Gln Asp Val Glu
 1265 1270 1275 1280
 Leu Arg Leu Arg Pro Pro Ala Cys Pro Glu Arg Ala Val Gly Gly Gly
 1285 1290 1295
 Gly His Arg Arg Arg Asp Glu Ala Ala Ser Arg Leu Asp Gly Pro Ala
 1300 1305 1310
 Pro Ala Gly Ser Arg Ala Arg Ser Ala Thr Asp Lys Glu Leu Glu Ala
 1315 1320 1325
 Leu Arg Glu Cys Leu Gly Ala Ala Met Pro Ala Arg Leu Arg Lys Val
 1330 1335 1340
 Ala Ser Ala Leu Val Pro Gly Arg Arg Ser Leu Pro Val Pro Val Tyr
 1345 1350 1355 1360

Met Leu Val Pro Ala Pro Ala Arg Gly Asp Asp Ser Gly Thr Asp Ser
 1365 1370 1375
 Ala Glu Gly Thr Pro Val Asn Phe Ser Ser Ala Ala Ser Leu Ser Asp
 1380 1385 1390
 Glu Thr Leu Gln Gly Pro Ser Arg Asp Lys Pro Ala Gly Pro Gly Asp
 1395 1400 1405
 Arg Gln Lys Pro Thr Gly Arg Ala Ala Pro Ala Arg Gln Thr Arg Ser
 1410 1415 1420
 His Arg Pro Lys Ala Ala Gly Ala Gly Lys Ser Thr Glu His Thr Arg
 1425 1430 1435 1440
 Gly Pro Cys Arg Asn Arg Ala Gly Leu Glu Leu Pro Leu Ser Arg Pro
 1445 1450 1455
 Gln Ser Ala Arg Ser Asn Arg Asp Ser Ser Cys Gln Thr Arg Thr Arg
 1460 1465 1470
 Gly Asp Gly Ala Leu Gln Ser Leu Cys Leu Thr Thr Pro Thr Glu Glu
 1475 1480 1485
 Ala Val Tyr Cys Phe Tyr Asp Ser Asp Glu Glu Pro Pro Ala Thr Ala
 1490 1495 1500
 Pro Pro Pro Arg Arg Ala Ser Ala Ile Pro Arg Ala Leu Lys Arg Glu
 1505 1510 1515 1520
 Lys Pro Ala Gly Arg Lys Glu Thr Pro Ser Arg Ala Ala Gln Pro Ala
 1525 1530 1535
 Thr Leu Pro Val Arg Ala Gln Pro Arg Leu Ile Val Asp Glu Thr Pro
 1540 1545 1550
 Pro Cys Tyr Ser Leu Thr Ser Ser Ala Ser Ser Leu Ser Glu Pro Glu
 1555 1560 1565
 Ala Pro Glu Gln Pro Ala Asn His Ala Arg Gly Pro Glu Gln Gly Ser
 1570 1575 1580
 Lys Gln Asp Ser Ser Pro Ser Pro Arg Ala Glu Glu Glu Leu Leu Gln
 1585 1590 1595 1600
 Arg Cys Ile Ser Leu Ala Met Pro Arg Arg Arg Thr Gln Val Pro Gly
 1605 1610 1615
 Ser Arg Arg Arg Lys Pro Arg Ala Leu Arg Ser Asp Ile Arg Pro Thr
 1620 1625 1630
 Glu Ile Thr Gln Lys Cys Gln Glu Glu Val Ala Gly Ser Asp Pro Ala
 1635 1640 1645
 Ser Asp Leu Asp Ser Val Glu Trp Gln Ala Ile Gln Glu Gly Ala Asn
 1650 1655 1660

92

Ser Ile Val Thr Trp Leu His Gln Ala Ala Lys Ala Ser Leu Glu
 1665 1670 1675 1680
 Ala Ser Ser Glu Ser Asp Ser Leu Leu Ser Leu Val Ser Gly Val Ser
 1685 1690 1695
 Ala Gly Ser Thr Leu Gln Pro Ser Lys Leu Arg Lys Gly Arg Lys Pro
 1700 1705 1710
 Ala Ala Glu Ala Gly Gly Ala Trp Arg Pro Glu Lys Arg Gly Thr Thr
 1715 1720 1725
 Ser Thr Lys Ile Asn Gly Ser Pro Arg Leu Pro Asn Gly Pro Glu Lys
 1730 1735 1740
 Ala Lys Gly Thr Gln Lys Met Met Ala Gly Glu Ser Thr Met Leu Arg
 1745 1750 1755 1760
 Gly Arg Thr Val Ile Tyr Ser Ala Gly Pro Ala Ser Arg Thr Gln Ser
 1765 1770 1775
 Lys Gly Ile Ser Gly Pro Cys Thr Thr Pro Lys Lys Thr Gly Thr Ser
 1780 1785 1790
 Gly Thr Thr Gln Pro Glu Thr Val Thr Lys Ala Pro Ser Pro Glu Gln
 1795 1800 1805
 Gln Arg Ser Arg Ser Leu His Arg Pro Gly Lys Ile Ser Glu Leu Ala
 1810 1815 1820
 Ala Leu Arg His Pro Pro Arg Ser Ala Thr Pro Pro Ala Arg Leu Ala
 1825 1830 1835 1840
 Lys Thr Pro Ser Ser Ser Ser Ser Gln Thr Ser Pro Ala Ser Gln Pro
 1845 1850 1855
 Leu Pro Arg Arg Ser Pro Leu Ala Thr Pro Thr Gly Gly Pro Leu Pro
 1860 1865 1870
 Gly Pro Gly Gly Ser Leu Val Pro Lys Ser Pro Ala Arg Ala Leu Leu
 1875 1880 1885
 Ala Lys Gln His Lys Thr Gln Lys Ser Pro Val Arg Ile Pro Phe Met
 1890 1895 1900
 Gln Arg Pro Ala Arg Arg Val Pro Pro Pro Leu Ala Arg Pro Ser Pro
 1905 1910 1915 1920
 Glu Pro Gly Ser Arg Gly Arg Ala Gly Ala Glu Gly Thr Pro Gly Ala
 1925 1930 1935
 Arg Gly Ser Arg Leu Gly Leu Val Arg Met Ala Ser Ala Arg Ser Ser
 1940 1945 1950
 Gly Ser Glu Ser Ser Asp Arg Ser Gly Phe Arg Arg Gln Leu Thr Phe
 1955 1960 1965
 Ile Lys Glu Ser Pro Gly Leu Leu Arg Arg Arg Arg Ser Glu Leu Ser

1970	1975	1980
Ser Ala Asp Ser Thr 1985	Ala Ser Thr 1990	Ser Gln Ala Ala Ser Pro Arg Arg 1995 2000
Gly Arg Pro Ala Leu 2005	Pro Ala Val Phe Leu Cys Ser Ser Arg Cys Asp 2010 2015	
Glu Leu Arg Val Ser Pro Arg Gln Pro Leu Ala Ala Gln Arg Ser Pro 2020 2025 2030		
Gln Ala Lys Pro Gly Leu Ala Pro Leu Ala Pro Arg Arg Thr Ser Ser 2035 2040 2045		
Glu Ser Pro Ser Arg Leu Pro Val Arg Ala Ser Pro Gly Arg Pro Glu 2050 2055 2060		
Thr Val Lys Arg Tyr Ala Ser Leu Pro His Ile Ser Val Ser Arg Arg 2065 2070 2075 2080		
Ser Asp Ser Ala Val Ser Val Pro Thr Thr Gln Ala Asn Ala Thr Arg 2085 2090 2095		
Arg Gly Ser Asp Gly Glu Ala Arg Pro Leu Pro Arg Val Ala Pro Pro 2100 2105 2110		
Gly Thr Thr Trp Arg Arg Ile Lys Asp Glu Asp Val Pro His Ile Leu 2115 2120 2125		
Arg Ser Thr Leu Pro Ala Thr Ala Leu Pro Leu Arg Val Ser Ser Pro 2130 2135 2140		
Glu Asp Ser Pro Ala Gly Thr Pro Gln Arg Lys Thr Ser Asp Ala Val 2145 2150 2155 2160		
Val Gln Thr Glu Asp Val Ala Thr Ser Lys Thr Asn Ser Ser Thr Ser 2165 2170 2175		
Pro Ser Leu Glu Ser Arg Asp Pro Pro Gln Ala Pro Ala Ser Gly Pro 2180 2185 2190		
Val Ala Pro Gln Gly Ser Asp Val Asp Gly Pro Val Leu Thr Lys Pro 2195 2200 2205		
Pro Ala Ser Ala Pro Phe Pro His Glu Gly Leu Ser Ala Val Ile Ala 2210 2215 2220		
Gly Phe Pro Thr Ser Arg His Gly Ser Pro Ser Arg Ala Ala Arg Val 2225 2230 2235 2240		
Pro Pro Phe Asn Tyr Val Pro Ser Pro Met Ala Ala Ala Thr Met Ala 2245 2250 2255		
Ser Asp Ser Ala Val Glu Lys Ala Pro Val Ser Ser Pro Ala Ser Leu 2260 2265 2270		
Leu Glu		

<210> 66
 <211> 942
 <212> DNA
 <213> *Caenorhabditis elegans*

<400> 66
 atgtacgaag atcagtactg cgtgggggtat aattttcttg aaggaacagg agacttttcca 60
 gaagacggtc tagaacctat caccctggca tcccatgccca cttcagatat gatgttaact 120
 ctggaaaaaa tgacctcaat gtgggatgga cctatatcag ttgggatatt tattgatttt 180
 cactctagtc aagctctgga gtatctcgca gaagtgcaca gatgtgatga ggagttcagg 240
 aagaagatga caattcactt tgcaatccgt cagtcagcat tccaacaaac ttgccccaaaa 300
 attcaaattc cagcttcaga cagaacttgc tggaagttca gagcggatca atcctacctc 360
 cgaagccatc tgtcaggacc cttccaacta tatccgagca accttatgag aaatttggct 420
 cgccaggag ccaagtcgga tattcatttt attatggatg cagatatgat tgtagtgag 480
 ggattcgcgc ggaaactcaa aaaagtggca aatgagatga tgcacggaaa aagtaaaaaa 540
 gtattggcaa ttcgaagatt cgaatcgggt aatggaactt atttgcctag aactcacttt 600
 gagttgaagc aatctatggc ttattccaac ggatatgaat ggaagttca agtaattctt 660
 caccgtaacg acccctataa cgcggcctat ttcccgtcca gaatcaaaagt tatgcactct 720
 ctgatttacg ccctttgtcg tgctggttac acgtttcatg ttccgtcaca cgttttcgat 780
 gttcatgaag ggattaagca tactaataca atttatcgca aagccacaat tgctcatcag 840
 gaagcttatg cgatggacat agccggagcc agatatgtca gagaaatgga cgaaaagtac 900
 ccggacactt tggacaagtg tggaagattc aagatgtatt ag 942

<210> 67
 <211> 313
 <212> PRT
 <213> *Caenorhabditis elegans*

<400> 67
 Met Tyr Glu Asp Gln Tyr Cys Val Gly Tyr Asn Phe Leu Glu Gly Thr
 1 5 10 15
 Gly Asp Phe Arg Glu Asp Gly Leu Glu Pro Ile Thr Leu Ala Ser His
 20 25 30
 Ala Thr Ser Asp Met Met Leu Thr Leu Glu Lys Met Thr Ser Met Trp
 35 40 45
 Asp Gly Pro Ile Ser Val Gly Ile Phe Ile Asp Phe His Ser Ser Gln
 50 55 60
 Ala Leu Glu Tyr Leu Ala Glu Val His Arg Cys Asp Glu Glu Phe Arg
 65 70 75 80
 Lys Lys Met Thr Ile His Phe Ala Ile Arg Gln Ser Ala Phe Gln Gln
 85 90 95
 Thr Cys Pro Lys Ile Gln Ile Pro Ala Ser Asp Arg Thr Cys Trp Lys
 100 105 110
 Phe Arg Ala Asp Gln Ser Tyr Leu Arg Ser His Leu Ser Gly Pro Phe
 115 120 125
 Gln Leu Tyr Pro Ser Asn Leu Met Arg Asn Leu Ala Arg Gln Gly Ala
 130 135 140

95

Lys Ser Asp Ile His Phe Ile Met Asp Ala Asp Met Ile Val Ser Glu
 145 150 155 160

Gly Phe Ala Arg Lys Leu Lys Lys Val Ala Asn Glu Met Ile Asp Gly
 165 170 175

Lys Ser Lys Lys Val Leu Ala Ile Arg Arg Phe Glu Ser Val Asn Gly
 180 185 190

Thr Tyr Leu Pro Arg Thr His Phe Glu Leu Lys Gln Ser Met Ala Tyr
 195 200 205

Ser Asn Gly Tyr Glu Trp Glu Val Gln Val Ile Leu His Arg Asn Asp
 210 215 220

Pro Tyr Asn Ala Ala Tyr Phe Pro Ser Arg Ile Lys Val Met His Ser
 225 230 235 240

Leu Ile Tyr Ala Leu Cys Arg Ala Gly Tyr Thr Phe His Val Pro Ser
 245 250 255

His Val Phe Asp Val His Glu Gly Ile Lys His Thr Asn Thr Ile Tyr
 260 265 270

Ser Lys Ala Thr Ile Ala His Gln Glu Ala Tyr Ala Met Asp Ile Ala
 275 280 285

Gly Ala Arg Tyr Val Arg Glu Met Asp Glu Lys Tyr Pro Asp Thr Leu
 290 295 300

Asp Lys Cys Gly Arg Phe Lys Met Tyr
 305 310

<210> 68

<211> 4527

<212> DNA

<213> *Caenorhabditis elegans*

<400> 68

```

atgcggctgc taattctcaa tatattattt gtggtttggc aaatacatgg cgctcatcga 60
cagagtacaa atgcagctgt ggtgtcaaca accgcggcgc cagttaaacc agccacttat 120
atgcttgtcg ccccgagcgt agtgcgaccc gatcaaccgt tctccgtttg catgaacctt 180
ctgaaacaag ctacggatga agacatgatt gttcggattg aagtgagaac tgaacggaac 240
gagacgattg ctgctcgagt tataagcaat ttgaagccgg gaatcgacac gactgtcagc 300
ttgagtgaga tgcctgctca atcactaact cctaggcaaa gctataagct ctacatccgc 360
ggggagactc ttaacgcaga actcatattt gaaaacgaaa atgagttaaa gtacgatcaa 420
aaagctttat cagttttcat ccaaacagat cgagcaatct atcggcctgc ttctcttggt 480
cgataccggg caattgtagt gaaatcggac ttgaaacctt acgtcggaaa cgctactatt 540
aaaattttcg atccaagcag aaatctgatt tcacagacga ttggtgtaac ttggataga 600
ggagtataca gcggcgagct ccaacttgcc gaagagactc tccttgagga ttggtttatc 660
gaggtggaaa cctcgaatgg agtccaggac aagtcgtcat ttacggtaga tacatactg 720
cttcccaaat ttgaagtga tatcaagacg tcttcgttta taactattaa cgatgatttg 780
tcagtgttcg tcgatgcaaa gtacacatat ggaaaaggcg ttgctggaaa ggccaaagta 840
tctctagagc ttccatggca cagatggcat gcgatgggtc ccactatcat tgacgaaaat 900
ggagtcaaga aggaagagga gctgatggtc gagcgtactg taaagctgaa cagacaagga 960
gaagcggcag ttgttttctc gaatgatgag ctcaagaggc acaagttgct acatgaatgg 1020
ggaggagggt caattcgaat tgttgcctca gtcactgaag acatcactga aatcgaaaga 1080

```

aacgctactc	atcaaatttc	aacgttccgt	gaggagggtca	aacttgatgt	tgaaaagcag	1140
ggagacacct	tcaagccagg	actcacttat	aatggtttag	ttgcaactgaa	acaaatggat	1200
gacactcccg	tgaaggcaac	tttgccaaag	agagttcagg	tatcaacatt	ctacaactat	1260
ccatacaatc	atgacacttc	atctctgcaa	gaggaaaaag	aaacaaaaat	tgtggaagtt	1320
gacgctcacg	gcacctcggt	tctcacccctc	caaccaccaa	tcaactgcac	ttctgctcgc	1380
attgaggctc	attatgatat	tggtggcaag	gacaacttca	cagccacccc	aatatattcc	1440
tcgctatatg	tcgaggcagc	cgtgagccca	acgaagagtt	tcctgcagct	tttggctgat	1500
aatgagggag	ctggtgatgt	aggaaagagt	cttagcttct	cgttgaaggc	taccagccg	1560
ctgtcgacaa	ttacctatca	ggtcatgtct	cgttcgaaca	ttgtggtgtc	tcaacaaatg	1620
actgttaatt	ccgaacatgc	gaccattagc	ttcccagcaa	cggtatacat	ggccccaag	1680
tcacggttga	tcgtctatgc	cattattgag	agtagtcaag	aagttcttgt	tgatgcactt	1740
gactttaaag	tagaaggaat	attccaaaac	caagtggcac	tatcaattga	caaacaagca	1800
gtcgagccag	gacagaatgt	gaagtttaag	gtcacatctg	acaagaactc	ttttgtggg	1860
cttcttgttg	tagatcagag	tggtctcttg	ttaaaaactg	gcaatgatat	cactagagaa	1920
aaagttgagc	aagacttggg	gaattatgac	tctaataatg	ttggaggagg	attcgggggt	1980
ccacggccat	gggaggcaat	tgatagaaag	aagagggtcca	tttgagagacc	ttggtgggga	2040
attggaggga	gtgatgctca	atcaatcttt	tctaattgctg	ggcttgtagt	tttgaccgac	2100
gccctcttgt	accgcgagcc	tcaacgtgaa	tttatgtcag	taatgatgat	ggatggtgct	2160
ccaggaatgg	ctgaagccgc	attcgccgct	ccgccaatgg	gcgggtcgct	gcctccaccg	2220
ccgacagttc	gaaagttctt	cccacacacc	tggaatttgt	cggaatctcaa	ctctactagt	2280
ggagaagttg	agatggaaat	tgaagctccg	gacaccatca	cctcgtgggt	cgctctcact	2340
tttgcaatca	atgaggaaaa	tggtctcggt	gtgggtccaa	cgacttcaaa	acctcgctg	2400
tttcgtccat	tttttattca	actcaatctt	ccatatgctg	tcggtcggtg	agaaaagttt	2460
gcacttttgg	tgcttgtttt	caattatatg	gaaaaggagc	aagatgtaac	agtgaactctg	2520
aagtatgata	aagactctgg	ttacgatctc	ctgaagaaag	atggaactgt	agtaaggcgt	2580
gacgaggttg	gccaacaaaa	tggtcgtatt	gtgtccgttg	ctggtggagg	aacatcgaaa	2640
gcagtgtact	tcccaattgt	gccgtcttca	attggagaga	tcccgggtaca	tataagcgct	2700
attgcatccc	aaggtggtga	tgcatgtag	atgaacttga	gagttgatcc	acaaggatat	2760
aaagtagata	gaaatattcc	atttgtcatt	gacctcaaca	ataactcttc	ggatttctcc	2820
aaaaatcttg	agcttatctg	gccaaacgac	gtggttgatg	gatcgagaa	ggcaagatta	2880
gatgtgattg	gtgatatgat	gggaccagtg	ttaaacaatg	ctcataagct	cgtacaaatg	2940
ccatatggat	gtggagaaca	gaatatgttg	aacttggttc	caaataatttt	ggtggtcaag	3000
tacttaagag	caacaaatag	aaatgagagc	caattagaga	caaaggctat	caagtttatt	3060
gagcagggaa	ttcagaggga	gttgacgtac	aaacgtgctg	acaactcttt	ctcagctttt	3120
ggcgatagtg	ataaagctgg	ttcaacgtgg	ctcaccgcat	ttgtcggttcg	atcgttccat	3180
cacgccaaac	aatacgcat	cgtggatcct	aatgttattt	cccagagcag	cgcattcttg	3240
aactctcaac	aaatggagtc	tggtgcattt	gccgaacgtg	gtgaagttca	tcacaaggat	3300
atgcagggag	gtgctcagga	cgggggtgta	gctctaaccg	catttggtgct	aatctcgatt	3360
ttggagaatg	gaatggagaa	tggaaggcgg	gtgacgtatt	tggaaggca	tttggtgaa	3420
gtatctggaa	atgctgtatc	aatggctgta	gtggcatatg	cacttcaatt	ggcaaaaagt	3480
aagcaagctg	gaaaggcatt	cgagaatttg	aagaaacata	agatcggtga	gaaaagtggg	3540
gatgtgaagt	ttgccagtg	tcagaaaaaa	gtggagaaac	taaaagaatc	gagagcgat	3600
atgttccagg	cccgtccagt	agacattgaa	actacctctt	acgcagttct	ttcttacctc	3660
gccccaaaac	aaacctcaga	atctctctca	attattcggt	ggttagtatc	ccaacgcaac	3720
gagctaggag	gattcacttc	cactcaagac	actgctatgg	ctcttcaagc	ctctctctcc	3780
tacgcagcag	tcacttattc	cgacaaacac	acaagtcaag	taacaattct	caacggaaaa	3840
catactcact	catttgatat	caacataaga	aacgcaattg	ttctccaatc	ctatcaacta	3900
tcttcattga	atgatgcagt	ttcaattaat	gccaatggaa	ctggtgtggt	cttcgctcag	3960
ttgagttatt	cttactacag	ggactctttg	aatgacgatg	ctccgttctt	ctgctcccag	4020
gagatcaagg	aaataagagc	tggaatcga	ctgcaattgg	atttggtgtg	caactatacc	4080
cgctctggaa	agtctaacat	ggctctagcc	gaaattgatg	ccttgagtg	ttaccgattc	4140
gatgcggaac	aggtgcatac	tttgacaagt	attgaggatt	tgcaaagggt	ggagatggaa	4200
aaggacgaca	ctaagatgaa	cgtatatttc	aaccgcgtcg	gtggccgtcc	ggtatgtctc	4260
tcgttatact	ctgatgtcac	ttatcaagtt	gccgatcaaa	aacctgccaa	cttccgatta	4320
gtggattact	acgatccgga	ggagcagctc	aaaatgacat	acgccgccaa	gcaaacacga	4380
tcgctgcaag	agaaatgtgg	ggaagactgt	tggccaccga	tttccccatc	actgcctcca	4440
tttgacgagt	cgacagtaac	aggcacgtcc	tctggttttg	gtgccaaagt	gtgtgctctt	4500
atcattgctg	tgctccttat	tgcatga				4527

<210> 69
<211> 4560
<212> DNA
<213> *Caenorhabditis elegans*

<400> 69

```
atgCGGctgc taattctcaa tatattattt gtgggtttggc aaatacatgg cgtcatcgga 60
cagagtacaa atgcagctgt ggtgtcaaca accgCGgcgc cagttaaacc agccacttat 120
atgcttgtcg ccccgagcagt agtgcgaccc gatcaaccgt tctccgtttg catgaaccctt 180
ctgaaacaag ctacggatga agacatgatt gttcggattg aagtgagaac tgaacggaac 240
gagacgattg ctgctcgagt tataagcaat ttgaagccgg gaatcgcaac gactgtcagc 300
ttgagtgaga tgcctgctca atcactaact cctaggcaaa gctataagct ctacatccgc 360
ggggagactc ttaacgcaga actcatattt gaaaacgaaa atgagttaaa gtacgatcaa 420
aaagctttat cagttttcat ccaaacagat cgagcaatct atcggcctgc ttctcttgtt 480
cgataccggg caattgtagt gaaatcggaac ttgaaacctt acgtcggaac cgctactatt 540
aaaattttcg atccaagcag aaatctgatt tcacagacga ttggtgtaac ttgggataga 600
ggagtataca gcgCGcagct ccaacttgcc gaagagactc tccttgagga ttgggtttatc 660
gaggtggaaa cctcgaatgg agtccaggac aagtCGtcat ttacggtaga tacatacgtg 720
cttcccaaat ttgaagtga tatcaagacg tcttcgttta taactattaa cgatgatttg 780
tcagtgttcg tcgatgcaaa gtacacatat ggaaaaggcg ttgctggaaa ggccaaagta 840
tctctagagc ttccatggca cagatggcat gcgatggttc ccactatcat tgacgaaaat 900
ggagtcaaga aggaagagga gctgatggtc gagcgtactg taaagctgaa cagacaagga 960
gaagcggcag ttgttttctc gaatgatgag ctcaagaggc acaagttgct acatgaatgg 1020
ggaggagggt caattcgaat tgttgccctca gtcactgaag acatcactga aatcgaaaga 1080
aacgctactt atcaaatttc aacgttccgt gaggaggtca aacttgatgt tgaaaagcag 1140
ggagacacct tcaagccagg actcacttat aatgtttag ttgcaactgaa acaaatggat 1200
gacactcccg tgaaggcaac ttgcccagg agagttcagg tatcaacatt ctacaactat 1260
ccatacaatc atgacacttc atctctgcaa gaggaaaaag aaacaaaaat tgtggaagtt 1320
gacgctcacg gcacctcggc tctcaccctc caaccaccaa tcaactgcac ttctgctcgc 1380
attgaggctc attatgatat tgggtggcaag gacaacttca cagccacccc aatatattcc 1440
tcgctatatg tcgaggcagc cgtgagccca acgaagagtt tctgcagct tttggctgat 1500
aatgagggag ctgttgatgt aggaagagat cttagcttct cgttgaaggc taccagccg 1560
ctgtcgacaa ttacctatca ggtcatgtct cgttcgaaca ttgtggtgtc tcaacaaatg 1620
actgttaatt ccgaacatgc gaccattagc ttcccagcaa cggctaacat ggcccccagg 1680
tcacggttga tcgtctatgc cattattgag agtagtcaag aagttcttgt tgatgcactt 1740
gactttaaag tagaaggaat attccaaaac caagtggcac tatcaattga caaacaagca 1800
gtcgagccag gacagaatgt gaagtttaag gtcacatctg acaagaactc ttttgttggg 1860
cttcttgttg tagatcagag tgttctcttg ttaaaaactg gcaatgatat cactagagaa 1920
aaagttgagc aagacttgga gaattatgac tctaataatg ttggaggagg attcgggggt 1980
ccacggccat gggaggcaat tgatagaaag aagaggtcca ttggagacc ttggtgggga 2040
attggaggga gtgatgctca atcaatcttt tctaagtctg ggctttagt tttgaccgac 2100
gccctcttgt accgCGagcc tcaacgtgaa tttatgtcag aaagaagact taatacacc 2160
ggagggtcta cagtaatgat gatggatggc gctccaggaa tggctgaagc cgcattcgcc 2220
gtccgccaat tggcggggtc gtcgcctcca ccgCGacag ttcgaaagtt cttccacac 2280
acctggattt ggtcggatct caactctact agtgagagaa ttgagatgga aattgaagct 2340
ccggacacca tcacctcgtg ggtcgccctc acttttgcaa tcaatgagga aaatggtctc 2400
ggtgtggctc caacgacttc aaaacttcgc gtgtttcgtc cattttttat tcaactcaat 2460
cttccatatg ctgtccgtcg tggagaaaag ttgcaacttt tgggtcttgt ttccaattat 2520
atggaaaag agcaagatgt aacagtgaat ctgaagtatg ataaagactc tggttacgat 2580
ctcctgaaga aagatggaac tgtagtaagg cgtgacgagg ttggccaaca aaatgttcgt 2640
attgtgtccg ttgctggtgg aggaacatcg aaagcagtg acttcccaat tgtgccgtct 2700
tcaattggag agatcccggt acatataagc gctattgcat cccaaggtgg tgatgcagta 2760
gagatgaact tgagagttga tccacaagga tataaagtag atagaaatat tccatttgtc 2820
attgacctca acaataactc ttcggatttc tccaaaaatc ttgagcttat ctggccaaac 2880
gacgtggttg atggatcgca gaaggcaaga ttagatgtga ttggtgatat gatgggacca 2940
gtgttaaaca atgctcataa gctcgtacaa atgccatatg gatgtggaga acagaatatg 3000
ttgaacttgg ttccaaatat tttggtggtc aagtacttaa gagcaacaaa tagaaatgag 3060
```


98

```

agccaattag agacaaaggc tatcaagttt attgagcagg gaattcagag ggagttgacg 3120
tacaaacgtg ctgacaactc tttctcagct tttggcgata gtgataaagc tgggttcaacg 3180
tggctcaccg catttgctgt tctgatcggtc catcacgccca aacaatacgc attcgtggat 3240
cctaattgta tttcccgcgc agtcgcattc ttgaactctc aacaaatgga gtctggtgca 3300
tttgccgaac gtggtgaagt tcatcacaag gatatgcagg gaggtgctca ggacgggggt 3360
gtagctctaa cggcatttgt gctaattctcg attttggaga atggaatgga gaatggaaag 3420
gcggtgacgt atttggaata gcatttggat gaagtatctg gaaatgcgta tacaatggct 3480
gtagtggtcat atgcacttca attggcaaaa agtaagcaag ctggaaaggc attcgagaat 3540
ttgaagaaac ataagatcgt tgagaaaagt ggagatgtga agtttgccag tgctcagaaa 3600
aaagtggaga aactaaaaga atcgagagcg tatatgttcc aggcccgctc agtagacatt 3660
gaaactacct cttacgcagt tctttcttac ctgcgccaaa atcaaacctc agaatctctc 3720
tcaattattc gttggttagt atcccaacgc aacgagctag gaggattcac ttccactcaa 3780
gacactgtca tggctcttca agctctctct tctacgcag cagtcactta ttccgacaaa 3840
cacacaagtc aagtaacaat tctcaacgga aaacatactc actcatttga tatcaacata 3900
agaaacgcaa ttgttctcca atcctatcaa ctatcttcat tgaatgatgc agtttcaatt 3960
aatgccaatg gaactggtgt ggtcttctgt cagttgagtt attcttacta cagggactct 4020
ttgaatgacg atgctccgtt cttctgctcc caggagatca aggaaataag agctggaaat 4080
cgactgcaat tggatttgtg ttgcaactat acccgctctg gaaagtctaa catggctcta 4140
gccgaaattg atgccttgag tggttaccga ttcgatgcgg aacaggtgca tactttgaca 4200
agtattgagg atttgcaaag ggtggagatg gaaaaggacg acactaagat gaacgtatat 4260
ttcaacccgc tccgtggccg tccggtatgt ctctcgttat actctgatgt cacttatcaa 4320
gttgccgatc aaaaacctgc caacttccga ttagtggatt actacgatcc ggaggagcag 4380
ctcaaaatga catacgccgc caagcaaaaca cgatcgctgc aagagaaatg tggggaagac 4440
tggttgccac cgatttcccc atcactgcct ccatttgacg agtcgacagt aacaggcacg 4500
tcctctggtt ttggtgccaa gtggtgtgct cttatcattg ctgtgctcct tattgcatga 4560

```

<210> 70

<211> 1508

<212> PRT

<213> *Caenorhabditis elegans*

<400> 70

```

Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His
  1             5             10             15

```

```

Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala
      20             25             30

```

```

Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val
      35             40             45

```

```

Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala
      50             55             60

```

```

Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn
      65             70             75             80

```

```

Glu Thr Ile Ala Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala
      85             90             95

```

```

Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg
      100            105            110

```

```

Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu
      115            120            125

```

```

Ile Phe Glu Asn Glu Asn Glu Leu Lys Tyr Asp Gln Lys Ala Leu Ser
      130            135            140

```

Val Phe Ile Gln Thr Asp Arg Ala Ile Tyr Arg Pro Ala Ser Leu Val
 145 150 155 160
 Arg Tyr Arg Ala Ile Val Val Lys Ser Asp Leu Lys Pro Tyr Val Gly
 165 170 175
 Asn Ala Thr Ile Lys Ile Phe Asp Pro Ser Arg Asn Leu Ile Ser Gln
 180 185 190
 Thr Ile Gly Val Thr Leu Asp Arg Gly Val Tyr Ser Gly Glu Leu Gln
 195 200 205
 Leu Ala Glu Glu Thr Leu Leu Gly Asp Trp Phe Ile Glu Val Glu Thr
 210 215 220
 Ser Asn Gly Val Gln Asp Lys Ser Ser Phe Thr Val Asp Thr Tyr Val
 225 230 235 240
 Leu Pro Lys Phe Glu Val Asn Ile Lys Thr Ser Ser Phe Ile Thr Ile
 245 250 255
 Asn Asp Asp Leu Ser Val Phe Val Asp Ala Lys Tyr Thr Tyr Gly Lys
 260 265 270
 Gly Val Ala Gly Lys Ala Lys Val Ser Leu Glu Leu Pro Trp His Arg
 275 280 285
 Trp His Ala Met Val Pro Thr Ile Ile Asp Glu Asn Gly Val Lys Lys
 290 295 300
 Glu Glu Glu Leu Met Val Glu Arg Thr Val Lys Leu Asn Arg Gln Gly
 305 310 315 320
 Glu Ala Ala Val Val Phe Ser Asn Asp Glu Leu Lys Arg His Lys Leu
 325 330 335
 Leu His Glu Trp Gly Gly Gly Ser Ile Arg Ile Val Ala Ser Val Thr
 340 345 350
 Glu Asp Ile Thr Glu Ile Glu Arg Asn Ala Thr His Gln Ile Ser Thr
 355 360 365
 Phe Arg Glu Glu Val Lys Leu Asp Val Glu Lys Gln Gly Asp Thr Phe
 370 375 380
 Lys Pro Gly Leu Thr Tyr Asn Val Val Val Ala Leu Lys Gln Met Asp
 385 390 395 400
 Asp Thr Pro Val Lys Ala Thr Leu Pro Lys Arg Val Gln Val Ser Thr
 405 410 415
 Phe Tyr Asn Tyr Pro Tyr Asn His Asp Thr Ser Ser Leu Gln Glu Glu
 420 425 430
 Lys Glu Thr Lys Ile Val Glu Val Asp Ala His Gly Thr Ser Val Leu
 435 440 445

100

Thr Leu Gln Pro Pro Ile Asn Cys Thr Ser Ala Arg Ile Glu Ala His
 450 455 460

Tyr Asp Ile Gly Gly Lys Asp Asn Phe Thr Ala Thr Pro Ile Tyr Ser
 465 470 475 480

Ser Leu Tyr Val Glu Ala Ala Val Ser Pro Thr Lys Ser Phe Leu Gln
 485 490 495

Leu Leu Ala Asp Asn Glu Gly Ala Val Asp Val Gly Lys Ser Leu Ser
 500 505 510

Phe Ser Leu Lys Ala Thr Gln Pro Leu Ser Thr Ile Thr Tyr Gln Val
 515 520 525

Met Ser Arg Ser Asn Ile Val Val Ser Gln Gln Met Thr Val Asn Ser
 530 535 540

Glu His Ala Thr Ile Ser Phe Pro Ala Thr Ala Asn Met Ala Pro Lys
 545 550 555 560

Ser Arg Leu Ile Val Tyr Ala Ile Ile Glu Ser Ser Gln Glu Val Leu
 565 570 575

Val Asp Ala Leu Asp Phe Lys Val Glu Gly Ile Phe Gln Asn Gln Val
 580 585 590

Ala Leu Ser Ile Asp Lys Gln Ala Val Glu Pro Gly Gln Asn Val Lys
 595 600 605

Phe Lys Val Thr Ser Asp Lys Asn Ser Phe Val Gly Leu Leu Val Val
 610 615 620

Asp Gln Ser Val Leu Leu Lys Thr Gly Asn Asp Ile Thr Arg Glu
 625 630 635 640

Lys Val Glu Gln Asp Leu Glu Asn Tyr Asp Ser Asn Asn Val Gly Gly
 645 650 655

Gly Phe Gly Gly Pro Arg Pro Trp Glu Ala Ile Asp Arg Lys Lys Arg
 660 665 670

Ser Ile Trp Arg Pro Trp Trp Gly Ile Gly Gly Ser Asp Ala Gln Ser
 675 680 685

Ile Phe Ser Asn Ala Gly Leu Val Val Leu Thr Asp Ala Leu Leu Tyr
 690 695 700

Arg Glu Pro Gln Arg Glu Phe Met Ser Val Met Met Met Asp Gly Ala
 705 710 715 720

Pro Gly Met Ala Glu Ala Ala Phe Ala Ala Pro Pro Met Gly Gly Ser
 725 730 735

Ser Pro Pro Pro Pro Thr Val Arg Lys Phe Phe Pro His Thr Trp Ile
 740 745 750

Trp Ser Asp Leu Asn Ser Thr Ser Gly Glu Val Glu Met Glu Ile Glu

BNSDOCID: <WO__0073328A2 I >

102

Ile Ser Arg Ala Val Ala Phe Leu Asn Ser Gln Gln Met Glu Ser Gly
 1075 1080 1085
 Ala Phe Ala Glu Arg Gly Glu Val His His Lys Asp Met Gln Gly Gly
 1090 1095 1100
 Ala Gln Asp Gly Gly Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile
 1105 1110 1115 1120
 Leu Glu Asn Gly Met Glu Asn Gly Lys Ala Val Thr Tyr Leu Glu Lys
 1125 1130 1135
 His Leu Asp Glu Val Ser Gly Asn Ala Tyr Thr Met Ala Val Val Ala
 1140 1145 1150
 Tyr Ala Leu Gln Leu Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu
 1155 1160 1165
 Asn Leu Lys Lys His Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe
 1170 1175 1180
 Ala Ser Ala Gln Lys Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr
 1185 1190 1195 1200
 Met Phe Gln Ala Arg Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val
 1205 1210 1215
 Leu Ser Tyr Leu Ala Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile
 1220 1225 1230
 Arg Trp Leu Val Ser Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr
 1235 1240 1245
 Gln Asp Thr Val Met Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val
 1250 1255 1260
 Thr Tyr Ser Asp Lys His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys
 1265 1270 1275 1280
 His Thr His Ser Phe Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln
 1285 1290 1295
 Ser Tyr Gln Leu Ser Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn
 1300 1305 1310
 Gly Thr Gly Val Val Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp
 1315 1320 1325
 Ser Leu Asn Asp Asp Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu
 1330 1335 1340
 Ile Arg Ala Gly Asn Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr
 1345 1350 1355 1360
 Arg Pro Gly Lys Ser Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser
 1365 1370 1375

Gly Tyr Arg Phe Asp Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu
 1380 1385 1390
 Asp Leu Gln Arg Val Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val
 1395 1400 1405
 Tyr Phe Asn Pro Leu Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser
 1410 1415 1420
 Asp Val Thr Tyr Gln Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu
 1425 1430 1435 1440
 Val Asp Tyr Tyr Asp Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala
 1445 1450 1455
 Lys Gln Thr Arg Ser Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro
 1460 1465 1470
 Pro Ile Ser Pro Ser Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly
 1475 1480 1485
 Thr Ser Ser Gly Phe Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val
 1490 1495 1500
 Leu Leu Ile Ala
 1505

<210> 71

<211> 1519

<212> PRT

<213> Caenorhabditis elegans

<400> 71

Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His
 1 5 10 15
 Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala
 20 25 30
 Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val
 35 40 45
 Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala
 50 55 60
 Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn
 65 70 75 80
 Glu Thr Ile Ala Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala
 85 90 95
 Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg
 100 105 110
 Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu
 115 120 125

104

Ile Phe Glu Asn Glu Asn Glu Leu Lys Tyr Asp Gln Lys Ala Leu Ser
 130 135 140
 Val Phe Ile Gln Thr Asp Arg Ala Ile Tyr Arg Pro Ala Ser Leu Val
 145 150 155 160
 Arg Tyr Arg Ala Ile Val Val Lys Ser Asp Leu Lys Pro Tyr Val Gly
 165 170 175
 Asn Ala Thr Ile Lys Ile Phe Asp Pro Ser Arg Asn Leu Ile Ser Gln
 180 185 190
 Thr Ile Gly Val Thr Leu Asp Arg Gly Val Tyr Ser Gly Glu Leu Gln
 195 200 205
 Leu Ala Glu Glu Thr Leu Leu Gly Asp Trp Phe Ile Glu Val Glu Thr
 210 215 220
 Ser Asn Gly Val Gln Asp Lys Ser Ser Phe Thr Val Asp Thr Tyr Val
 225 230 235 240
 Leu Pro Lys Phe Glu Val Asn Ile Lys Thr Ser Ser Phe Ile Thr Ile
 245 250 255
 Asn Asp Asp Leu Ser Val Phe Val Asp Ala Lys Tyr Thr Tyr Gly Lys
 260 265 270
 Gly Val Ala Gly Lys Ala Lys Val Ser Leu Glu Leu Pro Trp His Arg
 275 280 285
 Trp His Ala Met Val Pro Thr Ile Ile Asp Glu Asn Gly Val Lys Lys
 290 295 300
 Glu Glu Glu Leu Met Val Glu Arg Thr Val Lys Leu Asn Arg Gln Gly
 305 310 315 320
 Glu Ala Ala Val Val Phe Ser Asn Asp Glu Leu Lys Arg His Lys Leu
 325 330 335
 Leu His Glu Trp Gly Gly Gly Ser Ile Arg Ile Val Ala Ser Val Thr
 340 345 350
 Glu Asp Ile Thr Glu Ile Glu Arg Asn Ala Thr His Gln Ile Ser Thr
 355 360 365
 Phe Arg Glu Glu Val Lys Leu Asp Val Glu Lys Gln Gly Asp Thr Phe
 370 375 380
 Lys Pro Gly Leu Thr Tyr Asn Val Val Val Ala Leu Lys Gln Met Asp
 385 390 395 400
 Asp Thr Pro Val Lys Ala Thr Leu Pro Lys Arg Val Gln Val Ser Thr
 405 410 415
 Phe Tyr Asn Tyr Pro Tyr Asn His Asp Thr Ser Ser Leu Gln Glu Glu
 420 425 430
 Lys Glu Thr Lys Ile Val Glu Val Asp Ala His Gly Thr Ser Val Leu

BNSDOCID: <WO_0073328A2 | >

106

Thr Val Arg Lys Phe Phe Pro His Thr Trp Ile Trp Ser Asp Leu Asn
 755 760 765
 Ser Thr Ser Gly Glu Val Glu Met Glu Ile Glu Ala Pro Asp Thr Ile
 770 775 780
 Thr Ser Trp Val Ala Ser Thr Phe Ala Ile Asn Glu Glu Asn Gly Leu
 785 790 795 800
 Gly Val Ala Pro Thr Thr Ser Lys Leu Arg Val Phe Arg Pro Phe Phe
 805 810 815
 Ile Gln Leu Asn Leu Pro Tyr Ala Val Arg Arg Gly Glu Lys Phe Ala
 820 825 830
 Leu Leu Val Leu Val Phe Asn Tyr Met Glu Lys Glu Gln Asp Val Thr
 835 840 845
 Val Thr Leu Lys Tyr Asp Lys Asp Ser Gly Tyr Asp Leu Leu Lys Lys
 850 855 860
 Asp Gly Thr Val Val Arg Arg Asp Glu Val Gly Gln Gln Asn Val Arg
 865 870 875 880
 Ile Val Ser Val Ala Gly Gly Gly Thr Ser Lys Ala Val Tyr Phe Pro
 885 890 895
 Ile Val Pro Ser Ser Ile Gly Glu Ile Pro Val His Ile Ser Ala Ile
 900 905 910
 Ala Ser Gln Gly Gly Asp Ala Val Glu Met Asn Leu Arg Val Asp Pro
 915 920 925
 Gln Gly Tyr Lys Val Asp Arg Asn Ile Pro Phe Val Ile Asp Leu Asn
 930 935 940
 Asn Asn Ser Ser Asp Phe Ser Lys Asn Leu Glu Leu Ile Trp Pro Asn
 945 950 955 960
 Asp Val Val Asp Gly Ser Gln Lys Ala Arg Leu Asp Val Ile Gly Asp
 965 970 975
 Met Met Gly Pro Val Leu Asn Asn Ala His Lys Leu Val Gln Met Pro
 980 985 990
 Tyr Gly Cys Gly Glu Gln Asn Met Leu Asn Leu Val Pro Asn Ile Leu
 995 1000 1005
 Val Val Lys Tyr Leu Arg Ala Thr Asn Arg Asn Glu Ser Gln Leu Glu
 1010 1015 1020
 Thr Lys Ala Ile Lys Phe Ile Glu Gln Gly Ile Gln Arg Glu Leu Thr
 1025 1030 1035 1040
 Tyr Lys Arg Ala Asp Asn Ser Phe Ser Ala Phe Gly Asp Ser Asp Lys
 1045 1050 1055

Ala Gly Ser Thr Trp Leu Thr Ala Phe Val Val Arg Ser Phe His His
 1060 1065 1070

Ala Lys Gln Tyr Ala Phe Val Asp Pro Asn Val Ile Ser Arg Ala Val
 1075 1080 1085

Ala Phe Leu Asn Ser Gln Gln Met Glu Ser Gly Ala Phe Ala Glu Arg
 1090 1095 1100

Gly Glu Val His His Lys Asp Met Gln Gly Gly Ala Gln Asp Gly Gly
 1105 1110 1115 1120

Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile Leu Glu Asn Gly Met
 1125 1130 1135

Glu Asn Gly Lys Ala Val Thr Tyr Leu Glu Lys His Leu Asp Glu Val
 1140 1145 1150

Ser Gly Asn Ala Tyr Thr Met Ala Val Val Ala Tyr Ala Leu Gln Leu
 1155 1160 1165

Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu Asn Leu Lys Lys His
 1170 1175 1180

Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe Ala Ser Ala Gln Lys
 1185 1190 1195 1200

Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr Met Phe Gln Ala Arg
 1205 1210 1215

Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val Leu Ser Tyr Leu Ala
 1220 1225 1230

Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile Arg Trp Leu Val Ser
 1235 1240 1245

Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr Gln Asp Thr Val Met
 1250 1255 1260

Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val Thr Tyr Ser Asp Lys
 1265 1270 1275 1280

His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys His Thr His Ser Phe
 1285 1290 1295

Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln Ser Tyr Gln Leu Ser
 1300 1305 1310

Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn Gly Thr Gly Val Val
 1315 1320 1325

Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp Ser Leu Asn Asp Asp
 1330 1335 1340

Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu Ile Arg Ala Gly Asn
 1345 1350 1355 1360

Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr Arg Pro Gly Lys Ser

1365 108 1375
1370
Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser Gly Tyr Arg Phe Asp
1380 1385 1390
Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu Asp Leu Gln Arg Val
1395 1400 1405
Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val Tyr Phe Asn Pro Leu
1410 1415 1420
Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser Asp Val Thr Tyr Gln
1425 1430 1435 1440
Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu Val Asp Tyr Tyr Asp
1445 1450 1455
Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala Lys Gln Thr Arg Ser
1460 1465 1470
Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro Pro Ile Ser Pro Ser
1475 1480 1485
Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly Thr Ser Ser Gly Phe
1490 1495 1500
Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val Leu Leu Ile Ala
1505 1510 1515

<210> 72
<211> 1026
<212> DNA
<213> Caenorhabditis elegans

<400> 72
atgaatatg tgtgggttat aatttttttg aagctacaga aaggcatttt ccgagaagat 60
ggacttgaac cagtaacact agcagttcat ggtactgcag aaatgatgga aatgatagaa 120
aataagcctg agaactggga tgggcctata tcatttggat tgtttattga ttttcattct 180
agacaaattc tggattacgt cgctaagggt tatagctgcg atgaggagtt tcagaaaaag 240
gttaccgtac actttgcatt ccgtctatca ccctttcaaa ctagctgccc acaaatacaa 300
gtctcaccgt caactctcga atgtggcgag ttctctcca acagaaaaaa gtttcgacgt 360
gctgtaggcg actcatttca attgtaccca agtaacttga tgagaaatat tgcaagaaaa 420
ggtgccaaat cggatattca ttccattgtc gatggtgata tgataatgag tgatggattt 480
gcggaaaaga ttaaaccaat tgcaaataca attgttgatg ggaaaaacaa aaatgtattg 540
gttgtagtaa gatttgaaac aaatgaaacg acaatacccc acaaccatat agaattgaaa 600
aatgcaattg aaaataaaca agtcttccaa ttcatcaca gatttttctt tgctgggcat 660
aaaatttcaa atatttcaca ctgggtttgcg gtttccaatg aaaccgacga aattactgct 720
tgggaaatac cttactcgag cagcttatgg gaagttcaag tgattcttca tcgtaacgac 780
ttgtacaatg cggattactt tccagcgaga atcaaggtta tgcagtcatt ggtgtacagc 840
ctgtgcagag ccaactatac gttcaacctc ctatcacacg ttttcaacgt gcacaaagga 900
atcaaattag gcgatactaa cttctcaaaa tccgttatag cacactctaa gagaaatgga 960
agaaatagcg aactccagga tacataccca gatacgttgg atagatgcgg tcaatttcta 1020
atgtaa 1026

<210> 73
<211> 341
<212> PRT

109

<213> Caenorhabditis elegans

<400> 73

Met Asn Ile Val Trp Val Ile Ile Phe Trp Lys Leu Gln Lys Gly Ile
 1 5 10 15
 Phe Arg Glu Asp Gly Leu Glu Pro Val Thr Leu Ala Val His Gly Thr
 20 25 30
 Ala Glu Met Met Glu Met Ile Glu Asn Lys Pro Glu Asn Trp Asp Gly
 35 40 45
 Pro Ile Ser Phe Gly Leu Phe Ile Asp Phe His Ser Arg Gln Ile Leu
 50 55 60
 Asp Tyr Val Ala Lys Val Tyr Ser Cys Asp Glu Glu Phe Gln Lys Lys
 65 70 75 80
 Val Thr Val His Phe Ala Phe Arg Leu Ser Pro Phe Gln Thr Ser Cys
 85 90 95
 Pro Gln Ile Lys Val Ser Pro Ser Thr Leu Glu Cys Gly Glu Phe Leu
 100 105 110
 Ser Asn Arg Lys Lys Phe Arg Arg Ala Val Gly Asp Ser Phe Gln Leu
 115 120 125
 Tyr Pro Ser Asn Leu Met Arg Asn Ile Ala Arg Lys Gly Ala Lys Ser
 130 135 140
 Asp Ile His Phe Ile Val Asp Gly Asp Met Ile Met Ser Asp Gly Phe
 145 150 155 160
 Ala Glu Lys Ile Lys Pro Ile Ala Asn Gln Ile Val Asp Gly Lys Asn
 165 170 175
 Lys Asn Val Leu Val Val Arg Arg Phe Glu Thr Asn Glu Thr Thr Ile
 180 185 190
 Pro His Asn His Ile Glu Leu Lys Asn Ala Ile Glu Asn Lys Gln Val
 195 200 205
 Phe Gln Phe His His Arg Phe Phe Phe Ala Gly His Lys Ile Ser Asn
 210 215 220
 Ile Ser His Trp Phe Ala Val Ser Asn Glu Thr Asp Glu Ile Thr Ala
 225 230 235 240
 Trp Glu Ile Pro Tyr Ser Ser Ser Leu Trp Glu Val Gln Val Ile Leu
 245 250 255
 His Arg Asn Asp Leu Tyr Asn Ala Asp Tyr Phe Pro Ala Arg Ile Lys
 260 265 270
 Val Met Gln Ser Leu Val Tyr Ser Leu Cys Arg Ala Asn Tyr Thr Phe
 275 280 285
 Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Leu Gly

290 295 110 300
 Asp Thr Asn Phe Ser Lys Ser Val Ile Ala His Ser Lys Arg Asn Gly
 305 310 315 320
 Arg Asn Ser Glu Leu Gln Asp Thr Tyr Pro Asp Thr Leu Asp Arg Cys
 325 330 335
 Gly Gln Phe Val Met
 340

<210> 74

<211> 1869

<212> DNA

<213> *Caenorhabditis elegans*

<400> 74

```

atgcagtaca ttgtagcgtc atatttttaca atatggaact ttgtggacca cacacgtggt 60
ggggcggtttc cggaagaaga ttacattcgc cttgcgtata ttatcggtgg aaatttttatg 120
acacgtctta tgttcattgca gcatttttaa agtgtattga agtactctga ccatttcttt 180
cgcctacatc tgataactga tgaaaatcac cgatccgata ttcattgagct catgacgtca 240
tggaatattt caaactgcga gtgggttttt cacaatctca cagagttcga aaaacgagtt 300
gcttggattc caaattcaca ttattcaaaa tattatgggt tgagcaaact tttaattcct 360
gaaatcatcg gcaatgacat tggaaagatt atgttcatgg atgttgatat catttttcaa 420
accaatattt ttgattttgt gaaacaattt agaaacttta acaattccca ggttttcggg 480
atgggtgaaa atctttccga ttggtatctt aacaaggatg gtaaaaagtc ggtttgccca 540
gcattgggac gtggatttaa cactggaata atcatgtttg atttgataa gctccggaaa 600
aatggatggg caagcaaatt gagagtagtg gctaacaatt atttacgaat tcacggaaaa 660
actgccatgt cagatcaaga catatttaat gcatacattc atgactatcc gactgaaatt 720
atacaaattc catgtgctta caattatcaa ccttggagcac tcacaaaatc caaagaacta 780
tgtccggaga ctccacttgc gctacatttc aactcacaaa acaagactgt tggaaaaaat 840
tacgcatttt ttgacaagat tcgaaaagcg tttgatgaaa tggatgggtc agatcttaaa 900
cgacgtagac gatcttttaa aggaaataat caaaaagata tctgccatga atattttacca 960
ttagacaatt tccgaattat cccaaatgca attggaagaa tgacaaaacc tgcagaactc 1020
tgcattggtga cgcagttttc caaagatcga cttaatcatt ttctggaaag tgcaaattgcg 1080
tggcggcatc ctatatctac agcagtatac gggaaggata aagatttgct agacattgca 1140
aaagccgtca cagaattgaa tcgcacagat atcacaatcc atctggtttt tgaggaacca 1200
actgaatcct ggatgctaga ctctttatat ccataaatt ttttgagaaa tgtagcaatt 1260
gaacacgcaa actgcaata tatttttaat actgatgtag attttgtggt acttgagat 1320
tacggtacaa taatcgatca aactggaaac ctgaaacaaa aagaagttct ggtgatccct 1380
gcattggaaa tgacataccc gcagctgagg ttaaatttat caaattttct ctcgagaaaa 1440
gatttggtga tagaacattt attgaacaaa accattcaaa cttttcggga aacaatttgg 1500
ccaagttctc acgtacctac aaatatttca aaatggataa agtcaaatcg cacttatatg 1560
gtagcacaaa atgtaaatga tgaaaagaac tatgaacctt attttgtaat caaaaaagaa 1620
gaatgccctt ttacgatca gcggttcgga ggatttggct ggaataaagt aactcatgta 1680
atgcaactga aaatgatga ttataagttc ttggtttctc caactagttt tatgattcat 1740
caaatcata atgcttcaaa atcattgaaa cgctggagac gtgaccaca ttatcagaaa 1800
tgccttcaca cgtaaaaaaa taaatttatg aaaaaaactg ctagtcgact gggaatcaag 1860
ctaagatga 1869
  
```

<210> 75

<211> 622

<212> PRT

<213> *Caenorhabditis elegans*

<400> 75

Met Gln Tyr Ile Val Ala Ser Tyr Phe Thr Ile Trp Asn Phe Val Asp

1	5	10	15
His Thr Arg Val Gly Ala Phe Pro Glu Glu Asp Tyr Ile Arg Leu Ala	20	25	30
Tyr Ile Ile Gly Gly Asn Phe Met Thr Arg Leu Met Phe Met Gln His	35	40	45
Phe Lys Ser Val Leu Lys Tyr Ser Asp His Phe Phe Arg Leu His Leu	50	55	60
Ile Thr Asp Glu Asn His Arg Ser Asp Ile His Glu Leu Met Thr Ser	65	70	75
Trp Asn Ile Ser Asn Cys Glu Trp Phe Phe His Asn Leu Thr Glu Phe	85	90	95
Glu Lys Arg Val Ala Trp Ile Pro Asn Ser His Tyr Ser Lys Tyr Tyr	100	105	110
Gly Leu Ser Lys Leu Leu Ile Pro Glu Ile Ile Gly Asn Asp Ile Gly	115	120	125
Lys Ile Met Phe Met Asp Val Asp Ile Ile Phe Gln Thr Asn Ile Phe	130	135	140
Asp Leu Trp Lys Gln Phe Arg Asn Phe Asn Asn Ser Gln Val Phe Gly	145	150	155
Met Val Glu Asn Leu Ser Asp Trp Tyr Leu Asn Lys Asp Gly Lys Lys	165	170	175
Ser Val Trp Pro Ala Leu Gly Arg Gly Phe Asn Thr Gly Ile Ile Met	180	185	190
Phe Asp Leu Asp Lys Leu Arg Lys Asn Gly Trp Ala Ser Lys Trp Arg	195	200	205
Val Val Ala Asn Lys Tyr Leu Arg Ile His Gly Lys Thr Ala Met Ser	210	215	220
Asp Gln Asp Ile Phe Asn Ala Tyr Ile His Asp Tyr Pro Thr Glu Ile	225	230	235
Ile Gln Ile Pro Cys Ala Tyr Asn Tyr Gln Leu Gly Ala Leu Thr Lys	245	250	255
Ser Lys Glu Leu Cys Pro Glu Thr Pro Leu Ala Leu His Phe Asn Ser	260	265	270
Gln Asn Lys Thr Val Gly Lys Asn Tyr Ala Phe Phe Asp Lys Ile Arg	275	280	285
Lys Ala Phe Asp Glu Met Asp Gly Ser Asp Leu Lys Arg Arg Arg Arg	290	295	300
Ser Phe Lys Gly Asn Asn Gln Lys Asp Ile Cys His Glu Tyr Leu Pro	305	310	315
			320

112

Leu	Asp	Asn	Phe	Arg	Ile	Ile	Pro	Asn	Ala	Ile	Gly	Arg	Met	Thr	Lys
				325					330					335	
Pro	Ala	Glu	Leu	Cys	Met	Val	Thr	Gln	Phe	Ser	Lys	Asp	Arg	Leu	Asn
			340					345					350		
His	Phe	Leu	Glu	Ser	Ala	Asn	Ala	Trp	Arg	His	Pro	Ile	Ser	Thr	Ala
		355					360					365			
Val	Tyr	Gly	Lys	Asp	Lys	Asp	Leu	Leu	Asp	Ile	Ala	Lys	Ala	Val	Thr
	370					375					380				
Glu	Leu	Asn	Arg	Thr	Asp	Ile	Thr	Ile	His	Leu	Val	Phe	Glu	Glu	Pro
385					390					395					400
Thr	Glu	Ser	Trp	Met	Leu	Asp	Ser	Leu	Tyr	Pro	Ile	Asn	Phe	Leu	Arg
				405					410					415	
Asn	Val	Ala	Ile	Glu	His	Ala	Asn	Cys	Lys	Tyr	Ile	Leu	Met	Thr	Asp
			420					425					430		
Val	Asp	Phe	Val	Val	Leu	Gly	Asp	Tyr	Gly	Thr	Ile	Ile	Asp	Gln	Thr
		435					440					445			
Gly	Asn	Leu	Lys	Gln	Lys	Glu	Val	Leu	Val	Ile	Pro	Ala	Leu	Glu	Met
	450					455					460				
Thr	Tyr	Pro	Gln	Leu	Arg	Leu	Asn	Leu	Ser	Asn	Phe	Leu	Ser	Arg	Lys
465					470					475					480
Asp	Leu	Val	Ile	Glu	His	Leu	Leu	Asn	Lys	Thr	Ile	Gln	Thr	Phe	Arg
				485					490					495	
Glu	Thr	Ile	Trp	Pro	Ser	Ser	His	Val	Pro	Thr	Asn	Ile	Ser	Lys	Trp
			500					505					510		
Ile	Lys	Ser	Asn	Arg	Thr	Tyr	Met	Val	Ala	Gln	Asn	Val	Asn	Tyr	Glu
		515					520					525			
Lys	Asn	Tyr	Glu	Pro	Tyr	Phe	Val	Ile	Lys	Lys	Glu	Glu	Cys	Pro	Phe
	530					535					540				
Tyr	Asp	Gln	Arg	Phe	Gly	Gly	Phe	Gly	Trp	Asn	Lys	Val	Thr	His	Val
545					550					555					560
Met	Gln	Leu	Lys	Met	Met	Asn	Tyr	Lys	Phe	Leu	Val	Ser	Pro	Thr	Ser
				565					570					575	
Phe	Met	Ile	His	Gln	Asn	His	Asn	Ala	Ser	Lys	Ser	Leu	Lys	Arg	Trp
			580					585					590		
Arg	Arg	Asp	Pro	His	Tyr	Gln	Lys	Cys	Leu	His	Thr	Leu	Lys	Asn	Lys
		595					600					605			
Phe	Met	Lys	Lys	Thr	Ala	Ser	Arg	Leu	Gly	Ile	Lys	Leu	Arg		
	610					615					620				

113

<210> 76

<211> 417

<212> PRT

<213> *Caenorhabditis elegans*

<400> 76

Met Val Ser Leu Gln Lys Ser Ile Gly Leu Leu Leu Leu Ser Ala Ile
 1 5 10 15

Ile Gly Leu Val Phe Leu Ile Gln His Arg Lys Ser Tyr Thr Ser Ser
 20 25 30

Asp Ala Leu Leu Glu Asn Gly Tyr Pro Asn Lys Tyr Tyr Thr Ile Glu
 35 40 45

Asn Pro Ala Glu Glu Gly Glu Arg Arg Ser Tyr Ser Ile Gln Thr Glu
 50 55 60

Met His Ala Asp Gln Tyr Cys Ile Ala Tyr Lys Phe Leu Glu Ala Thr
 65 70 75 80

Glu Ser Phe Arg Glu Ala Asp Gly Leu Glu Pro Val Thr Leu Ala Thr
 85 90 95

His Ala Thr Ala Asp Met Ile Glu Thr Val Glu Asn Met Thr Phe Leu
 100 105 110

Trp Asp Gly Pro Ile Ser Ile Gly Ile Phe Val Asp Tyr His Ser Tyr
 115 120 125

Asn Val Leu Glu Tyr Leu Ala Glu Val His Arg Cys Asp Val Ser Phe
 130 135 140

Arg Arg Lys Met Asn Val His Phe Ala Phe Arg Arg Ser Pro Phe Gln
 145 150 155 160

Thr Glu Cys Pro Leu Ile Glu Ile Pro Gln Ser Asn Arg Ser Cys Gln
 165 170 175

Glu Phe Phe Ala Thr His Thr Glu Leu Arg Asn Ala Ile Val Gly Pro
 180 185 190

Phe Gln Leu Tyr Pro Ser Asn Leu Met Arg Asn Ile Ala Arg Lys Gly
 195 200 205

Ala Gln Thr Asp Leu Gln Phe Ile Met Asp Gly Asp Met Val Pro Ser
 210 215 220

Glu Gly Phe Ala Thr Lys Ile Lys Arg Ile Ala Asn Glu Val Ile Asp
 225 230 235 240

Gly Lys Asn Lys Arg Val Leu Ala Ile Arg Arg Phe Glu Thr Ser Asp
 245 250 255

Thr Ala Glu Ile Pro Arg Asp His Leu Lys Leu Leu Lys Ser Lys Lys
 260 265 270

114

Leu His Lys Thr Phe Glu Phe His His Arg Tyr Phe Pro Glu Gly His
 275 280 285

His Ile Asp Gly Leu Asp Asp Trp Phe Arg Thr Ser Ile His Ser Gly
 290 295 300

Val Val Thr Thr Lys Glu Val Ala Tyr Pro Gly Tyr Leu Trp Glu Val
 305 310 315 320

Gln Thr Ile Leu His Arg Asn Asp Pro Tyr Asn Ala Asp Tyr Phe Pro
 325 330 335

Ser Arg Ile Lys Val Met His Ser Leu Val Tyr Ala Leu Cys Arg Ala
 340 345 350

Gly Tyr Thr Phe His Val Pro Thr His Val Phe Asp Ser His Arg Gly
 355 360 365

Ile Lys His Thr Asn Thr Ile Tyr Ser Lys Ala Thr Ile Ala His Gln
 370 375 380

Glu Ala Tyr Ala Met Lys Glu Ala Gly Asp Arg Tyr Ile Lys Glu Met
 385 390 395 400

Asp Asp Leu Tyr Pro His Thr Leu Ser Gln Cys Gly Glu Phe Ser Met
 405 410 415

Ile

<210> 77

<211> 1050

<212> DNA

<213> Caenorhabditis elegans

<400> 77

```

atgcacgacg agcagttttg tgttggttat aacttcctgg aggccgaaga tacattccga 60
gaagacggct tggaaccagt aactcttgct attcatggca ctccagaagt tttgcaacta 120
ttggggaata agcctttgaa ctgggatggg cctatttcat ttggtctatt cgtagatttt 180
cattcccaaa aggccctgaa ttatatattcc atgctacata aatgtgatgc agcttttaaa 240
agacagatga ctgtccactt tgcattccga atctcaccat ctcaatccga atgcccaatg 300
attcaagttc ttgggtatca ggattgtgcc acatttttac agaaaagcaa gcagctcctt 360
gaggaaattg aggactcttt tcaaactctac ccgataaacc taatgagaaa tattgctcgg 420
cgcgagacaa agtcggattt acacttgata atcgatacag atatgatgat gaggaccaac 480
tttgcaaaaga tggtaaaacc aatcgcaaat cggatgattg atgggaagaa taagcaagtg 540
ttggttggtt gacgtttcga gaccaacgaa aatgagctac caatgagctt tggggatctt 600
gaggagggaa ttgaaaatca taaaacattc cagttccatc acaaattctt tttcgttggg 660
catcaaattc ccaacttgat ggaatggttc gaaagatctc acgcctctaa tgatgtgggtg 720
gcatgggaga ttccatacac tggaaatgat tgggaagttc aaatcattct tcaccgcaac 780
gatccatata atgtagagta ttttccttcg cgagtcaagg atatgcagtc tttgatctac 840
aagttatgcc gtgcaaaacta caccttcaat ttgctctctc atgtgttcaa tgttcataaa 900
ggaatcaaag aagatgatac catgtactcg aaggttgtga ctgctcacac aaaacggcaa 960
ggaagattga ggacgctttc tcgatatgtc actgaaattg acaggaaata cccggatacc 1020
atgaaacgat gtgggcagtt tttgttataa                1050

```

<210> 78

<211> 349

115

<212> PRT

<213> Caenorhabditis elegans

<400> 78

```

Met His Asp Glu Gln Phe Cys Val Gly Tyr Asn Phe Leu Glu Ala Glu
 1              5              10              15

Asp Thr Phe Arg Glu Asp Gly Leu Glu Pro Val Thr Leu Ala Ile His
          20              25              30

Gly Thr Pro Glu Val Leu Gln Leu Leu Gly Asn Lys Pro Leu Asn Trp
          35              40              45

Asp Gly Pro Ile Ser Phe Gly Leu Phe Val Asp Phe His Ser Gln Lys
 50              55              60

Ala Leu Asn Tyr Ile Ser Met Leu His Lys Cys Asp Ala Ala Phe Lys
 65              70              75              80

Arg Gln Met Thr Val His Phe Ala Phe Arg Ile Ser Pro Ser Gln Ser
          85              90              95

Glu Cys Pro Met Ile Gln Val Leu Gly Tyr Gln Asp Cys Ala Thr Phe
          100              105              110

Leu Gln Lys Ser Lys Gln Leu Leu Glu Glu Ile Glu Asp Ser Phe Gln
 115              120              125

Ile Tyr Pro Ile Asn Leu Met Arg Asn Ile Ala Arg Arg Gly Ala Lys
 130              135              140

Ser Asp Leu His Leu Ile Ile Asp Thr Asp Met Met Met Ser Thr Asn
 145              150              155              160

Phe Ala Lys Met Val Lys Pro Ile Ala Asn Arg Met Ile Asp Gly Lys
          165              170              175

Asn Lys Gln Val Leu Val Val Arg Arg Phe Glu Thr Asn Glu Asn Glu
          180              185              190

Leu Pro Met Ser Phe Gly Asp Leu Glu Glu Gly Ile Glu Asn His Lys
 195              200              205

Thr Phe Gln Phe His His Lys Phe Phe Phe Val Gly His Gln Ile Pro
 210              215              220

Asn Leu Met Glu Trp Phe Glu Arg Ser His Ala Ser Asn Asp Val Val
 225              230              235              240

Ala Trp Glu Ile Pro Tyr Thr Gly Asn Asp Trp Glu Val Gln Ile Ile
          245              250              255

Leu His Arg Asn Asp Pro Tyr Asn Val Glu Tyr Phe Pro Ser Arg Val
          260              265              270

Lys Asp Met Gln Ser Leu Ile Tyr Lys Leu Cys Arg Ala Asn Tyr Thr
 275              280              285

```

116

Phe Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Glu
 290 300

Asp Asp Thr Met Tyr Ser Lys Val Val Thr Ala His Thr Lys Arg Gln
 305 310 315 320

Gly Arg Leu Arg Thr Leu Ser Arg Tyr Val Thr Glu Ile Asp Arg Lys
 325 330 335

Tyr Pro Asp Thr Met Lys Arg Cys Gly Gln Phe Leu Leu
 340 345

<210> 79

<211> 1167

<212> DNA

<213> Caenorhabditis elegans

<400> 79

```

atgctcaaga ttctctcaag atttactcca tttgctttgt ttctcctatt ttcaattcta 60
ctttgtttgt ggtttttgaa gaaatattct caagatcttt ctaggatctc tatagaactt 120
tatgaaaatg agttttgcat tggctacaat ttcttgaggg ctacagaaaa attccgagaa 180
gacggcttgg agcctgtgac acttgccatt catgggacat ccgatgtcct tgaagtagtg 240
gagaagaagc catcaaactg ggatgggcct atatcattcg ggatgtttgt tgactatcac 300
tcccagaagg ctctggaata tgtggcaatg cttcatcagt gtgataagga gttcggggag 360
aaagtcaccg ttactatgt gtccgaact tctccttccc agatggattg tccagtata 420
actcctgatg tgtcgggtgaa ttgtgatgaa ttctgctcga atcgaaagca gtcctcaaaa 480
gaaataacct ccccgtttca aatctaccca ataaacttga tgagaaatgt tgcccgcctg 540
ggagcaactt ctgatctaca cttgatagtc gacgctgata tgacaatgag ctctgatttt 600
gcgagaaaaa tgaagccaat cgcaaatcgc ataattgatg ggaaacagag acaagttttg 660
gtagttcgac gttttgagac aaacgaagat gagattccac tggaagtga gcagctgaag 720
atgggatttg agaatcaaaa agtattcgag ttccatcaca attttttctt tattgggcat 780
aaaattccag acgtggaaaa atgggtttcac gcctcgaaga cagaaaaatga agtgactgcc 840
tgggaaattc catactcagg aaatgcattg gaagtgaag tgattcttca ccggaacgac 900
atgtacaacg ccgagtactt tccgtctaga atccgagaca tgcagtcttt gatctacggt 960
ctctgccgag ccaactacac cttcaacttg ctctctcagc tattcaatgt tcaccaaggc 1020
atcaaagagg atgacacaat gtactcgaaa gttgtcacag ctactcga gcgatatgga 1080
aggaatagag cattctcccg ctacgtccat gagatgaata ctgcgtatcc gggaactatt 1140
cagcgggtgcg ggaagtttga gatgtga 1167

```

<210> 80

<211> 388

<212> PRT

<213> Caenorhabditis elegans

<400> 80

Met Leu Lys Ile Ser Ser Arg Phe Thr Pro Phe Ala Leu Phe Leu Leu
 1 5 10 15

Phe Ser Ile Leu Leu Cys Leu Trp Phe Leu Lys Lys Tyr Ser Gln Asp
 20 25 30

Leu Ser Arg Ile Ser Ile Glu Leu Tyr Glu Asn Glu Phe Cys Ile Gly
 35 40 45

Tyr Asn Phe Leu Glu Ala Thr Glu Lys Phe Arg Glu Asp Gly Leu Glu
 50 55 60

117

Pro	Val	Thr	Leu	Ala	Ile	His	Gly	Thr	Ser	Asp	Val	Leu	Glu	Val	Val	65	70	75	80
Glu	Lys	Lys	Pro	Ser	Asn	Trp	Asp	Gly	Pro	Ile	Ser	Phe	Gly	Met	Phe	85	90	95	
Val	Asp	Tyr	His	Ser	Gln	Lys	Ala	Leu	Glu	Tyr	Val	Ala	Met	Leu	His	100	105	110	
Gln	Cys	Asp	Lys	Glu	Phe	Gly	Glu	Lys	Val	Thr	Val	His	Tyr	Val	Phe	115	120	125	
Arg	Thr	Ser	Pro	Ser	Gln	Met	Asp	Cys	Pro	Val	Ile	Thr	Pro	Asp	Val	130	135	140	
Ser	Val	Asn	Cys	Asp	Glu	Phe	Arg	Arg	Asn	Arg	Lys	Gln	Leu	Leu	Lys	145	150	155	160
Glu	Ile	Thr	Ser	Pro	Phe	Gln	Ile	Tyr	Pro	Ile	Asn	Leu	Met	Arg	Asn	165	170	175	
Val	Ala	Arg	Arg	Gly	Ala	Thr	Ser	Asp	Leu	His	Leu	Ile	Val	Asp	Ala	180	185	190	
Asp	Met	Thr	Met	Ser	Ser	Asp	Phe	Ala	Arg	Lys	Val	Lys	Pro	Ile	Ala	195	200	205	
Asn	Arg	Ile	Ile	Asp	Gly	Lys	Gln	Arg	Gln	Val	Leu	Val	Val	Arg	Arg	210	215	220	
Phe	Glu	Thr	Asn	Glu	Asp	Glu	Ile	Pro	Leu	Glu	Val	Glu	Gln	Leu	Lys	225	230	235	240
Met	Gly	Phe	Glu	Asn	Gln	Lys	Val	Phe	Glu	Phe	His	His	Asn	Phe	Phe	245	250	255	
Phe	Ile	Gly	His	Lys	Ile	Pro	Asp	Val	Glu	Lys	Trp	Phe	His	Ala	Ser	260	265	270	
Lys	Thr	Glu	Asn	Glu	Val	Thr	Ala	Trp	Glu	Ile	Pro	Tyr	Ser	Gly	Asn	275	280	285	
Ala	Trp	Glu	Val	Gln	Val	Ile	Leu	His	Arg	Asn	Asp	Met	Tyr	Asn	Ala	290	295	300	
Glu	Tyr	Phe	Pro	Ser	Arg	Ile	Arg	Asp	Met	Gln	Ser	Leu	Ile	Tyr	Gly	305	310	315	320
Leu	Cys	Arg	Ala	Asn	Tyr	Thr	Phe	Asn	Leu	Leu	Ser	His	Val	Phe	Asn	325	330	335	
Val	His	Gln	Gly	Ile	Lys	Glu	Asp	Asp	Thr	Met	Tyr	Ser	Lys	Val	Val	340	345	350	
Thr	Ala	His	Ser	Lys	Arg	Tyr	Gly	Arg	Asn	Arg	Ala	Phe	Ser	Arg	Tyr	355	360	365	
Val	His	Glu	Met	Asn	Thr	Ala	Tyr	Pro	Gly	Thr	Ile	Gln	Arg	Cys	Gly				

118

370

375

380

Lys Phe Glu Met
385

<210> 81

<211> 1275

<212> DNA

<213> *Caenorhabditis elegans*

<400> 81

```

atgtgtactt ttaaaaaatt cgatggagaa actcgaaaaa ctcggatcca gattttgtat 60
tttgctgcat cactcgtaa tctcgatctc aagcctgtga agctaaattc caatgcgaat 120
atatgcgtca aaattgaaac ttctcacttt acctctggca cttattatat taacttggca 180
tctgtacaat tcaaaggtaa tgctcctggt tctgatgctg aaggaaggtt tttcaagaaa 240
ctacacggaa aaccagaaaa taattataat tccttacaga cgactgtaca ctttgcattc 300
cgaatctcac catctcaaac cgaatgtcct gtgatctata cttccgggta taaggattgt 360
gtcacgtttt tccaaaagaa cacagagctc cttgaggaaa tggaggaccc ttttcagatc 420
tacccgataa atctaattgag aaatattgct cgacgcggag caaagtcgga tttacacttg 480
atagtcgata cagatatggt aatgagtact aactttgcaa agatggtaaa accagttgcg 540
aatcggatga ttgatgggat gaataaacia gtcttggttg ttcgacgctt cgagaccaac 600
gaaaccgaac ttccactgaa cttggacgaa cttgagcaag ggcttctgaa tgagaacaca 660
tttgaattcc atcactcggt cttttttggt ggccatcaaa taccacaact gtctgagtg 720
tttgaaaatt cttacgcatt agaagaaacc actgcatggg agattccata cacaggaagt 780
gattgggaag ttcaaataat tcttcaccgc aacgacccat ataacattga gtacttccca 840
tcgacgagtc gggatatgca gtctttgatt tataaactct gccgtgcgaa ctacacattc 900
aatttgctct ctcacgtatt caatgttcac aaggggatca aagaagatga tacaatgtac 960
tcgaaagtgc tcaactgctc caciaagcaa ttttgaaaaa tgaggatatt atttttttgt 1020
tgtagagaaat tcccaagata tgcttgtaga tttacagaac gctttcccggt tacactgccg 1080
aaatcgacaa gcagtacca gacactacia caagataatt tgccagatgt ttccttattt 1140
ttttcaggag tattcagaat gttcacgcaa ttctcgaaat tttcagagca tttgaacatt 1200
tttaaagccg gaaaagcgta ctgttttggt gtttctgtca cttttctggt gtctttaaaa 1260
tatggagaaa aataa 1275

```

<210> 82

<211> 424

<212> PRT

<213> *Caenorhabditis elegans*

<400> 82

```

Met Cys Thr Phe Lys Lys Phe Asp Gly Glu Thr Arg Lys Thr Arg Ile
  1              5              10              15

Gln Ile Leu Tyr Phe Ala Ala Ser Leu Val Asn Leu Asp Leu Lys Pro
      20              25              30

Val Lys Leu Asn Ser Asn Ala Asn Ile Cys Val Lys Ile Glu Thr Ser
      35              40              45

His Phe Thr Ser Gly Thr Tyr Tyr Ile Asn Leu Ala Ser Val Gln Phe
      50              55              60

Lys Gly Asn Ala Pro Gly Ser Asp Ala Glu Gly Arg Phe Phe Lys Lys
      65              70              75              80

Leu His Gly Lys Pro Glu Asn Asn Tyr Asn Ser Leu Gln Thr Thr Val
      85              90              95

```

119

His	Phe	Ala	Phe	Arg	Ile	Ser	Pro	Ser	Gln	Thr	Glu	Cys	Pro	Val	Ile	
			100					105					110			
Tyr	Thr	Ser	Gly	Tyr	Lys	Asp	Cys	Val	Thr	Phe	Phe	Gln	Lys	Asn	Thr	
		115					120					125				
Glu	Leu	Leu	Glu	Glu	Met	Glu	Asp	Pro	Phe	Gln	Ile	Tyr	Pro	Ile	Asn	
	130					135					140					
Leu	Met	Arg	Asn	Ile	Ala	Arg	Arg	Gly	Ala	Lys	Ser	Asp	Leu	His	Leu	
145					150					155					160	
Ile	Val	Asp	Thr	Asp	Met	Val	Met	Ser	Thr	Asn	Phe	Ala	Lys	Met	Val	
				165					170					175		
Lys	Pro	Val	Ala	Asn	Arg	Met	Ile	Asp	Gly	Met	Asn	Lys	Gln	Val	Leu	
			180					185					190			
Val	Val	Arg	Arg	Phe	Glu	Thr	Asn	Glu	Thr	Glu	Leu	Pro	Leu	Asn	Leu	
		195					200					205				
Asp	Glu	Leu	Glu	Gln	Gly	Leu	Leu	Asn	Glu	Asn	Thr	Phe	Glu	Phe	His	
	210					215					220					
His	Ser	Phe	Phe	Phe	Val	Gly	His	Gln	Ile	Pro	Asn	Leu	Ser	Glu	Trp	
225					230					235					240	
Phe	Glu	Asn	Ser	Tyr	Ala	Ser	Glu	Glu	Thr	Thr	Ala	Trp	Glu	Ile	Pro	
				245					250					255		
Tyr	Thr	Gly	Ser	Asp	Trp	Glu	Val	Gln	Ile	Ile	Leu	His	Arg	Asn	Asp	
			260					265					270			
Pro	Tyr	Asn	Ile	Glu	Tyr	Phe	Pro	Ser	Arg	Val	Arg	Asp	Met	Gln	Ser	
		275					280					285				
Leu	Ile	Tyr	Lys	Leu	Cys	Arg	Ala	Asn	Tyr	Thr	Phe	Asn	Leu	Leu	Ser	
	290					295					300					
His	Val	Phe	Asn	Val	His	Lys	Gly	Ile	Lys	Glu	Asp	Asp	Thr	Met	Tyr	
305					310					315					320	
Ser	Lys	Val	Val	Thr	Ala	His	Thr	Lys	Gln	Phe	Trp	Lys	Met	Arg	Tyr	
				325					330					335		
Leu	Phe	Phe	Cys	Cys	Arg	Glu	Phe	Pro	Arg	Tyr	Ala	Cys	Glu	Phe	Thr	
			340					345					350			
Glu	Arg	Phe	Pro	Val	Thr	Leu	Pro	Lys	Ser	Thr	Ser	Ser	Thr	Gln	Thr	
		355					360					365				
Leu	Gln	Gln	Asp	Asn	Leu	Pro	Asp	Val	Ser	Leu	Phe	Phe	Ser	Gly	Val	
	370					375					380					
Phe	Arg	Met	Phe	Thr	Gln	Phe	Ser	Lys	Phe	Ser	Glu	His	Leu	Asn	Ile	
385					390					395					400	

Phe Lys Ala Gly Lys Ala Tyr Cys Phe Val Val Ser Val Thr Phe Leu
 405 410 415

Val Ser Leu Lys Tyr Gly Glu Lys
 420

<210> 83

<211> 370

<212> PRT

<213> Caenorhabditis elegans

<400> 83

Met Glu Asp Asp Thr Pro Asp Val Ser Ser Asp Ser Asn Gly Asp Ala
 1 5 10 15

Ala Tyr Ser Asp Tyr Phe Leu Asp Tyr Lys Ser Ile Met Asp Glu Ile
 20 25 30

Thr Ile Thr Thr Gln Pro Lys Ser Gly Tyr Val Ile Arg Asn Lys Pro
 35 40 45

Leu Arg Leu Gln Cys Arg Ala Asn His Ala Thr Lys Ile Arg Tyr Lys
 50 55 60

Cys Ser Ser Lys Trp Ile Asp Asp Ser Arg Ile Glu Lys Leu Ile Gly
 65 70 75 80

Thr Asp Ser Thr Ser Gly Val Gly Tyr Ile Asp Ala Ser Val Asp Ile
 85 90 95

Ser Arg Ile Asp Val Asp Thr Ser Gly His Val Asp Ala Phe Gln Cys
 100 105 110

Gln Cys Tyr Ala Ser Gly Asp Asp Asp Gln Asp Val Val Ala Ser Asp
 115 120 125

Val Ala Thr Val His Leu Ala Tyr Met Arg Lys His Phe Leu Lys Ser
 130 135 140

Pro Val Ala Gln Arg Val Gln Glu Gly Thr Thr Leu Gln Leu Pro Cys
 145 150 155 160

Gln Ala Pro Glu Ser Asp Pro Lys Ala Glu Leu Thr Trp Tyr Lys Asp
 165 170 175

Gly Val Val Val Gln Pro Asp Ala Asn Val Ile Arg Ala Ser Asp Gly
 180 185 190

Ser Leu Ile Met Ser Ala Ala Arg Leu Ser Asp Ser Gly Asn Tyr Thr
 195 200 205

Cys Glu Ala Thr Asn Val Ala Asn Ser Arg Lys Thr Asp Pro Val Glu
 210 215 220

Val Gln Ile Tyr Val Asp Gly Gly Trp Ser Glu Trp Ser Pro Trp Ile
 225 230 235 240

```
<210> 84
<211> 20
<212> PRT
<213> Caenorhabditis elegans
```

```
<210> 85
<211> 122
<212> PRT
<213> Caenorhabditis elegans
```

```

<400> 85
Lys Arg Gly Asn Ser Lys Lys Ser Lys Pro Leu Lys Pro Gln Lys Met
  1          5          10          15
Asn Ser Glu Lys Ala Gly Gly Ile Tyr Tyr Ser Glu Pro Pro Gly Val
  20          25          30
Arg Arg Leu Leu Leu Glu His Gln His Gly Thr Leu Leu Gly Glu Lys
  35          40          45
Ile Ser Ser Cys Ser Gln Tyr Phe Glu Pro Pro Pro Leu Pro His Ser
  50          55          60

```


122

Thr Thr Leu Arg Ser Gly Lys Ser Ala Phe Ser Gly Tyr Ser Ser Thr
 65 70 75 80
 Arg Asn Ala Gly Ser Arg Ala Ala Leu Ile Gln Glu Cys Ser Ser Ser
 85 90 95
 Ser Ser Gly Ser Gly Gly Lys Arg Thr Met Leu Arg Thr Ser Ser Ser
 100 105 110
 Asn Cys Ser Asp Asp Asp Asn Tyr Ala Thr
 115 120

<210> 86
 <211> 165
 <212> PRT
 <213> Caenorhabditis elegans

<400> 86
 Leu Tyr Asp Tyr Met Glu Asp Lys Ser Val Leu Gly Leu Asp Thr Ser
 1 5 10 15
 Gln Asn Ile Val Ala Ala Gln Ile Asp Ser Asn Gly Ala Arg Leu Ser
 20 25 30
 Leu Ser Lys Ser Gly Ala Arg Leu Ile Val Pro Glu Leu Ala Val Glu
 35 40 45
 Gly Glu Lys Met Leu Tyr Leu Ala Val Ser Asp Thr Leu Thr Asp Gln
 50 55 60
 Pro His Leu Lys Pro Ile Glu Ser Ala Leu Ser Pro Val Ile Val Ile
 65 70 75 80
 Gly Gln Cys Asp Val Ser Met Ser Ala His Asp Asn Ile Leu Arg Arg
 85 90 95
 Pro Val Val Val Ser Phe Arg His Cys Ala Ser Thr Phe Pro Arg Asp
 100 105 110
 Asn Trp Gln Phe Thr Leu Tyr Ala Asp Glu Gly Ser Gly Trp Gln Lys
 115 120 125
 Ala Val Thr Ile Gly Glu Glu Asn Leu Asn Thr Asn Met Phe Val Gln
 130 135 140
 Phe Glu Gln Pro Gly Lys Lys Asn Asp Gly Phe Gly Trp Cys His Val
 145 150 155 160
 Met Thr Tyr Ser Leu
 165

<210> 87
 <211> 157
 <212> PRT
 <213> Caenorhabditis elegans

123

<400> 87

Ala Arg Leu Met Leu Ala Gly His Pro Arg Arg Asn Ser Leu Ser Ala
 1 5 10 15

Ala Lys Arg Val His Leu Ala Val Phe Gly Pro Thr Glu Met Ser Ala
 20 25 30

Tyr Arg Arg Pro Phe Glu Leu Arg Val Tyr Cys Val Pro Glu Thr Gly
 35 40 45

Ala Ala Met Glu Ser Val Trp Lys Gln Glu Asp Gly Ser Arg Leu Leu
 50 55 60

Cys Glu Ser Asn Asp Phe Ile Leu Asn Glu Lys Gly Asn Leu Cys Ile
 65 70 75 80

Cys Ile Glu Asp Val Ile Pro Gly Phe Ser Cys Asp Gly Pro Glu Val
 85 90 95

Val Glu Ile Ser Glu Thr Gln His Arg Phe Val Ala Gln Asn Gly Leu
 100 105 110

His Cys Ser Leu Lys Phe Arg Pro Lys Glu Ile Asn Gly Ser Gln Phe
 115 120 125

Ser Thr Arg Val Ile Val Tyr Gln Lys Ala Ser Ser Thr Glu Pro Met
 130 135 140

Val Met Glu Val Ser Asn Glu Pro Glu Leu Tyr Asp Ala
 145 150 155

<210> 88

<211> 113

<212> PRT

<213> Caenorhabditis elegans

<400> 88

Thr Ser Glu Glu Arg Glu Lys Gly Ser Val Cys Val Glu Phe Arg Leu
 1 5 10 15

Pro Phe Gly Val Lys Asp Glu Leu Ala Arg Leu Leu Asp Met Pro Asn
 20 25 30

Glu Ser His Ser Asp Trp Arg Gly Leu Ala Lys Lys Leu His Tyr Asp
 35 40 45

Arg Tyr Leu Gln Phe Phe Ala Ser Phe Pro Asp Cys Ser Pro Thr Ser
 50 55 60

Leu Leu Leu Asp Leu Trp Glu Ala Ser Ser Ser Gly Ser Ala Arg Ala
 65 70 75 80

Val Pro Asp Leu Leu Gln Thr Leu Arg Val Met Gly Arg Pro Asp Ala
 85 90 95

Val Met Val Leu Glu Arg Phe Leu Ser Ala Phe Pro Gln Ile Val Ser

124

100 105 110

Pro

<210> 89
 <211> 437
 <212> PRT
 <213> Homo sapiens

<400> 89
 His Met Ala Thr Leu His His Ser Ser Pro Thr Ser Glu Ala Glu Glu
 1 5 10 15
 Phe Val Ser Arg Leu Ser Thr Gln Asn Tyr Phe Arg Ser Leu Pro Arg
 20 25 30
 Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe Leu Gly Gly Arg
 35 40 45
 Leu Met Ile Pro Asn Thr Gly Ile Ser Leu Leu Ile Pro Pro Asp Ala
 50 55 60
 Ile Pro Arg Gly Lys Ile Tyr Glu Ile Tyr Leu Thr Leu His Lys Pro
 65 70 75 80
 Glu Asp Val Arg Leu Pro Leu Ala Gly Cys Gln Thr Leu Leu Ser Pro
 85 90 95
 Ile Val Ser Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val Ile
 100 105 110
 Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser Leu
 115 120 125
 Arg Leu Lys Lys Gln Ser Cys Glu Gly Ser Trp Glu Asp Val Leu His
 130 135 140
 Leu Gly Glu Glu Ala Pro Ser His Leu Tyr Tyr Cys Gln Leu Glu Ala
 145 150 155 160
 Ser Ala Cys Tyr Val Phe Thr Glu Gln Leu Gly Arg Phe Ala Leu Val
 165 170 175
 Gly Glu Ala Leu Ser Val Ala Ala Ala Lys Arg Leu Lys Leu Leu Leu
 180 185 190
 Phe Ala Pro Val Ala Cys Thr Ser Leu Glu Tyr Asn Ile Arg Val Tyr
 195 200 205
 Cys Leu His Asp Thr His Asp Ala Leu Lys Glu Val Val Gln Leu Glu
 210 215 220
 Lys Gln Leu Gly Gly Gln Leu Ile Gln Glu Pro Arg Val Leu His Phe
 225 230 235 240
 Lys Asp Ser Tyr His Asn Leu Arg Leu Ser Ile His Asp Val Pro Ser

```

<400> 90
Met  Arg  Lys  Gly  Leu  Arg  Ala  Thr  Ala  Ala  Arg  Cys  Gly  Leu  Gly  Leu
  1          5          10          15
Gly  Tyr  Leu  Leu  Gln  Met  Leu  Val  Leu  Pro  Ala  Leu  Ala  Leu  Leu  Ser
          20          25          30
Ala  Ser  Gly  Thr  Gly  Ser  Ala  Ala  Gln  Asp  Asp  Asp  Phe  Phe  His  Glu
          35          40          45
Leu  Pro  Glu  Thr  Phe  Pro  Ser  Asp  Pro  Pro  Glu  Pro  Leu  Pro  His  Phe
  50          55          60
Leu  Ile  Glu  Pro  Glu  Glu  Ala  Tyr  Ile  Val  Lys  Asn  Lys  Pro  Val  Asn

```

65		70		126		75		80							
Leu	Tyr	Cys	Lys	Ala 85	Ser	Pro	Ala	Thr	Gln 90	Ile	Tyr	Phe	Lys	Cys 95	Asn
Ser	Glu	Trp	Val 100	His	Gln	Lys	Asp	His 105	Ile	Val	Asp	Glu	Arg 110	Val	Asp
Glu	Thr	Ser	Gly 115	Leu	Ile	Val	Arg	Glu 120	Val	Ser	Ile	Glu 125	Ile	Ser	Arg
Gln	Gln	Val	Glu 130	Glu	Leu	Phe	Gly 135	Pro	Glu	Asp	Tyr 140	Trp	Cys	Gln	Cys
Val	Ala	Trp	Ser	Ser	Ala 150	Gly	Thr	Thr	Lys	Ser 155	Arg	Lys	Ala	Tyr	Val 160
Arg	Ile	Ala	Tyr	Leu 165	Arg	Lys	Thr	Phe	Glu 170	Gln	Glu	Pro	Leu	Gly 175	Lys
Glu	Val	Ser	Leu 180	Glu	Gln	Glu	Val 185	Leu	Leu	Gln	Cys	Arg	Pro 190	Pro	Glu
Gly	Ile	Pro 195	Val	Ala	Glu	Val	Glu 200	Trp	Leu	Lys	Asn 205	Glu	Asp	Ile	Ile
Asp	Pro 210	Val	Glu	Asp	Arg	Asn 215	Phe	Tyr	Ile	Thr	Ile 220	Asp	His	Asn	Leu
Ile	Ile	Lys	Gln	Ala	Arg 230	Leu	Ser	Asp	Thr	Ala 235	Asn	Tyr	Thr	Cys	Val 240
Ala	Lys	Asn	Ile 245	Val	Ala	Lys	Arg	Lys	Ser 250	Thr	Thr	Ala	Thr	Val 255	Ile
Val	Tyr	Val	Asn 260	Gly	Gly	Trp	Ser	Thr 265	Trp	Thr	Glu	Trp	Ser 270	Val	Cys
Asn	Ser	Arg 275	Cys	Gly	Arg	Gly	Tyr 280	Gln	Lys	Arg	Thr 285	Arg	Thr	Cys	Thr
Asn	Pro 290	Ala	Pro	Leu	Asn	Gly 295	Gly	Ala	Phe	Cys	Glu 300	Gly	Gln	Ser	Val
Gln	Lys	Ile	Ala	Cys	Thr 310	Thr	Leu	Cys	Pro	Val 315	Asp	Gly	Arg	Trp	Thr 320
Pro	Trp	Ser	Lys 325	Trp	Ser	Thr	Cys	Gly 330	Thr	Glu	Cys	Thr	His	Trp 335	Arg
Arg	Arg	Glu	Cys 340	Thr	Ala	Pro	Ala	Pro 345	Lys	Asn	Gly	Gly	Lys	Asp	Cys
Asp	Gly	Leu	Val 355	Leu	Gln	Ser	Lys 360	Asn	Cys	Thr	Asp	Gly 365	Leu	Cys	Met
Gln	Thr 370	Ala	Pro	Asp	Ser	Asp 375	Asp	Val	Ala	Leu	Tyr 380	Val	Gly	Ile	Val

127

Ile	Ala	Val	Ile	Val	Cys	Leu	Ala	Ile	Ser	Val	Val	Val	Ala	Leu	Phe	385	390	395	400
Val	Tyr	Arg	Lys	Asn	His	Arg	Asp	Phe	Glu	Ser	Asp	Ile	Ile	Asp	Ser	405	410	415	
Ser	Ala	Leu	Asn	Gly	Gly	Phe	Gln	Pro	Val	Asn	Ile	Lys	Ala	Ala	Arg	420	425	430	
Gln	Asp	Leu	Leu	Ala	Val	Pro	Pro	Asp	Leu	Thr	Ser	Ala	Ala	Ala	Met	435	440	445	
Tyr	Arg	Gly	Pro	Val	Tyr	Ala	Leu	His	Asp	Val	Ser	Asp	Lys	Ile	Pro	450	455	460	
Met	Thr	Asn	Ser	Pro	Ile	Leu	Asp	Pro	Leu	Pro	Asn	Leu	Lys	Ile	Lys	465	470	475	480
Val	Tyr	Asn	Thr	Ser	Gly	Ala	Val	Ser	Pro	Gln	Asp	Asp	Leu	Ser	Glu	485	490	495	
Phe	Thr	Ser	Lys	Leu	Ser	Pro	Gln	Met	Thr	Gln	Ser	Leu	Leu	Glu	Asn	500	505	510	
Glu	Ala	Leu	Ser	Leu	Lys	Asn	Gln	Ser	Leu	Ala	Arg	Gln	Thr	Asp	Pro	515	520	525	
Ser	Cys	Thr	Ala	Phe	Gly	Ser	Phe	Asn	Ser	Leu	Gly	Gly	His	Leu	Ile	530	535	540	
Val	Pro	Asn	Ser	Gly	Val	Ser	Leu	Leu	Ile	Pro	Ala	Gly	Ala	Ile	Pro	545	550	555	560
Gln	Gly	Arg	Val	Tyr	Glu	Met	Tyr	Val	Thr	Val	His	Arg	Lys	Glu	Thr	565	570	575	
Met	Arg	Pro	Pro	Met	Asp	Asp	Ser	Gln	Thr	Leu	Leu	Thr	Pro	Val	Val	580	585	590	
Ser	Cys	Gly	Pro	Pro	Gly	Ala	Leu	Leu	Thr	Arg	Pro	Val	Val	Leu	Thr	595	600	605	
Met	His	His	Cys	Ala	Asp	Pro	Asn	Thr	Glu	Asp	Trp	Lys	Ile	Leu	Leu	610	615	620	
Lys	Asn	Gln	Ala	Ala	Gln	Gly	Gln	Trp	Glu	Asp	Val	Val	Val	Val	Gly	625	630	635	640
Glu	Glu	Asn	Phe	Thr	Thr	Pro	Cys	Tyr	Ile	Lys	Leu	Asp	Ala	Glu	Ala	645	650	655	
Cys	His	Ile	Leu	Thr	Glu	Asn	Leu	Ser	Thr	Tyr	Ala	Leu	Val	Gly	His	660	665	670	
Ser	Thr	Thr	Lys	Ala	Ala	Ala	Lys	Arg	Leu	Lys	Leu	Ala	Ile	Phe	Gly	675	680	685	

128

Pro	Leu	Cys	Cys	Ser	Ser	Leu	Glu	Tyr	Ser	Ile	Arg	Val	Tyr	Cys	Leu
690						695					700				
Asp	Asp	Thr	Gln	Asp	Ala	Leu	Lys	Glu	Ile	Leu	His	Leu	Glu	Arg	Gln
705					710					715					720
Thr	Gly	Gly	Gln	Leu	Leu	Glu	Glu	Pro	Lys	Ala	Leu	His	Phe	Lys	Gly
				725					730					735	
Ser	Thr	His	Asn	Leu	Arg	Leu	Ser	Ile	His	Asp	Ile	Ala	His	Ser	Leu
			740					745					750		
Trp	Lys	Ser	Lys	Leu	Leu	Ala	Lys	Tyr	Gln	Glu	Ile	Pro	Phe	Tyr	His
		755					760					765			
Val	Trp	Ser	Gly	Ser	Gln	Arg	Asn	Leu	His	Cys	Thr	Phe	Thr	Leu	Glu
	770					775					780				
Arg	Phe	Ser	Leu	Asn	Thr	Val	Glu	Leu	Val	Cys	Lys	Leu	Cys	Val	Arg
785					790					795					800
Gln	Val	Glu	Gly	Glu	Gly	Gln	Ile	Phe	Gln	Leu	Asn	Cys	Thr	Val	Ser
				805					810					815	
Glu	Glu	Pro	Thr	Gly	Ile	Asp	Leu	Pro	Leu	Leu	Asp	Pro	Ala	Asn	Thr
			820					825					830		
Ile	Thr	Thr	Val	Thr	Gly	Pro	Ser	Ala	Phe	Ser	Ile	Pro	Leu	Pro	Ile
		835					840					845			
Arg	Gln	Lys	Leu	Cys	Ser	Ser	Leu	Asp	Ala	Pro	Gln	Thr	Arg	Gly	His
	850					855					860				
Asp	Trp	Arg	Met	Leu	Ala	His	Lys	Leu	Asn	Leu	Asp	Arg	Tyr	Leu	Asn
865					870					875					880
Tyr	Phe	Ala	Thr	Lys	Ser	Ser	Pro	Thr	Gly	Val	Ile	Leu	Asp	Leu	Trp
				885					890					895	
Glu	Ala	Gln	Asn	Phe	Pro	Asp	Gly	Asn	Leu	Ser	Met	Leu	Ala	Ala	Val
			900					905					910		
Leu	Glu	Glu	Met	Gly	Arg	His	Glu	Thr	Val	Val	Ser	Leu	Ala	Ala	Glu
		915					920					925			
Gly	Gln	Tyr													
	930														

<210> 91

<211> 9700

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: plasmid
pGC1037

<400> 91

tatggccaca	ctgcaccaca	gctctccac	ctctgaggcc	gaggagtgcg	tctcccgcc	60
ctccacccag	aactacttcc	gctccctgcc	ccgaggcacc	agcaacatga	cctatgggac	120
cttcaacttc	ctcggggggc	ggctgatgat	ccctaataca	ggaatcagcc	tcctcatccc	180
cccagatgcc	ataccccgag	ggaagatcta	tgagatctac	ctcacgctgc	acaagccgga	240
agacgtgagg	ttgcccttag	ctggctgtca	gaccctgctg	agtcccatcg	ttagctgtgg	300
acccctggc	gtcctgtca	cccggccagt	catcctggct	atggaccact	gtggggagcc	360
cagccctgac	agctggagcc	tgcgctcaa	aaagcagtcg	tgcgagggca	gctgggagga	420
tgtgctgac	ctgggcgagg	aggcgccctc	ccacctctac	tactgccagc	tggaggccag	480
tgcctgtac	gtcttcaccg	agcagctggg	ccgctttgcc	ctggtgggag	aggccctcag	540
cgtggctgcc	gccaaagcgc	tcaagctgct	tctgtttgcg	ccggtggcct	gcacctccct	600
cgagtacaac	atccgggtct	actgcctgca	tgacaccac	gatgcactca	aggaggtggt	660
gcagctggag	aagcagctgg	ggggacagct	gatccaggag	ccacgggtcc	tgcacttcaa	720
ggacagttac	cacaacctgc	gcctatccat	ccacgatgtg	cccagctccc	tgtggaagag	780
taagctcctt	gtcagctacc	aggagatccc	cttttatcac	atctggaatg	gcacgcagcg	840
gtacttgac	tgcacctca	ccctggagcg	tgtcagcccc	agcactagtg	acctggcctg	900
caagctgtgg	gtgtggcagg	tggaggcgga	cgggcagagc	ttcagcatca	acttcaacat	960
caccaaggac	acaaggtttg	ctgagctgct	ggctctggag	agtgaagcgg	gggtccaagc	1020
cctggtgggc	cccagtgcct	tcaagatccc	cttctctatt	cggcagaaga	taatttccag	1080
cctggaccca	ccctgtaggc	ggggtgccga	ctggcggact	ctggcccaga	aactccacct	1140
ggacagccat	ctcagcttct	ttgcctccaa	gccagcccc	acagccatga	tcctcaacct	1200
gtgggaggcg	cggcacttcc	ccaacggcaa	cctcagccag	ctggctgcag	cagtggctgg	1260
actgggccag	ccagacgctg	gcctcttcac	agtgtcggag	gctgagtgtc	gagtcgacct	1320
gcagccaagc	taattccggg	cgaatttctt	atgatttatg	atttttatta	ttaaataagt	1380
tataaaaaaa	ataagtgtat	acaaatttta	aagtgactct	taggttttaa	aacgaaaatt	1440
cttgttcttg	agtaactctt	tcctgtaggt	caggttgctt	tctcaggtat	agcatgaggt	1500
cgctcttatt	gaccacacct	ctaccggcat	gcaagcttgg	cgtaatcatg	gtcatagctg	1560
tttctgtgt	gaaattgtta	tccgctcaca	attccacaca	acatacgagc	cggaagcata	1620
aagtgtaaag	cctggggtgc	ctaagtgtg	aggtaactca	cattaattgc	gttgcgctca	1680
ctgcccgctt	tccagtcggg	aaacctgtcg	tgccagctgg	attaatgaat	cggccaacgc	1740
gcggggagag	gcggtttgcg	tattgggcgc	tcttccgctt	cctcgctcac	tgactcgctg	1800
cgctcggctg	ttcggctgcg	gcgagcggta	tcagctcaat	caaaggcggg	aatacggtta	1860
tccacagaat	caggggataa	cgcaggaaag	aacatgtgag	caaaaggcca	gcaaaaggcc	1920
aggaaccgta	aaaaggccgc	gttgctggcg	ttttccata	ggctccgccc	cctgacgag	1980
catcacaaaa	atcgacgctc	aagtcagagg	tggcgaaacc	cgacaggact	ataaagatac	2040
caggcgtttc	cccttggaa	ctccctcgctg	cgctctctctg	ttccgacct	gccgcttacc	2100
ggatacctgt	ccgcctttct	cccttcggga	agcgtggcgc	tttctcatag	ctcacgctgt	2160
aggatatctca	gttcgggtgta	ggtcgttcgc	tccaagctgg	gctgtgtgca	cgaaccccc	2220
gttcagcccc	accgctgcgc	cttatccggt	aactatcgtc	ttgagtccaa	cccggttaaga	2280
cacgacttat	cgccactggc	agcagccact	ggtaacagga	ttagcagagc	gaggtatgta	2340
ggcgggtgcta	cagagttctt	gaagtgggtg	cctaactacg	gctacactag	aaggacagta	2400
tttggtatct	gcgctctgct	gaagccagtt	accttcggaa	aaagagttgg	tagctcttga	2460
tccggcaaac	aaaccaccgc	tggtagcggt	ggtttttttg	tttgcaagca	gcagattacg	2520
cgcagaaaaa	aaggatctca	agaagatcct	ttgatctttt	ctacgggggtc	tgacgctcag	2580
tggaacgaaa	actcacgtta	agggattttg	gtcatgagat	tatcaaaaag	gatcttcacc	2640
tagatccttt	taaattaaaa	atgaagtttt	aatcaatct	aaagtatata	tgagtaaact	2700
tgtctgaca	gttaccaatg	cttaatcagt	gaggcaccta	tctcagcgat	ctgtctattt	2760
cgttcatcca	tagttgcctg	actccccgtc	gtgtagataa	ctacgatacg	ggagggctta	2820
ccatctggcc	ccagtgtgct	aatgataccg	cgagaccac	gctcaccggc	tccagattta	2880
tcagcaataa	accagccagc	cggaggggcc	gagcgcagaa	gtggtcctgc	aactttatcc	2940
gcctccatcc	agtctattaa	ttgttgccgg	gaagctagag	taagtagttc	gccagttaat	3000
agtttgcgca	acgttggtgc	cattgctaca	ggcatcgctg	tgtcacgctc	gtcgtttggg	3060
atggcttcac	tcagctccgg	ttcccaacga	tcaagcgag	ttacatgata	ccccatgttg	3120
tgcaaaaaag	cgggttagctc	cttcggtcct	ccgatcggtg	tcagaagtaa	gttggccgca	3180
gtgttatcac	tcatggttat	ggcagcactg	cataattctc	ttactgtcat	gccatccgta	3240
agatgctttt	ctgtgactgg	tgagtactca	accaagtcac	tctgagaata	gtgtatgcgg	3300
cgaccgagtt	gctcttgccc	ggcgtcaata	cgggataata	ccgcgccaca	tagcagaact	3360
ttaaaagtgc	tcatcattgg	aaaacgttct	tcggggcgaa	aactctcaag	gatcttaccg	3420

ctgttgagat	ccagttcgat	gtaacccact	cgtgcaccca	actgatcttc	agcatctttt	3480
actttcacca	gcgtttctgg	gtgagcaaaa	acaggaaggc	aaaatgccgc	aaaaaagga	3540
ataagggcga	cacggaaatg	ttgaatactc	atactcttcc	tttttcaata	ttattgaagc	3600
atztatcagg	gttattgtct	catgagcgga	tacatatattg	aatgtattta	gaaaaataaa	3660
caaatagggg	ttccgcgcac	atttccccga	aaagtgccac	ctgaacgaag	catctgtgct	3720
tcatttttga	gaacaaaaat	gcaacgcgag	agcgctaatt	tttcaacaa	agaatctgag	3780
ctgcattttt	acagaacaga	aatgcaacgc	gaaagcgcta	ttttaccaac	gaagaatctg	3840
tgcttcattt	ttgtaaaaca	aaaatgcaac	gcgagagcgc	taatttttca	aacaaagaat	3900
ctgagctgca	tttttacaga	acagaaatgc	aacgcgagag	cgctatttta	ccaacaaaga	3960
atctatactt	cttttttggt	ctacaaaaat	gcatcccagag	agcgctatatt	ttctaacaaa	4020
gcatcttaga	ttactttttt	tctcctttgt	gcgctctata	atgcagtctc	ttgataactt	4080
tttgactgt	aggtccgtta	aggttagaag	aaggctactt	tggtgtctat	tttctcttcc	4140
ataaaaaaag	cctgactcca	cttcccgcgt	ttactgatta	ctagcgaagc	tgcggtgca	4200
ttttttcaag	ataaaggcat	ccccgattat	attctatacc	gatgtggatt	gcgcatactt	4260
tgtgaacaga	aagtgatagc	gttgatgatt	cttcattggt	cagaaaatta	tgaacggttt	4320
cttctatttt	gtctctatat	actacgtata	ggaaatgttt	acattttctg	attgttttctg	4380
attcactcta	tgaatagttc	ttactacaat	ttttttgtct	aaagagtaat	actagagata	4440
aacataaaaa	atgtagaggt	cgagtttaga	tgcaagttca	aggagcgaaa	ggtggatggg	4500
taggttatat	agggatatag	cacagagata	tatagcaaag	agatactttt	gagcaatggt	4560
tgtggaagcg	gtattcgcaa	tatttttagta	gctcgttaca	gtccggtgcg	tttttggttt	4620
tttgaaagtg	cgtcttcaga	gcgcttttgg	ttttcaaaag	cgctctgaag	ttcctatact	4680
ttctagagaa	taggaacttc	ggaataggaa	cttcaaagcg	tttccgaaaa	cgagcgcttc	4740
cgaaaatgca	acgcgagctg	cgcacatata	gctcactggt	cacgtcgcac	ctatatctgc	4800
gtgttgctg	tatatatata	tacatgagaa	gaacggcata	gtgcgtgttt	atgcttaaat	4860
gcgtacttat	atgcgtctat	ttatgtagga	tgaaaggtag	tctagtacct	cctgtgatat	4920
tatcccattc	catgcggggt	atcgtagtct	tccttcagca	ctacccttta	gctgttctat	4980
atgctgccac	tcctcaattg	gattagtctc	atccttcaat	gctatcattt	cctttgatat	5040
tggatcatat	taagaaacca	ttattatcat	gacattaacc	tataaaaaata	ggcgtatcac	5100
gaggcccttt	cgtctcgcgc	gtttcgggtga	tgacgggtgaa	aacctctgac	acatgcagct	5160
cccggagacg	gtcacagctt	gtctgtaagc	ggatgccggg	agcagacaag	cccgtcaggg	5220
cgcgtcagcg	ggtgttggcg	gtgtcttaac	ctggcttaac	tatgcggcat	cagatgcaat	5280
tgtactgaga	gtgcaccata	gatcaacgac	attactatat	atataatata	ggaagcattt	5340
aatagacagc	atcgtaatat	atgtgtactt	tgcaagttag	acgccagatg	gcagtagtgg	5400
aagatattct	ttattgaaaa	atagcttgct	accttacgta	caatcttgat	ccggagcttt	5460
tctttttttg	ccgattaaga	attaattcgg	tcgaaaaaag	aaaaggagag	ggccaagagg	5520
gagggcattg	gtgactattg	agcacgtgag	tatacgtgat	taagcacaca	aaggcagctt	5580
ggagtattgc	tggtattaat	ttcacaggta	gttctggtcc	attggtgaaa	gtttgcggct	5640
tgcaagagac	agaggccgca	gaatgtgctc	tagatctcca	tgctgacttg	ctgggtatta	5700
tatgtgtgcc	caatagaaaag	agaacaattg	accgggttat	tgcaaggaaa	atttcaagtc	5760
ttgtaaaagc	atataaaaaat	agttcaggca	ctccgaaaata	cttggttggc	gtgtttcgta	5820
atcaacctaa	ggaggatggt	ttggctctgg	tcaatgatta	cggcattgat	atcgctccaa	5880
tgcatggaga	tgagtcgtgg	caagaatacc	aagagttcct	cggtttgcca	gttattaaaa	5940
gactcgtatt	tccaaaagac	tgcaacatac	tactcagtgc	agcttcacag	aaacctcatt	6000
cgtttattcc	cttggtttgat	tcagaagcag	gtgggacagg	tgaacttttg	gattggaact	6060
cgatttctga	ctgggtttgga	aggcaagaga	gccccgaaag	cttacatttt	atgttagctg	6120
gtggactgac	gccagaaaaat	gttggtgatg	cgcttagatt	aaatggcggt	attggtgttg	6180
atgtaagcgg	aggtgtggag	acaaatggtg	taaaagactc	taacaaaaata	gcaaatttctg	6240
tcaaaaatgc	taagaaatag	gttattactg	agtagtattt	atttaagtat	tgtttgtgca	6300
cttgccgata	tatgcggtgt	gaaataccgc	acagatgcgt	aaggagaaaa	taccgcatca	6360
ggaaattgta	aacgttaata	ttttgttaaa	attcgcgtta	aattttttgt	aaatcagctc	6420
attttttaac	caataggccg	aaatcggcaa	aatcccttat	aatcaaaaag	aatagaccga	6480
gatagggttg	agtgtgtgtc	cagtttggaa	caagagtcca	ctattaaaga	acgtggactc	6540
caacgtcaaa	gggcgaaaaa	ccgtctatca	gggcgatggc	ccactacgtg	aaccatcacc	6600
ctaatacagt	tttttggggg	cgaggtgccc	taaaagacta	aatcggaacc	ctaaagggag	6660
ccccgattt	agagcttgac	ggggaaagcc	ggcgaacgtg	gcgagaaagg	aagggaagaa	6720
agcgaagga	gcggcgctga	gggcgctggc	aagtgtagcg	gtcacgctgc	cgctaaccac	6780
cacacccgcc	gcgcttaatg	cgccgctaca	gggcgctcgc	cgccattcgc	cattcaggct	6840
gcgcaactgt	tgggaagggc	gatcggtgcg	ggcctcttcg	ctattacgcc	agctggcgaa	6900

131

aggggggatgt	gctgcaaggc	gattaagttg	ggtaacgcca	gggttttccc	agtcacgacg	6960
ttgtaaaacg	acggccagtc	gtccaagctt	tcgcgagctc	gagatcccga	gctttgcaaa	7020
ttaaagcctt	cgagcgtccc	aaaaccttct	caagcaaggt	tttcagtata	atgttacatg	7080
cgtacacgcg	tctgtacaga	aaaaaaagaa	aaatttgaaa	tataaataac	gttcttaata	7140
ctaacataac	tataaaaaaa	taaataggga	cctagacttc	aggttggtcta	actccttcct	7200
tttcggttag	agcggatgtg	gggggagggc	gtgaatgtaa	gcgtgacata	actaattaca	7260
tgatatcgac	aaaggaaaaa	gggcctgttt	actcacaggc	ttttttcaay	taggtaatta	7320
agtcgtttct	gtcttttttc	ttcttcaacc	caccaaaggc	catcttggtta	cttttttttt	7380
tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	7440
tttttttttt	tttttttttt	ttttttcatag	aaataatata	gaagtagatg	ttgaattaga	7500
ttaaactgaa	gatatataat	ttattggaaa	atacatagag	ctttttgttg	atgcgcttaa	7560
gcgatcaatt	caacaacacc	accagcagct	ctgatttttt	cttcagccaa	cttggagacg	7620
aatctagctt	tgacgataac	tggaaacattt	ggaattctac	ccttacccaa	gatcttaccg	7680
taaccggctg	ccaaagtgtc	aataactgga	gcagtttctt	tagaagcaga	tttcaagtat	7740
tgggtctctt	tgtcttctgg	gatcaatgtc	cacaatttgt	ccaagttcaa	gactggcttc	7800
cagaaatgag	cttggttgctt	gtggaagtat	ctcataccaa	nccttaccga	aataacctgg	7860
atggtattta	tccatgttaa	ttctgtggtg	atgttgacca	ccggccatac	ctctaccacc	7920
ggggtgcttt	ctgtgcttac	cgatacgacc	tttaccggct	gagacgtgac	ctctgtgctt	7980
tctagtctta	gtgaatctgg	aaggcattct	tgattagttg	gatgattgtt	ctgggattta	8040
atgcaaaaaa	atcactaaga	aggaaaaaaa	tcaacggaga	aagcaaacgc	catcttaaat	8100
atacgggata	cagatgaaag	gtttgaacct	atctgggaaa	atacgcatta	aacaagcgaa	8160
aaactgcgag	gaaaattgtt	tgcgtctctg	cgggctattc	acgcgccaga	ggaaaatagg	8220
aaaaataaca	gggcattaga	aaaataattt	tgattttggt	aatgtgtggg	tccctggtgt	8280
acagatgtta	cattgggttac	agtactcttg	tttttgctgt	gtttttcgat	gaatctccaa	8340
aatgggtgtt	agcacatgga	agagtcaccg	atgctaagtt	atctctatgt	aagctacgtg	8400
gcgtgacttt	tgatgaagcc	gcacaagaga	tacaggattg	gcaactgcaa	atagaatctg	8460
gggatctaga	tatccttttg	ttgtttccgg	gtgtacaata	tggaacttct	cttttctggc	8520
aaccaaacc	atacatcggg	attcctataa	taccttcgtt	ggtctcccta	acatgtaggt	8580
ggcggagggg	agatatacaa	tagaacagat	accagacaag	acataatggg	ctaaacaaga	8640
ctacaccaat	tacactgcct	cattgatggt	ggtacataac	gaactaatac	tgtagcccta	8700
gacttgatag	ccatcatcat	atcgaagttt	cactaccctt	tttccatttg	ccatctattg	8760
aagtaataat	aggcgcagtc	aacttctttt	cttttttttt	cttttctctc	tccccggtg	8820
ttgtctcacc	atatccgcaa	tgacaaaaaa	aatgatggaa	gacactaaag	gaaaaaatta	8880
acgacaaaaga	cagcaccaac	agatgtcgtt	gttccagagc	tgatgagggg	tatcttcgaa	8940
cacacgaaac	tttttccttc	cttcattcac	gcacactact	ctctaattgag	caacggtata	9000
cggccttctt	tccagttact	tgaatttgaa	ataaaaaaag	tttgccgctt	tgctatcaag	9060
tataaataga	cctgcaatta	ttaatctttt	gtttcctcgt	cattgttctc	gttccctttc	9120
ttccttggtt	ctttttctgc	acaatatttc	aagctataacc	aagcatacaa	tcaactccaa	9180
gcttgaagca	agcctcctga	aagatgaagc	tactgtcttc	tatcgaacaa	gcatgcgata	9240
tttgccgact	taaaaagctc	aagtgtccca	aagaaaaaac	gaagtgcgcc	aagtgtctga	9300
agaacaactg	ggagtgtcgc	tactctccca	aaaccaaag	gtctccgctg	actagggcac	9360
atctgacaga	agtggaatca	aggctagaaa	gactggaaaca	gctattttcta	ctgatttttc	9420
ctcgagaaga	ccttgacatg	attttgaaaa	tggattcttt	acaggatata	aaagcattgt	9480
taacaggatt	atttgtacaa	gataatgtga	ataaagatgc	cgtcacagat	agattggctt	9540
cagtggagac	tgatatgcct	ctaacattga	gacagcatag	aataagtgcg	acatcatcat	9600
cggaagagag	tagtaacaaa	ggtcaaagac	agttgactgt	atcgccggaa	ttcatggctt	9660
acccatacga	tgttccagat	tacgctagct	tgggtggtca			9700

<210> 92

<211> 9749

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: plasmid
pGC1003

<400> 92

132

agaatctggg	gatctagata	tccttttgtt	gtttccgggt	gtacaatatg	gacttcctct	60
tttctggcaa	ccaaacccat	acatcgggat	tcctataata	ccttcggttg	tctccctaac	120
atgtagggtg	cggaggggag	atatacaata	gaacagatac	cagacaagac	ataatgggct	180
aaacaagact	acaccaatta	cactgcctca	ttgatgggtg	tacataacga	actaatactg	240
tagccctaga	cttgatagcc	atcatcatat	cgaagtttca	ctaccctttt	tccatttgcc	300
atctattgaa	gtaataatag	gcgcattgcaa	cttcttttct	ttttttttct	tttctctctc	360
ccccgttggt	gtctcaccat	atccgcaatg	acaaaaaaaa	tgatggaaga	cactaaagga	420
aaaaattaac	gacaaagaca	gcaccaacag	atgtcgttgt	tccagagctg	atgaggggta	480
tcttcgaaca	cacgaaactt	tttccttcct	tcattcacgc	acactactct	ctaataagca	540
acggtatacg	gccttccttc	cagttacttg	aatttgaaat	aaaaaaagtt	tgccgctttg	600
ctatcaagta	taaatagacc	tgcaattatt	aatcttttgt	ttcctcgtca	ttgttctcgt	660
tcccttttct	ccttgtttct	ttttctgcac	aatatattcaa	gctataccaa	gcatacaatc	720
aactccaagc	ttgaagcaag	cctcctgaaa	gatgaagcta	ctgtcttcta	tcgaacaagc	780
atgcatattt	tgccgactta	aaaagctcaa	gtgctccaaa	gaaaaaccga	agtgcgccaa	840
gtgtctgaag	aacaactggg	agtgtcgcta	ctctcccaa	accaaaggt	ctccgctgac	900
tagggcacat	ctgacagaag	tggaatcaag	gctagaaaga	ctggaacagc	tatttctact	960
gatttttctt	cgagaagacc	ttgacatgat	tttgaatgat	gattctttac	aggatataaa	1020
agcattgtta	acaggattat	ttgtacaaga	taatgtgaat	aaagatgccg	tcacagatag	1080
attggcttca	gtggagactg	atatgcctct	aacattgaga	cagcatagaa	taagtgcgac	1140
atcatcatcg	gaagagagta	gtaacaaagg	tcaaagacag	ttgactgtat	cgccggaatt	1200
catggcttac	ccatacgatg	ttccagatta	cgctagcttg	ggtggtcata	tgcccatgga	1260
gtgctgtaaa	cgtggcaatt	caaaaaagtc	gaaaccattg	aaaccgcaga	aaatgaattc	1320
ggaaaaagca	ggaggaatct	actattctga	gcctccaggt	gttcgaagat	tacttttgga	1380
gcatacaacat	ggaacattgc	tcggagagaa	aatatcatcg	tgttctcaat	attttgagcc	1440
tcctcctcta	ccacattcaa	caactctctg	atctggaaaa	agtgcattca	gtggatattc	1500
ttcaacaaga	aacgctggct	cacgagctgc	tttaattcaa	gaatgtagtt	cgagtagttc	1560
aggatctggg	ggaaaacgga	caatgcttag	aacttcaagc	tcaaattgct	cggatgacga	1620
taattatgct	acgttatatg	attatatgga	agacaagagt	gttcttggat	tagacacttc	1680
acaaaatatt	gttgctgctg	agattgatag	caatggagca	cgattgtctt	tatcaaaaag	1740
tgagagcaaga	ttaattgtac	ctgaattggc	agtggaaagga	gagaaaatgc	tttatctggc	1800
tgtttcggac	accttaacag	atcaacctca	cctcaaacca	atcgaatccg	ctctctcccc	1860
agtcacgtgc	atcggacaat	gtgatgttct	aatgtcagct	catgataata	ttctccgtcg	1920
tcctgttggt	gtatccttcc	gtcattgtgc	ttcaactttt	ccacgtgaca	attggcaatt	1980
cacattgtat	gctgatgaag	gatccggatg	gcagaaggct	gtaacaattg	gagaagagaa	2040
cttgaatacc	aacatgtttg	tacaattcga	gcaacctggg	aagaagaatg	atggatttgg	2100
atggtgccac	gttatgacat	attccttagc	gaggttaatg	ctagctgggc	atccgaggag	2160
aaattctttg	agtgtgcaa	aaagagttca	tttagctgta	tttgggtcaa	ctgaaatgtc	2220
agcttatcga	agaccatttg	aattgagagt	ttatttgtgt	cctgaaactg	gagcagcaat	2280
ggaaagtgtg	tggaacacag	aagatggatc	tcgtctactt	tgtgaatcaa	atgattttat	2340
tttaaatgaa	aaaggaaatc	tttgcatattg	tattgaagat	gttattcctg	gattctcatg	2400
cgatggccct	gaagttgtgg	aaatctcgga	aacacaacac	agatttgttg	ctcaaaatgg	2460
ccttcattgc	tcattgaaat	tccgaccaa	ggaaatcaac	ggctcacagt	tttcaacgag	2520
agtaattgtc	tatcaaaaag	caagctcaac	ggagccaatg	gtgatggaag	tgagcaatga	2580
gccggagctc	tatgatgcag	ccccggggcg	tcgacctgca	gccaagctaa	ttccggggcg	2640
atttcttatg	atttatgatt	tttattatta	aataagttat	aaaaaaaata	agtgtatata	2700
aatttttaag	tgactcttag	gttttaaaac	gaaaattctt	gttcttgagt	aactctttcc	2760
tgtaggctcag	gttgctttct	caggtatagc	atgaggtcgc	tcttattgac	cacacctcta	2820
ccggcatgca	agcttggcgt	aatcatggtc	atagctgttt	cctgtgtgaa	attgttatcc	2880
gtcacaacat	ccacacaaca	tacgagccgg	aagcataaag	tgtaaagcct	ggggtgccta	2940
atgagtggag	taactcacat	taattgcgtt	gcgctcactg	cccgttttcc	agtcgggaaa	3000
cctgtcgtgc	cagctggatt	aatgaattcg	ccaacgcgcg	gggagaggcg	gtttgcgtat	3060
tgggcgtctc	tcctcttctt	cgctcactga	ctcgtcgcgc	tcggtcgttc	ggctgcccgc	3120
agcggtatca	gctcactcaa	aggcggtaat	acgggttatcc	acagaatcag	gggataacgc	3180
aggaaagaac	atgtgagcaa	aaggccagca	aaaggccagg	aaccgtaaaa	aggccgcgtt	3240
gctggcggtt	ttccataggc	tccgcccccc	tgacgagcat	cacaaaaatc	gacgctcaag	3300
tcagaggtgg	cgaaacccga	caggactata	aagataccag	gcgtttcccc	ctggaagctc	3360
cctcgtgcgc	tctcctgttc	cgaccctgcc	gcttaccgga	tacctgtccg	cctttctccc	3420
ttcgggaagc	gtggcgcttt	ctcatagctc	acgctgtagg	tatctcagtt	cgggtgtaggt	3480

cgttcgcctcc	aagctgggct	gtgtgcacga	accccccggt	cagccccgacc	gctgcgcctt	3540
atccggtaac	tatcgtcttg	agtccaaccc	ggtaagacac	gacttatcgc	cactggcagc	3600
agccactggt	aacaggatta	gcagagcgag	gtatgtaggc	ggtgctacag	agttccttgaa	3660
gtgggtggcct	aactacggct	acactagaag	gacagtattt	ggtatctgcg	ctctgctgaa	3720
gccagttacc	ttcggaaaaa	gagttggtag	ctcttgatcc	ggcaaacaaa	ccaccgctgg	3780
tagcgggtgt	ttttttgttt	gcaagcagca	gattacgcgc	agaaaaaaag	gatctcaaga	3840
agatcctttg	atccttttcta	cggggtctga	cgctcagtg	aacgaaaact	cacgttaagg	3900
gattttggtc	atgagattat	caaaaaggat	cttcacctag	atccttttaa	attaaaaatg	3960
aagtttttaa	tcaatctaaa	gtatatatga	gtaaacttgg	tctgacagtt	accaatgctt	4020
aatcagtgag	gcacctatct	cagcgatctg	tctatttctg	tcatccatag	ttgcttgact	4080
ccccgtcgtg	tagataacta	cgatacggga	gggcttacca	tctggcccca	gtgctgcaat	4140
gataccgcga	gaccacgct	caccggctcc	agatttatca	gcaataaacc	agccagccgg	4200
aagggccgag	cgcagaagt	gtcctgcaac	tttatccgcc	tccatccagt	ctattaattg	4260
ttgccgggaa	gctagagtaa	gtagtccgcc	agttaatagt	ttgcgcgaac	ttgttgccat	4320
tgctacaggc	atcgtgggtg	cacgctcgtc	gtttggtatg	gcttcattca	gctccggttc	4380
ccaacgatca	aggcgagtta	catgatcccc	catgttgtgc	aaaaaagcgg	ttagctcctt	4440
cggtcctccg	atcgttgtca	gaagtaagtt	ggccgcagtg	ttatcactca	tggttatggc	4500
agcactcaat	aattctctta	ctgtcatgcc	atccgtaaga	tgcttttctg	tgactggtga	4560
gtactcaacc	aagtcatctt	gagaatagt	tatgcggcga	ccgagttgct	cttgcccggc	4620
gtcaatacgg	gataatacgg	cgccacatag	cagaacttta	aaagtgtctc	tcattggaaa	4680
acgttcttct	gggcgaaaac	tctcaaggat	cttaccgctg	ttgagatcca	gttcgatgta	4740
acccactcgt	gcacccaact	gatcttcagc	atcctttact	ttcaccagcg	tttctgggtg	4800
agcaaaaaca	ggaaggcaaa	atgccgcaaa	aaagggaata	agggcgacac	ggaaatggtg	4860
aatactcata	ctcttccttt	ttcaatatta	ttgaagcatt	tatcagggtt	attgtctcat	4920
gagcggatac	atatttgaat	gtatttagaa	aaataaacia	ataggggttc	cgcgcacatt	4980
tccccgaaaa	gtgccacctg	aacgaagcat	ctgtgcttca	ttttgtagaa	caaaaatgca	5040
acgcgagagc	gctaattttt	caaacaaaga	atctgagctg	cattttttaca	gaacagaaat	5100
gcaacgcgaa	agcgctattt	taccaacgaa	gaatctgtgc	ttcatttttg	taaaacaaaa	5160
atgcaacgcg	agagcgctaa	tttttcaaac	aaagaatctg	agctgcattt	ttacagaaca	5220
gaaatgcaac	gcgagagcgc	tattttacca	acaaagaatc	tatacttctt	ttttgttcta	5280
caaaaatgca	tcccgagagc	gctatttttc	taacaaagca	tcttagatta	ctttttttct	5340
cctttgtgcg	ctctataatg	cagtctcttg	ataacttttt	gcactgtagg	tccgttaagg	5400
ttagaagaag	gctacttttg	tgtctatttt	ctcttccata	aaaaaagcct	gactccactt	5460
cccgcgttta	ctgattacta	gcgaagctgc	gggtgcattt	tttcaagata	aaggcatccc	5520
cgattatatt	ctataccgat	gtggattgcy	catactttgt	gaacagaaa	tgatagcgtt	5580
gatgattctt	cattggctcag	aaaattatga	acggtttctt	ctattttgtc	tctatatact	5640
acgtatagga	aatgttttaca	ttttcgtatt	gttttcgatt	cactctatga	atagttctta	5700
ctacaatttt	tttgtctaaa	gagtaatact	agagataaac	ataaaaaatg	tagaggtcga	5760
gttttagatgc	aagttcaagg	agcgaaaggt	ggatgggtag	gttatatagg	gatatagcac	5820
agagatatat	agcaaagaga	tacttttgag	caatgtttgt	ggaagcggta	ttcgcaatat	5880
tttagtagct	cgttacagtc	cggtgcgttt	ttgggttttt	gaaagtgcgt	cttcagagcg	5940
cttttggttt	tcaaaagcgc	tctgaagttc	ctatactttc	tagagaatag	gaacttcgga	6000
ataggaactt	caaagcgttt	ccgaaaacga	gcgcttccga	aaatgcaacg	cgagctgcgc	6060
acatacagct	cactgttcac	gtcgcaccta	tatctgcgtg	ttgctgtgat	atatatatat	6120
atgagaagaa	cggcatagt	cgtgtttatg	cttaaatgcg	tacttatatg	cgtctattta	6180
tgtagtagga	aaggtagtct	agtacctcct	gtgatattat	cccatcccat	gcgggggtatc	6240
gtatgcttcc	ttcagcacta	cccttttagct	gttctatatg	ctgccactcc	tcaattggat	6300
tagtctcatc	cttcaatgct	atcatttctt	ttgatattgg	atcatattaa	gaaaccatta	6360
ttatcatgac	attaacctat	aaaaataggc	gtatcacgag	gccctttcgt	ctcgcgcgtt	6420
tcggtgatga	cggtgaaaac	ctctgacaca	tgcagctccc	ggagacggtc	acagcttgct	6480
tgtaagcgga	tgccgggagc	agacaagccc	gtcagggcgc	gtcagcgggt	gttggcgggt	6540
gtcggggctg	gcttaactat	gcggcatcag	agcagattgt	actgagagtg	caccatagat	6600
caacgacatt	actatatata	taatatagga	agcattttaa	agacagcatc	gtaatatatg	6660
tgtactttgc	agttatgacg	ccagatggca	gtagtggaa	atattcttta	ttgaaaaata	6720
gcttgctcacc	ttacgtacaa	tcttgatccg	gagcttttct	ttttttgccc	attaagaatt	6780
aattcggtcg	aaaaaagaaa	aggagagggc	caagagggag	ggcattgggtg	actattgagc	6840
acgtgagtat	acgtgattaa	gcacacaaag	gcagcttgga	gtatgtctgt	tattaatttc	6900
acaggtagtt	ctgggtccatt	ggtgaaagtt	tgccgcttgc	agagcacaga	ggccgcagaa	6960

134

```

tgtgctctag attccgatgc tgacttgctg ggtattatat gtgtgcccac tagaaagaga 7020
acaattgacc cgtttattgc aaggaaaatt tcaagtcttg taaaagcata taaaaatagt 7080
tcaggcactc cgaaatactt ggttggcgtg tttcgtaatc aacctaagga ggatgttttg 7140
gctctggtca atgattacgg cattgatata gtccaactgc atggagatga gtcgtggcaa 7200
gaataccaag agttcctcgg tttgccagtt attaaaagac tcgtatttcc aaaagactgc 7260
aacatactac tcagtgcagc ttcacagaaa cctcattcgt ttattccctt gtttgattca 7320
gaagcaggtg ggacaggtga acttttggat tggaaactcg tttctgactg ggttggaaag 7380
caagagagcc ccgaaagctt acattttatg ttagctggtg gactgacgcc agaaaatgtt 7440
ggtgatgcgc ttagattaaa tggcgttatt ggtgttgatg taagcggagg tgtggagaca 7500
aatggtgtaa aagactctaa caaaatagca aatttcgtca aaaatgctaa gaaataggtt 7560
attactgagt agtattttatt taagtattgt ttgtgcactt gccgatctat gcggtgtgaa 7620
ataccgcaca gatgcgtaag gagaaaatac cgcatacagga aattgtaaac gttaatatatt 7680
tgttaaaaatt cgcgttaaat ttttgttaaa tcagctcatt ttttaaccaa taggccgaaa 7740
tcggcaaaaat cccttataaa tcaaaagaat agaccgagat aggggttgagt gttgttccag 7800
tttggaaaca gagtccacta ttaaagaacg tggactccaa cgtcaaaggg cgaaaaaccg 7860
tctatcaggg cgatggccca ctacgtgaac catcacccta atcaagtttt ttggggctcg 7920
ggtgccgtaa agcactaaat cggaacccta aaggagagccc ccgatttaga gcttgacggg 7980
gaaagccggc gaacgtggcg agaaaggaag ggaagaaagc gaaaggagcg ggcgctaggg 8040
cgctggcaag tgtagcggtc acgctgcgcg taaccaccac acccgccgcg cttaatgcgc 8100
cgctacaggg cgcgtcgcgc cattcgccat tcaggctgcg caactgttgg gaaggcgat 8160
cgggtgcgggc ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat 8220
taagttgggt aacgccaggg ttttcccagt cagcagcttg taaaacgacg gccagtcgtc 8280
caagctttcg cgagctcgag atcccagagt ttgcaaatta aagccttcga gcgtcccaaa 8340
accttctcaa gcaaggtttt cagtataatg ttacatgcgt acacgcgtct gtacagaaaa 8400
aaaagaaaaa tttgaaatat aaataacggt cttaatacta acataactat aaaaaaataa 8460
atagggacct agacttcagg ttgtctaact ccttcctttt cggttagagc ggatgtgggg 8520
ggagggcggt aatgtaagcg tgacataact aattacatga tatcgacaaa ggaaaagggg 8580
cctgtttact cacaggcttt tttcaagtag gtaattaagt cgtttctgtc tttttccttc 8640
ttcaaccacac caaaggccat ctgtgtactt tttttttttt tttttttttt tttttttttt 8700
tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 8760
ttcatagaaa taatacagaa gtagatgttg aattagatta aactgaagat atataattta 8820
ttggaaaata catagagctt tttgttgatg cgcttaagcg atcaattcaa caacaccacc 8880
agcagctctg attttttctt cagccaactt ggagacgaat ctacttttga cgataactgg 8940
aacatttggg attctaccct tacccaagat cttaccgtaa ccggctgcca aagtgtcaat 9000
aactggagca gtttccttag aagcagattt caagtattgg tctctcttgt cttctgggat 9060
caatgtccac aatttgtcca agttcaagac tggcttccag aaatgagctt gttgcttgtg 9120
gaagtatctc ataccaancc ttaccgaaat aacctggatg gtatttatcc atgttaattc 9180
tgtggtgatg ttgaccaccg gccataacct taccaccggg gtgctttctg tgcttaccga 9240
tacgaccttt accggctgag acgtgacctc tgtgctttct agtcttagtg aatctggaag 9300
gcattcttga ttagttggat gattgttctg ggatttaatg caaaaaaatc actaagaagg 9360
aaaaaaatca acggagaaag caaacgccat cttaaatata cgggatacag atgaaagggt 9420
tgaacctatc tgggaaaaata cgcattaaac aagcgaaaaa ctgcgaggaa aattgtttgc 9480
gtctctgcgg gctattcacg cgccagagga aaataggaaa aataacaggg cattagaaaa 9540
ataattttga ttttggtaat gtgtgggtcc ctggtgtaca gatgttacat tggttacagt 9600
actcttggtt ttgctgtgtt tttcgatgaa tctccaaaat ggttgtagc acatggaaga 9660
gtcaccgatg ctaagttatc tctatgtaag ctacgtggcg tgacttttga tgaagccgca 9720
caagagatac aggattggca actgcaaat 9740

```

<210> 93

<211> 1415

<212> PRT

<213> Caenorhabditis elegans

<400> 93

```

Met Ile Leu Arg His Phe Gly Phe Ile Leu Ile Ile Leu Thr Val Tyr
  1                      5                      10                      15

```

```

Leu Ser Ser Thr His Ala Thr Thr Arg Lys His His Arg Arg Ser Ile

```

BNSDOCID: <WO__0073328A2.1>

136

Arg Ile Thr Thr Arg Pro Thr Thr Lys Val Ala Val Glu Thr Ala Asp
 340 345 350
 Val Glu Leu Glu Cys Gly Thr Ala Ala Arg Pro Glu Ala Arg Val
 355 360 365
 Asn Trp Tyr Lys Asn Gly Glu Ala Ile Ile Gly Ser Glu Tyr Phe Val
 370 375 380
 Ile Glu Pro Asn Arg Leu Arg Ile Leu Gly Val Val Arg Ala Asp Gln
 385 390 395 400
 Ala Ile Tyr Gln Cys Ile Ala Glu Asn Asp Val Gly Ser Glu Gln Ala
 405 410 415
 Ser Ala Gln Leu Leu Val Asp Ala Pro Asp Ser Ser Ser Val Ala Ala
 420 425 430
 Ser Ser Gly Val Pro Met Thr Ser Ser Ala Pro Leu Gly Leu Arg Ser
 435 440 445
 Thr Ser Ser Gly Ser Arg Phe Ile Asn Val Glu Trp Asp Pro Pro Val
 450 455 460
 Gln Arg Asn Gly Asn Ile Met Arg Tyr His Ile Phe Tyr Lys Asp Asn
 465 470 475 480
 Leu Ile Asp Arg Glu Arg Met Ile Asn Ser Ser Ser Thr Ser Ala Thr
 485 490 495
 Leu Thr Ser Leu Gln Pro Ser Thr Met Tyr Leu Ile Arg Val Thr Ala
 500 505 510
 Glu Asn Glu Ala Gly Met Gly Lys Phe Ser Asp Ser Leu Lys Val Thr
 515 520 525
 Thr Asn Lys Glu Gln Ala Val Pro Gly Lys Val Ala Ser Leu Thr Thr
 530 535 540
 Thr Ala Thr Gly Pro Glu Thr Ile Asp Ile Arg Trp Ser Pro Pro Ser
 545 550 555 560
 Gly Gly Gln Pro Ala Leu Arg Tyr Lys Ile Phe Tyr Ser His Asp Pro
 565 570 575
 Leu Glu Lys Asn Glu Lys Glu Thr Leu Ile Thr Thr Ser Thr Thr His
 580 585 590
 Tyr Thr Leu His Gly Met Asp Lys Tyr Thr Gly Tyr Gln Ile Arg Ile
 595 600 605
 Glu Ala Glu Gly Ser Asn Gly Ser Gly Leu Ser Ser Asp Thr Val Lys
 610 615 620
 Val Arg Thr Gln Ser Asp Glu Pro Ser Ala Pro Pro Val Asn Ile Gln
 625 630 635 640

137
 Ala Glu Ala Asp Ser Ser Thr Ser Val Arg Val Ser Trp Asp Glu Pro
 645 650 655
 Glu Glu Glu Ser Val Asn Gly Glu Ile Thr Gly Tyr Arg Leu Lys Tyr
 660 665 670
 Lys Thr Lys Ala Arg Gly Ala Lys Gly Asn Thr Leu Val Ile Asp Ala
 675 680 685
 Thr Ala Arg Glu Tyr Thr Met Gly Asn Leu Glu Pro Asn Thr Gln Tyr
 690 695 700
 Leu Ile Arg Met Ala Val Val Asn His Asn Gly Thr Gly Pro Phe Ser
 705 710 715 720
 Asp Trp Val Ser Ile Asp Thr Pro Gly Gln Asp Lys Glu Glu Arg Thr
 725 730 735
 Leu Gly Ala Pro Arg Glu Ile Arg Pro His Ala Gly Ile Asp Tyr Ile
 740 745 750
 Leu Val Ser Trp Leu Pro Pro Ala Asp Glu Gln Asn Leu Val Arg Gly
 755 760 765
 Tyr Gln Ile Gly Trp Gly Leu Ser Val Pro Asp Thr Glu Thr Ile Arg
 770 775 780
 Val Thr Ala Ser Thr Thr Gln Tyr Lys Ile Ala Arg Leu His Ser Glu
 785 790 795 800
 Arg Asp Tyr Val Ile Ser Leu Arg Ala Phe Asn Asn Leu Gly Ser Gly
 805 810 815
 Phe Pro Ile Tyr Glu Thr Val Arg Thr Leu Ser Arg Glu Thr Pro Ser
 820 825 830
 His Phe Asn Glu Asp Ser Asp Ser Asp Asp Ser Asp Val Gly Ser Ser
 835 840 845
 Glu Ser Thr Pro Val Gly Val Arg Ala Glu Ala Ile Ser Ala Thr Ser
 850 855 860
 Ile Arg Val Met Trp Thr Glu Ser Asp Glu Thr Ala Phe Asn Thr Gln
 865 870 875 880
 Tyr Thr Val Arg Tyr Ser Thr Ala Val Asp Gly Asn Gln His Arg Tyr
 885 890 895
 Val Asn Ser Thr Glu Thr Trp Ala Thr Val Glu Gly Leu Arg Pro Ala
 900 905 910
 Thr Glu Tyr Glu Phe Ala Val Arg Ala Val Ala Ser Asn Gly Gln Leu
 915 920 925
 Ser Thr Trp Ser Met Ala Thr Arg Asn Arg Thr Leu Ala Ala Pro Pro
 930 935 940
 Ser Ser Ala Pro Arg Asp Leu Thr Val Leu Pro Ala Glu Ser Gly Asp

139

Leu Arg Gly Thr Pro Pro Asn Ser Ser Ala Ala Asn Ala Leu Arg Ser
 1265 1270 1275 1280
 Phe Thr Gln Leu Ala Gly Ala Thr Pro Pro Pro His Ser Ala Ala
 1285 1290 1295
 Ser Ser Ser Ser Arg Pro Thr Ile Ile Ala Ala Gly Gly Arg Gln Val
 1300 1305 1310
 Pro Val Gly Arg Ala Thr Ala Gln Pro Arg Val Asn Val Ala Asn Ile
 1315 1320 1325
 Tyr Ser Pro Phe Ala Ser Cys Ser Ala Ser Ser Asp Ala Gly Glu Ser
 1330 1335 1340
 Asp Lys Lys Ser Gly Glu Cys Met Glu Met Arg Glu Thr Thr Pro Ile
 1345 1350 1355 1360
 Lys Ser Asn Thr Ala Gly Ser Ser Asn Gly Glu Lys Met Asn Thr Asn
 1365 1370 1375
 Met Asn Pro Ser His Ser Ala Glu Asp Leu Asn Ala His Leu Glu Asn
 1380 1385 1390
 Leu Asp Thr Met Leu Asp Asp Leu Gln Gln Leu Gln His Asn Leu His
 1395 1400 1405
 Phe Glu Thr Ser Met Asp Lys
 1410 1415

<210> 94

<211> 4248

<212> DNA

<213> Caenorhabditis elegans

<400> 94

```

atgattttgc gacatttcgg ttccattcctt ataattctga cagtttatct gtcacttact 60
catgccacaa cacggaaaca tcatcgctga tcgattgata atgatgctcg gaatcttggc 120
tttcaattcg taatggaacc acgacggaat gtgactgtta tggaatcatc gtctcattta 180
ttagaatgta gttatgttct ggctcatgag agacttgtag acgatgtccg aattgaatgg 240
aaacgtgatg gtgtgttgct cagtgaacgg acatcttcta gaataaaaagt aatgtcaaat 300
ggttcattat ggatagaatc agtgagcagt gccgaagaag gaacatatca atgcgctgta 360
catgtgacta caaaaagcga tcaaacaaagt gatacgtgga catttttgag tcgaaaagct 420
acgttacgat tggcggattt ggcaaagttt gaactgcaag cgattgatcg aactctagca 480
aaagggcagc caactgcgtt tcattgtcctt attaactcga aaccaacccc aacagcagtt 540
tggcttcaca acgatgaacc tattgtaaat ggtggcgaat atcacattct accagtgtca 600
aacacttttg agattagttc cactcaatct agacacgaag ggacgtatag gtgtacggta 660
gaaggtgctg ggaagagaag aagtagccaa actgcacgat tgaccgttac tactgaaaca 720
gtatcgaatg agctagtttt catcacaacg ccacgtctac aagttgttga acaaggcgac 780
gaattcttac ttgaatgcct tgttgacctc ctaatcagac ctcaagttag atgggtcaaa 840
gattctcgct aaattattgt cgaatggagt cgtattcgac gtgttgccgt atcgtaatt 900
cttgtctcac ttgcttctat cgaagatact gggctataca cttgtcgagc ttcgaataat 960
gatgattcaa ttgatcgagc tgtatctgta gaagttcgtg ctccgcccag aatcactaca 1020
cgacctacca cgaaagttgc tgttgaaact gctgatgttg aattagagtg tggaacggcg 1080
gctgctagac cagaggcacg cgtaatttgg taaaaaatg gagaagcaat aattgggagc 1140
gagtattttg taattgagcc gaacagactc cgcattcctg gagtcgtacg agccgatcaa 1200

```

945	950	138	955	960
Pro His Ser Ser Ser Leu His Trp Gln Pro Pro Lys Tyr Ser Asn Gly	965	970		975
Glu Ile Glu Glu Tyr Leu Val Phe Tyr Thr Asp Arg Ala Ser Leu Ala	980	985		990
Asp Lys Asp Trp Thr Ile Asn Tyr Val Ala Gly Asp Lys Leu Ser His	995	1000		1005
Gln Val Ser Asn Leu Leu Pro Lys Ala Asn Tyr Phe Phe Lys Ile Gln	1010	1015		1020
Ala Arg Asn Glu Lys Gly His Gly Pro Phe Ser Ser Val Val Gly Tyr	1025	1030		1035
Thr Pro Ser Gly Gly Ala Ile Leu Ser Gly Lys Asp Arg His Asn Ala	1045	1050		1055
Arg Gly His Gly Ser Ala Ala Ser Gly Asp Thr Val Ser Leu Val Asp	1060	1065		1070
Gln Leu Gln Ser Leu Leu His Ser Asn Pro Leu Tyr Leu Ile Leu Leu	1075	1080		1085
Ala Ala Phe Ala Leu Ile Leu Ile Leu Thr Leu Ile Leu Ile Ile Met	1090	1095		1100
Cys Cys Trp Lys Arg Ser Ser Gly Gly Gly Arg Lys Asn Gly Tyr Gln	1105	1110		1115
Ser Gly Lys Lys Thr Ser Ala Gly Ala Gly Ser Gly Gly Gly Ile Gly	1125	1130		1135
Gly Leu Gly Gly Pro Pro Asn Asp Leu Trp Ile Asn Gly Thr Gly Ser	1140	1145		1150
His Met Arg Ala Gly Ala Ser Asp Tyr Met Val Asp Gly Leu Ala Thr	1155	1160		1165
Ala His Leu Thr Ala Ala Asp Ile Glu Ser Pro Thr Pro Arg Tyr His	1170	1175		1180
His Leu Gln Gly Gln Gly Thr Leu Thr Arg Ser Tyr His Gln Ser Ser	1185	1190		1195
Gln Ser Leu Glu Gly Arg Gln Arg Thr Pro Gln Val Val Tyr Thr Gly	1205	1210		1215
Thr Gly Arg His Gln Pro Ile Gln Arg Ile Asp Phe Glu Ser Pro Tyr	1220	1225		1230
Gly Ser Ser Ser Ala Ile Gly Ser Ala Ser Thr Pro Pro Leu Pro Met	1235	1240		1245
Gln Ala Pro Pro Ser Gly Pro Pro Thr Val Ile Asp Gly Tyr Arg Thr	1250	1255		1260

140

gcaatctacc	aatgtattgc	agaaaatgat	gttggaagtg	aacaagctag	tgcacaactt	1260
cttgttgatg	ctccagattc	atcatcagtg	gctgcttcct	caggagttcc	aatgacttcg	1320
tctgcaccgt	taggcctccg	ttcgacgtct	tctgggtctc	gctttataaa	tggtgaatgg	1380
gatccaccag	ttcaaagaaa	tggaatattt	atgagatatt	atatattcta	caaagataat	1440
ttaatcgaca	gagaaaggat	gatcaattca	tcaagtacat	ctgcaacgtt	aacatctcta	1500
caaccatcaa	caatgtattt	aattcgagtt	actgctgaaa	atgaagctgg	aatgggaaaag	1560
tttagtgatt	cacttaaagt	taccacaaac	aaagaacaag	cagttcctgg	aaaagtcgca	1620
tcactaacia	caactgcaac	tgcccccgaa	acgattgaca	tccgttggag	cccaccaagt	1680
ggaggacaac	ctgcccttcg	atacaaaaata	ttctattcgc	atgatccatt	ggagaaaaat	1740
gaaaaagaaa	cattgattac	gacctcgaca	acacattata	cacttcatgg	aatggataaa	1800
tacactggat	atcagattcg	aattgaagct	gaaggatcca	atggatcggg	gctttcaagt	1860
gatactgtga	aagtacgaac	acaatccgat	gaaccatcag	caccgcctgt	aaacattcaa	1920
gcagaagctg	atagctcaac	aagtgttcga	gttagttggg	atgagccaga	agaggaatct	1980
gttaacggag	aaattactgg	atatcggttg	aagtacaaga	caaaagctcg	tggaagccaa	2040
ggcaatactc	ttgtgattga	cgccactgct	agagagtata	ctatgggaaa	tttggaaaccg	2100
aatacacagt	atctgataag	aatggcagta	gtgaatcaca	atggaacggg	acccttctcg	2160
gattggggtt	ctattgatac	tcctggacaa	gataaagaag	aacgaacact	tggaagcaccg	2220
agagagattc	gaccacatgc	tggaattgat	tatattcttg	tatcatggct	tccaccagca	2280
gatgaacaga	atcttggttag	aggatatcaa	attggatggg	gattgagtg	tcctgatact	2340
gaaacaattc	gtgtaactgc	ttccacaact	caatataaaa	ttgccagatt	gcattcggaa	2400
cgagattatg	tgatttctct	tcgagcattt	aataatctag	gatctggatt	tccgatttat	2460
gagactgtcc	gaacattgtc	tcgtgaaact	ccatcacatt	tcaatgaaga	ttctgattct	2520
gacgattctg	acgttggatc	ctcagaatct	actccagttg	gagtgcgtgc	tgaggcaatc	2580
tctgcaacat	caatacgtgt	tatgtggacg	gaatctgatg	aaactgcttt	caatacacag	2640
tatacagttc	gatatagtac	agctgttgat	gggaatcaac	atagatacgt	gaatagcacc	2700
gagacatggg	ctactgtgga	aggactacga	ccagctactg	agtatgagtt	tgccggttaga	2760
gctgttgcat	caaattgggca	gttgagtact	tggtcaatgg	ctaccaggaa	tcgaacatta	2820
gcggctccac	caagttcagc	tccacgtgat	ctcactgtgc	tgccctgcaga	aagtggcgat	2880
cctcactctt	caagtcttca	ttggcaacct	ccgaaatatt	caaattggaga	aattgaagaa	2940
tatttagtgt	tttatacgga	tcgagcttct	cttgccggaca	aagattggac	aattaactat	3000
gtagctgggtg	ataagttgtc	acatcaagtc	agcaattttac	ttccaaaagc	taattatttc	3060
ttcaagattc	aagcaagaaa	tgagaaaggt	catggcccat	tctcttctgt	agttggatac	3120
actccatcag	gcggtgctat	tctatcagga	aaagatcgtc	acaatgcacg	tgggcatgga	3180
tcagcggctt	ctggcgatac	agtttcttca	gtcgatcaac	ttcaatctct	tcttcaactc	3240
aaccatttgt	atctcatact	tttggtctgcg	tttgctctga	ttctgatcct	tacactgatt	3300
cttatcataa	tgtgttggtg	gaaacgatct	agtgtgggag	ggcgaaagaa	tggaatatcag	3360
tctggaaaaa	agacgagtg	cggagctgga	agtggaggtg	gaataggtgg	tcttggaggt	3420
ccacctaatg	atattatggat	taatggaact	ggaaatcata	tgagagctgg	tgcttctgat	3480
tatatgggtg	atggtctagc	aaccgcccac	cttactgctg	ctgacattga	atcacccaca	3540
cctagatacc	atcatctaca	agggcaagga	actctaacac	gaagttatca	tcaaagctca	3600
caaagtcttg	aaggacgaca	acgaacacct	caagtgggtt	atacaggaac	tggaaggcat	3660
cagccgattc	aaagaatcga	ctttgaaagt	ccttatgggt	catcatctgc	aattggatcc	3720
gcctcgactc	cgccctctcc	aatgcaagct	ccaccttctg	gtccacctac	agtaatcgat	3780
ggataccgta	ctctacgtgg	aacacctcca	aattcatcag	ctgcaaatgc	tcttcgggtca	3840
ttcactcaat	tggcaggagc	aacaccacct	ccaccacact	ctgcggcatc	atcatcttct	3900
cgaccgacta	ttattgcagc	cggtggacgg	caagttccag	ttggaagagc	aactgctcaa	3960
ccacgtgtca	atgttgcaaa	tatctacagt	ccatttgcac	catgctctgc	atcttctgat	4020
gcaggagaat	cagataaaaa	gagtggagaa	tgtatggaaa	tgagagaaac	cacacccatt	4080
aaatctaata	cagctgggtc	atcgaatgga	gagaagatga	acacaaatat	gaatccttca	4140
cactcggcag	aagatctcaa	cgcacatctt	gagaaccttg	acacaatgct	tgatgatcta	4200
caacaattac	agcacaattt	gcattttgag	acgagtatgg	ataagtaa		4248

<210> 95

<211> 1447

<212> PRT

<213> Homo sapiens

<400> 95

141
 Met Glu Asn Ser Leu Arg Cys Val Trp Val Pro Lys Leu Ala Phe Val
 1 5 10 15
 Leu Phe Gly Ala Ser Leu Leu Ser Ala His Leu Gln Val Thr Gly Phe
 20 25 30
 Gln Ile Lys Ala Phe Thr Ala Leu Arg Phe Leu Ser Glu Pro Ser Asp
 35 40 45
 Ala Val Thr Met Arg Gly Gly Asn Val Leu Leu Asp Cys Ser Ala Glu
 50 55 60
 Ser Asp Arg Gly Val Pro Val Ile Lys Trp Lys Lys Asp Gly Ile His
 65 70 75 80
 Leu Ala Leu Gly Met Asp Glu Arg Lys Gln Gln Leu Ser Asn Gly Ser
 85 90 95
 Leu Leu Ile Gln Asn Ile Leu His Ser Arg His His Lys Pro Asp Glu
 100 105 110
 Gly Leu Tyr Gln Cys Glu Ala Ser Leu Gly Asp Ser Gly Ser Ile Ile
 115 120 125
 Ser Arg Thr Ala Lys Val Ala Val Ala Gly Pro Leu Arg Phe Leu Ser
 130 135 140
 Gln Thr Glu Ser Val Thr Ala Phe Met Gly Asp Thr Val Leu Leu Lys
 145 150 155 160
 Cys Glu Val Ile Gly Glu Pro Met Pro Thr Ile His Trp Gln Lys Asn
 165 170 175
 Gln Gln Asp Leu Thr Pro Ile Pro Gly Asp Ser Arg Val Val Val Leu
 180 185 190
 Pro Ser Gly Ala Leu Gln Ile Ser Arg Leu Gln Pro Gly Asp Ile Gly
 195 200 205
 Ile Tyr Arg Cys Ser Ala Arg Asn Pro Ala Ser Ser Arg Thr Gly Asn
 210 215 220
 Glu Ala Glu Val Arg Ile Leu Ser Asp Pro Gly Leu His Arg Gln Leu
 225 230 235 240
 Tyr Phe Leu Gln Arg Pro Ser Asn Val Val Ala Ile Glu Gly Lys Asp
 245 250 255
 Ala Val Leu Glu Cys Cys Val Ser Gly Tyr Pro Pro Pro Ser Phe Thr
 260 265 270
 Trp Leu Arg Gly Glu Glu Val Ile Gln Leu Arg Ser Lys Lys Tyr Ser
 275 280 285
 Leu Leu Gly Gly Ser Asn Leu Leu Ile Ser Asn Val Thr Asp Asp Asp
 290 295 300
 Ser Gly Met Tyr Thr Cys Val Val Thr Tyr Lys Asn Glu Asn Ile Ser

				142											
305				310				315				320			
Ala	Ser	Ala	Glu	Leu	Thr	Val	Leu	Val	Pro	Pro	Trp	Phe	Leu	Asn	His
				325					330					335	
Pro	Ser	Asn	Leu	Tyr	Ala	Tyr	Glu	Ser	Met	Asp	Ile	Glu	Phe	Glu	Cys
			340					345				350			
Thr	Val	Ser	Gly	Lys	Pro	Val	Pro	Thr	Val	Asn	Trp	Met	Lys	Asn	Gly
		355					360					365			
Asp	Val	Val	Ile	Pro	Ser	Asp	Tyr	Phe	Gln	Ile	Val	Gly	Gly	Ser	Asn
	370					375					380				
Leu	Arg	Ile	Leu	Gly	Val	Val	Lys	Ser	Asp	Glu	Gly	Phe	Tyr	Gln	Cys
385					390					395					400
Val	Ala	Glu	Asn	Glu	Ala	Gly	Asn	Ala	Gln	Thr	Ser	Ala	Gln	Leu	Ile
			405						410					415	
Val	Pro	Lys	Pro	Ala	Ile	Pro	Ser	Ser	Ser	Val	Leu	Pro	Ser	Ala	Pro
			420					425					430		
Arg	Asp	Val	Val	Pro	Val	Leu	Val	Ser	Ser	Arg	Phe	Val	Arg	Leu	Ser
		435					440					445			
Trp	Arg	Pro	Pro	Ala	Glu	Ala	Lys	Gly	Asn	Ile	Gln	Thr	Phe	Thr	Val
	450					455					460				
Phe	Phe	Ser	Arg	Glu	Gly	Asp	Asn	Arg	Glu	Arg	Ala	Leu	Asn	Thr	Thr
465					470					475					480
Gln	Pro	Gly	Ser	Leu	Gln	Leu	Thr	Val	Gly	Asn	Leu	Lys	Pro	Glu	Ala
				485					490					495	
Met	Tyr	Thr	Phe	Arg	Val	Val	Ala	Tyr	Asn	Glu	Trp	Gly	Pro	Gly	Glu
			500					505				510			
Ser	Ser	Gln	Pro	Ile	Lys	Val	Ala	Thr	Gln	Pro	Glu	Leu	Gln	Val	Pro
		515					520					525			
Gly	Pro	Val	Glu	Asn	Leu	Gln	Ala	Val	Ser	Thr	Ser	Pro	Thr	Ser	Ile
	530					535					540				
Leu	Ile	Thr	Trp	Glu	Pro	Pro	Ala	Tyr	Ala	Asn	Gly	Pro	Val	Gln	Gly
545					550					555					560
Tyr	Arg	Leu	Phe	Cys	Thr	Glu	Val	Ser	Thr	Gly	Lys	Glu	Gln	Asn	Ile
				565					570					575	
Glu	Val	Asp	Gly	Leu	Ser	Tyr	Lys	Leu	Glu	Gly	Leu	Lys	Lys	Phe	Thr
			580					585					590		
Glu	Tyr	Ser	Leu	Arg	Phe	Leu	Ala	Tyr	Asn	Arg	Tyr	Gly	Pro	Gly	Val
		595					600					605			
Ser	Thr	Asp	Asp	Ile	Thr	Val	Val	Thr	Leu	Ser	Asp	Val	Pro	Ser	Ala
	610					615					620				

143

Pro Pro Gln Asn Val Ser Leu Glu Val Val Asn Ser Arg Ser Ile Lys
 625 630 635 640
 Val Ser Trp Leu Pro Pro Pro Ser Gly Thr Gln Asn Gly Phe Ile Thr
 645 650 655
 Gly Tyr Lys Ile Arg His Arg Lys Thr Thr Arg Arg Gly Glu Met Glu
 660 665 670
 Thr Leu Glu Pro Asn Asn Leu Trp Tyr Leu Phe Thr Gly Leu Glu Lys
 675 680 685
 Gly Ser Gln Tyr Ser Phe Gln Val Ser Ala Met Thr Val Asn Gly Thr
 690 695 700
 Gly Pro Pro Ser Asn Trp Tyr Thr Ala Glu Thr Pro Glu Asn Asp Leu
 705 710 715 720
 Asp Glu Ser Gln Val Pro Asp Gln Pro Ser Ser Leu His Val Arg Pro
 725 730 735
 Gln Thr Asn Cys Ile Ile Met Ser Trp Thr Pro Pro Leu Asn Pro Asn
 740 745 750
 Ile Val Val Arg Gly Tyr Ile Ile Gly Tyr Gly Val Gly Ser Pro Tyr
 755 760 765
 Ala Glu Thr Val Arg Val Asp Ser Lys Gln Arg Tyr Tyr Ser Ile Glu
 770 775 780
 Arg Leu Glu Ser Ser Ser His Tyr Val Ile Ser Leu Lys Ala Phe Asn
 785 790 795 800
 Asn Ala Gly Glu Gly Val Pro Leu Tyr Glu Ser Ala Thr Thr Arg Ser
 805 810 815
 Ile Thr Asp Pro Thr Asp Pro Val Asp Tyr Tyr Pro Leu Leu Asp Asp
 820 825 830
 Phe Pro Thr Ser Val Pro Asp Leu Ser Thr Pro Met Leu Pro Pro Val
 835 840 845
 Gly Val Gln Ala Val Ala Leu Thr His Asp Ala Val Arg Val Ser Trp
 850 855 860
 Ala Asp Asn Ser Val Pro Lys Asn Gln Lys Thr Ser Glu Val Arg Leu
 865 870 875 880
 Tyr Thr Val Arg Trp Arg Thr Ser Phe Ser Ala Ser Ala Lys Tyr Lys
 885 890 895
 Ser Glu Asp Thr Thr Ser Leu Ser Tyr Thr Ala Thr Gly Leu Lys Pro
 900 905 910
 Asn Thr Met Tyr Glu Phe Ser Val Met Val Thr Lys Asn Arg Arg Ser
 915 920 925

144

Ser Thr Trp Ser Met Thr Ala His Ala Thr Thr Tyr Glu Ala Ala Pro
930 935 940

Thr Ser Ala Pro Lys Asp Phe Thr Val Ile Thr Arg Glu Gly Lys Pro
945 950 955 960

Arg Ala Val Ile Val Ser Trp Gln Pro Pro Leu Glu Ala Asn Gly Lys
965 970 975

Ile Thr Ala Tyr Ile Leu Phe Tyr Thr Leu Asp Lys Asn Ile Pro Ile
980 985 990

Asp Asp Trp Ile Met Glu Thr Ile Ser Gly Asp Arg Leu Thr His Gln
995 1000 1005

Ile Met Asp Leu Asn Leu Asp Thr Met Tyr Tyr Phe Arg Ile Gln Ala
1010 1015 1020

Arg Asn Ser Lys Gly Val Gly Pro Leu Ser Asp Pro Ile Leu Phe Arg
1025 1030 1035 1040

Thr Leu Lys Val Glu His Pro Asp Lys Met Ala Asn Asp Gln Gly Arg
1045 1050 1055

His Gly Asp Gly Gly Tyr Trp Pro Val Asp Thr Asn Leu Ile Asp Arg
1060 1065 1070

Ser Thr Leu Asn Glu Pro Pro Ile Gly Gln Met His Pro Pro His Gly
1075 1080 1085

Ser Val Thr Pro Gln Lys Asn Ser Asn Leu Leu Val Ile Ile Val Val
1090 1095 1100

Thr Val Gly Val Ile Thr Val Leu Val Val Val Ile Val Ala Val Ile
1105 1110 1115 1120

Cys Thr Arg Arg Ser Ser Ala Gln Gln Arg Lys Lys Arg Ala Thr His
1125 1130 1135

Ser Ala Gly Lys Arg Lys Gly Ser Gln Lys Asp Leu Arg Pro Pro Asp
1140 1145 1150

Leu Trp Ile His His Glu Glu Met Glu Met Lys Asn Ile Glu Lys Pro
1155 1160 1165

Ser Gly Thr Asp Pro Ala Gly Arg Asp Ser Pro Ile Gln Ser Cys Gln
1170 1175 1180

Asp Leu Thr Pro Val Ser His Ser Gln Ser Glu Thr Gln Leu Gly Ser
1185 1190 1195 1200

Lys Ser Thr Ser His Ser Gly Gln Asp Thr Glu Glu Ala Gly Ser Ser
1205 1210 1215

Met Ser Thr Leu Glu Arg Ser Leu Ala Ala Arg Arg Ala Pro Arg Ala
1220 1225 1230

Lys Leu Met Ile Pro Met Asp Ala Gln Ser Asn Asn Pro Ala Val Val

1235 145 1245
 Ser Ala Ile Pro Val Pro Thr Leu Glu Ser Ala Gln Tyr Pro Gly Ile
 1250 1255 1260
 Leu Pro Ser Pro Thr Cys Gly Tyr Pro His Pro Gln Phe Thr Leu Arg
 1265 1270 1275 1280
 Pro Val Pro Phe Pro Thr Leu Ser Val Asp Arg Gly Phe Gly Ala Gly
 1285 1290 1295
 Arg Ser Gln Ser Val Ser Glu Gly Pro Thr Thr Gln Gln Pro Pro Met
 1300 1305 1310
 Leu Pro Pro Ser Gln Pro Glu His Ser Ser Ser Glu Glu Ala Pro Ser
 1315 1320 1325
 Arg Thr Ile Pro Thr Ala Cys Val Arg Pro Thr His Pro Leu Arg Ser
 1330 1335 1340
 Phe Ala Asn Pro Leu Leu Pro Pro Pro Met Ser Ala Ile Glu Pro Lys
 1345 1350 1355 1360
 Val Pro Tyr Thr Pro Leu Leu Ser Gln Pro Gly Pro Thr Leu Pro Lys
 1365 1370 1375
 Thr His Val Lys Thr Ala Ser Leu Gly Leu Ala Gly Lys Ala Arg Ser
 1380 1385 1390
 Pro Leu Leu Pro Val Ser Val Pro Thr Ala Pro Glu Val Ser Glu Glu
 1395 1400 1405
 Ser His Lys Pro Thr Glu Asp Ser Ala Asn Val Tyr Glu Gln Asp Asp
 1410 1415 1420
 Leu Ser Glu Gln Met Ala Ser Leu Glu Gly Leu Met Lys Gln Leu Asn
 1425 1430 1435 1440
 Ala Ile Thr Gly Ser Ala Phe
 1445

<210> 96

<211> 4344

<212> DNA

<213> Homo sapiens

<400> 96

atggagaata gtcttagatg tgtttgggta cccaagctgg cttttgtact cttcggagct 60
 tccttgctca gcgcgcatct tcaagtaacc ggttttcaaa tttaaagcttt cacagcactg 120
 cgcttcctct cagaaccttc tgatgccgtc acaatgcggg gaggaatgt cctcctcgac 180
 tgctccgcgg agtccgaccg aggagttcca gtgatcaagt ggaagaaaga tggcattcat 240
 ctggccttgg gaatggatga aaggaagcag caactttcaa atgggtctct gctgatacaa 300
 aacatacttc attccagaca ccacaagcca gatgaggac tttaccaatg tgaggcatct 360
 ttaggagatt ctggctcaat tattagtcgg acagcaaaag ttgcagtagc aggaccactg 420
 aggttccttt cacagacaga atctgtcaca gccttcatgg gagacacagt gctactcaag 480
 tgtgaagtca ttggggagcc catgccaaca atccactggc agaagaacca acaagacctg 540
 actccaatcc caggtgactc ccgagtgggt gtcttgccct ctggagcatt gcagatcagc 600

cgactccaac	cgggggacat	tgggaatttac	cgatgctcag	ctcgaaatcc	agccagctca	660
agaacaggaa	atgaagcaga	agtcagaatt	ttatcagatc	caggactgca	tagacagctg	720
tattttctgc	aaagaccatc	caatgtagta	gccattgaag	gaaaagatgc	tgtcctggaa	780
tgttggtgtt	ctggctatcc	tccaccaagt	ttacctggt	tacgaggcga	ggaagtcac	840
caactcaggt	ctaaaaagta	ttctttattg	ggtggaagca	acttgcttat	ctccaatgtg	900
acagatgatg	acagtggaa	gtatacctgt	gttgctacat	ataaaaaatga	gaatattagt	960
gcctctgcag	agctcacagt	cttggttccg	ccatggtttt	taaatcatcc	ttccaacctg	1020
tatgcctatg	aaagcatgga	tattgagttt	gaatgtacag	tctctggaaa	gcctgtgccc	1080
actgtgaatt	ggatgaagaa	tggagatgtg	gtcattccta	gtgattat	tcagatagtg	1140
ggaggaagca	acttacggat	acttgggggtg	gtgaagtcag	atgaaggctt	ttatcaatgt	1200
gtggctgaaa	atgaggctgg	aaatgcccag	accagtgac	agctcattgt	ccctaagcct	1260
gcaatcccaa	gtcccagtgt	cctcccttcg	gtcccagag	atgtggtccc	tgtcttggtt	1320
tccagccgat	ttgtccgtct	cagctggcgc	ccacctgcag	aagcgaaagg	gaacattcaa	1380
actttcacgg	tctttttctc	cagagaagggt	gacaacaggg	aacgagcatt	gaatacaaca	1440
cagcctgggt	cccttcagct	cactgtggga	aacctgaagc	cagaagccat	gtacaccttt	1500
cgagttgtgg	cttacaatga	atggggaccg	ggagagagtt	ctcaacccat	caaggtggcc	1560
acacagcctg	agttgcaagt	tccagggcca	gtagaaaacc	tgcaagctgt	atctacctca	1620
cctacctcaa	ttcttattac	ctgggaaccc	cctgcctatg	caaacggtcc	agtccaaggt	1680
tacagattgt	tctgcactga	ggtgtccaca	ggaaaagaac	agaatataga	ggttgatgga	1740
ctatcttata	aactggaagg	cctgaaaaaa	ttcaccgaat	atagtcttcg	attcttagct	1800
tataatcgct	atgggtccggg	cgtctctact	gatgatataa	cagtgggttac	actttctgac	1860
gtgccaagtg	ccccgcctca	gaacgtctcc	ctggaagtgg	tcaattcaag	aagtatcaaa	1920
gttagctggc	tgcctcctcc	atcaggaaca	caaaatggat	ttattaccgg	ctataaaaatt	1980
cgacacagaa	agacgacccg	caggggtgag	atggaaacac	tggagccaaa	caacctctgg	2040
tacctattca	caggactgga	gaaaggaagt	cagtacagtt	tccaggtgtc	agccatgaca	2100
gtcaatggta	ctggaccacc	ttccaactgg	tatactgcag	agactccaga	gaatgatcta	2160
gatgaatctc	aagtctctga	tcaaccaagc	tctcttcatg	tgaggcccca	gactaactgc	2220
atcatcatga	gttggtactcc	tcccttgaac	ccaaacatcg	tgggtgcgagg	ttatattatc	2280
ggttatggcg	ttggggagccc	ttacgtctgag	acagtgcgtg	tggacagcaa	gcagcgatat	2340
tattccattg	agagggttaga	gtcaagttcc	cattatgtaa	tctccctaaa	agcttttaac	2400
aatgccggag	aaggagttcc	tctttatgaa	agtgccacca	ccaggctctat	aaccgatccc	2460
actgacccag	ttgattatta	tcccttgctt	gatgatttcc	ccacctcggt	cccagatctc	2520
tccaccccca	tgctcccacc	agtaggtgta	caggctgtgg	ctcttaccga	tgatgctgtg	2580
agggtcagct	gggcagacaa	ctctgtccct	aagaaccaa	agacgtctga	ggtgcgactt	2640
tacaccgtcc	ggtggagaac	cagcttttct	gcaagtgcaa	aatacaagtc	agaagacaca	2700
acatctctaa	gttacacagc	aacaggcctc	aaaccaaaaca	caatgtatga	attctcggtc	2760
atggtaacaa	aaaacagaag	gtccagtact	tggagcatga	ctgcacatgc	caccacgtat	2820
gaagcagccc	ccacctctgc	tcccaaggac	tttacagtca	ttactagggg	aggggaagcct	2880
cgtgccgtca	ttgtgagttg	gcagcctccc	ttggaagcca	atgggaaaat	tactgcttac	2940
atcttatttt	ataccttggg	caagaacatc	ccaattgatg	actggattat	ggaaacaatc	3000
agtgggtgata	ggcttactca	tcaaatcatg	gatctcaacc	ttgatactat	gtattacttt	3060
cgaattccaag	cacgaaattc	aaaaggagtg	gggccactct	ctgatcccat	cctcttcagg	3120
actctgaaag	tggaaacccc	tgacaaaatg	gctaattgacc	aaggctcgta	tggagatgga	3180
ggttattggc	cagttgatac	taatttgatt	gatagaagca	ccctaaatga	gccgccaatt	3240
ggacaaatgc	accccccgca	tggcagtgct	actcctcaga	agaacagcaa	cctgcttggtg	3300
atcattgtgg	tcaccgttgg	tgctcatcaca	gtgctggtag	tgggtcatcgt	ggctgtgatt	3360
tgcacccgac	gctcttcagc	ccagcagaga	aagaaacggg	ccaccacag	tgctggcaaa	3420
aggaagggca	gccagaagga	cctccgaccc	cctgatcttt	ggatccatca	tgaagaaatg	3480
gagatgaaaa	atattgaaaa	gccatctggc	actgaccctg	caggaaagga	ctctcccatc	3540
caaagttgcc	aagacctcac	accagtacgc	cacagccagt	cagaaaccca	actgggaagc	3600
aaaagcacct	ctcattcagg	tcaagacact	gaggaaagcag	ggagctctat	gtccactctg	3660
gagaggtcgc	tggctgcacg	ccgagccccc	cgggccaagc	tcatgattcc	catggatgcc	3720
cagtcaca	atcctgctgt	cgtgagcgcc	atcccgggtg	caacgctaga	aagtgcccg	3780
taccaggaa	tctctccgct	tcccacctgt	ggatatcccc	acccgcagtt	cactctccgg	3840
cctgtgccat	tcccaacact	ctcagtggac	cgaggtttcg	gagcaggaag	aagtcagtc	3900
gtgagtgaag	gaccaactac	ccaacaacca	cctatgctgc	ccccatctca	gcctgagcat	3960
tctagcagcg	aggaggcacc	aagcagaacc	atccccacag	cttgtgttcg	accaactcac	4020
ccactccgca	gctttgctaa	tcccttgcta	cctccaccaa	tgagtgcatt	agaaccgaaa	4080

147

gtcccttaca	caccactttt	gtctcagcca	gggccactc	ttcctaagac	ccatgtgaaa	4140
acagcctccc	ttgggttggc	tggaaaagca	agatcccctt	tgcttcctgt	gtctgtgcc	4200
acagcccctg	aagtgtctga	ggagagccac	aaaccaacag	aggattcagc	caatgtgtat	4260
gaacaggatg	atctgagtga	acaaatggca	agtttgggaag	gactcatgaa	gcagcttaat	4320
gcatcacag	gctcagcctt	ttaa				4344

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 December 2000 (07.12.2000)

PCT

(10) International Publication Number
WO 00/73328 A3

(51) International Patent Classification⁷: C12N 15/12,
C07K 14/71, C12Q 1/68, G01N 33/50, 33/68, C07K
16/18, 14/435

(74) Agent: BAVERSTOCK, Michael, George, Douglas;
Boulton Wade Tennant, Verulam Gardens, 70 Gray's Inn Road,
London WC1X 8BT (GB).

(21) International Application Number: PCT/EP00/05108

(22) International Filing Date: 2 June 2000 (02.06.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
9912755.7 1 June 1999 (01.06.1999) GB

(71) Applicant (for all designated States except US): DEV-
GEN NV [BE/BE]; Technologiepark 9, B-9052 Zwij-
naarde (BE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE,
DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU,
ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT,
TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): VAN CRIEKINGE,
Wim [BE/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE). ROELENIS, Ingele [BE/BE]; Dev-
gen NV, Technologiepark 9, B-9052 Zwijnaarde (BE).
BOGAERT, Thierry [BE/BE]; Devgen N.V., Technolo-
giepark 9, B-9052 Zwijnaarde (BE). VERWAERDE,
Phillipe [FR/BE]; Devgen NV, Technologiepark 9, B-9052
Zwijnaarde (BE).

Published:

— With international search report.

(88) Date of publication of the international search report:
12 April 2001

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: UNC-5 CONSTRUCTS AND SCREENING METHODS

(57) Abstract: The invention provides novel splice variants of the human unc-5c cDNA and a novel human unc-5HS1 cDNA se-
quence. Also provided are assays based on protein-protein interactions between the UNC-5 protein and a variety of different inter-
acting proteins.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 00/05108

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C07K14/71 C12Q1/68 G01N33/50 G01N33/68
C07K16/18 C07K14/435

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07K C12N C12Q G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ACKERMAN SUSAN L ET AL: "Cloning and mapping of the UNC5C gene to human chromosome 4q21-q23." GENOMICS, vol. 52, no. 2, 1998, pages 205-208, XP000946854 ISSN: 0888-7543 cited in the application	3,9,15
A	the whole document	1-18
A	WO 98 37085 A (UNIV CALIFORNIA) 27 August 1998 (1998-08-27)	1-28, 30-59, 61-64, 66,67,69
	the whole document	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

17 October 2000

Date of mailing of the international search report

08.01.2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

ANDRES S.M.

INTERNATIONAL SEARCH REPORT

Intern. Patent Application No

PCT/EP 00/05108

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 14424 A (UNIV CALIFORNIA) 24 April 1997 (1997-04-24) the whole document	19-23
A	COLAVITA ANTONIO ET AL: "Suppressors of ectopic UNC-5 growth cone steering identify eight genes involved in axon guidance in Caenorhabditis elegans." DEVELOPMENTAL BIOLOGY, vol. 194, no. 1, 1 February 1998 (1998-02-01), pages 72-85, XP000946782 ISSN: 0012-1606 cited in the application the whole document	23-25, 27,28

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 00/05108

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

see further information sheet invention 1

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

- 1.1. Claims: 1-6 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A human Unc-5Cb protein (SEQ ID 2), nucleic acids encoding it (SEQ ID 1), vectors and cells expressing it and an antibody binding thereto. Methods for identifying compounds which are capable of modulating the binding of Unc-5Cb to an interacting protein.

- 1.2. Claims: 7-12,71,85 (totally) and 19-28,30-59,61-64, 66-67,69 (all partially)

As for subject 1.1, but concerning a human Unc-5Cc protein (SEQ ID 4).

- 1.3. Claims: 13-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

As for subject 1.1, but concerning a human Unc-5C8 protein (SEQ ID 6).

2. Claims: 19,29-58 (all partially)

A method, as characterised in claim 19, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

3. Claims: 20,29-58 (all partially)

A method, as characterised in claim 20, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

4. Claims: 21,29-58 (all partially)

A method, as characterised in claim 21, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

5. Claims: 22,29-58 (all partially)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A method, as characterised in claim 22, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

6. Claims: 23-58 (all partially)

A method, as characterised in claim 23, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

7. Claims: 59,61-64,66-67,69 (all partially) and claims 60,65, 68 (totally)

A method for identifying compounds reducing or inhibiting the lethal phenotype associated with the expression of an UNC-5 death domain in yeast.

8. Claims: 70,80-84 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A nucleic acid encoding the human unc-5H1 homolog (SEQ ID 7), probes and antisense nucleic acids hybridizing therewith, vectors and cells comprising it. Methods for identifying compounds which are capable of modulating the binding of Unc-5H1 to an interacting protein.

9. Claims: 72-73 (totally) and 19-31,53 (all partially)

A nucleic acid obtainable by digestion of pYMP17 with EcoRI and XhoI (SEQ ID 56). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 56.

10. Claims: 74-75 (totally) and 19-31,54 (all partially)

A nucleic acid obtainable by digestion of pYMP6 with EcoRI and XhoI (SEQ ID 54). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 54.

11. Claims: 76-77 (totally) and 19-31,57 (all partially)

A nucleic acid obtainable by digestion of pYMP11 with EcoRI and XhoI (SEQ ID 61). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 61.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

12. Claims: 78-79 (totally) and 19-31,58 (all partially)

A nucleic acid obtainable by digestion of pYMP12 with EcoRI and XhoI (SEQ ID 63). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 63.

Please note that all inventions mentioned under item 1, although not necessarily linked by a common inventive concept, could be searched without effort justifying an additional fee.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/05108

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9837085 A	27-08-1998	US 5939271 A	17-08-1999
		AU 718795 B	20-04-2000
		AU 6174498 A	09-09-1998
		EP 0973794 A	26-01-2000

WO 9714424 A	24-04-1997	US 5747262 A	05-05-1998
		AU 688698 B	12-03-1998
		AU 7433496 A	07-05-1997
		CA 2207505 A	24-04-1997
		EP 0802795 A	29-10-1997
		JP 10511558 T	10-11-1998
		US 6087326 A	11-07-2000
